

IGI PETROLEUM SPECIALTIES, INC. -- SUPER FRIG 300 -- 9150-00-598-2911

===== Product Identification =====

Product ID: SUPER FRIG 300

MSDS Date: 03/01/1991

FSC: 9150

NIIN: 00-598-2911

MSDS Number: BNBRR

=== Responsible Party ===

Company Name: IGI PETROLEUM SPECIALTIES, INC.

Address: 164 SHERIDAN STREET

City: PERTH AMBOY

State: NJ

ZIP: 08861

Country: US

Info Phone Num: 908-826-0140

Emergency Phone Num: 908-826-

0140

CAGE: 0S128

=== Contractor Identification ===

Company Name: DAVIS HOWLAND OIL CORP.

Address: 200 ANDERSON AVE.

City: ROCHESTER

State: NY

ZIP: 14607

Country: US

Phone: 716-473-6650

CAGE: 5A565

Company Name: IGI PETROLEUM SPECIALTIES, INC.

Address: 164 SHERIDAN STREET

Box: City: PERTH AMBOY

State: NJ

ZIP: 08861

Country: US

Phone: 908-826-0140

CAGE: 0S128

===== Composition/Information on Ingredients =====

Ingred Name: HYDROTREATED HEAVY NAPHTHENIC DISTILLATE, PETROLEUM

CAS: 64742-52-5

RTECS #:

PY8035000

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MINIMALLY IRRITATING
Explanation of Carcinogenicity:THE PRODUCT CONTAINS NO INGREDIENT THAT
IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.
Effects of Overexposure:MINIMALLY IRRITATING
Medical Cond Aggravated by Exposur
e:NO INFORMATION GIVEN ON MSDS BY
SUPPLIER

=====
===== First Aid Measures =====
=====

First Aid:EYE:FLUSH W/WATER SKIN:WASH WITH SOAP & WATER.
INHALED:REMOVE TO FRESH AIR. INGESTED:VOMITING MAY BE INDUCED.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:CC
Flash Point:340F,171C
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING GEAR WHEN
FIGHTING FIRE IN CONFINED SPACE.
Unusual Fire/Explosion Hazard:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:CONFINE SPILL, ADVISE EPA; STATE AGENCY IF
REQUIRED. ABSORB ON INERT MATERIAL
Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

=====
===== Handling and Storage =====
=====

Handling and Storage Precautions:NFPA CLASS 111-B STORAGE. WASH
THOROUGHLY AFTER

HANDLING.

Other Precautions:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:CONCENTRATION IN AIR DETERMINES PROTECTION
NEEDED. USE ONLY NIOSH CERTIFIED RESPIRATORS.

Ventilation:NOT APPLICABLE OR NOT NORMALLY NEEDED.

Protective Gloves:NON IRRITATING

Eye Protection:MINIMALLY IRRITATING

Other Protective Equipment:NONE NORMALLY NEEDED

Work Hygienic Practices:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

Supplementa

I Safety and Health

NONE

=====
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:700F,371C

Vapor Density:10+

Spec Gravity:0.92

Evaporation Rate & Reference:1000XSLOWER ETHYL ETHER

Solubility in Water:NEGLIGIBLE

Appearance and Odor:STRAW COLOR,LITTLE OR NO ODOR

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:OPEN FLAMES

Hazardous Deco

mposition Products:CARBON MONOXIDE AND ASPHYXIANTS

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE, LOCAL REGULATIONS.
NOT A RCRA HAZARDOUS WASTE IF UNCONTAMINATED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this informati

on to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.