

J T BAKER INC -- 9156, BENZENE -- 6810-00-978-1878

=====
Product Identification
=====

Product ID:9156, BENZENE

MSDS Date:07/30/1986

FSC:6810

NIIN:00-978-1878

MSDS Number: BNBSH

=== Responsible Party ===

Company Name:J T BAKER INC

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Info Phone Num:800-582-2537

Emergency Phone Num:908-859-2151;800-424-9300(CHEMTREC)

CAGE:

DO803

=== Contractor Identification ===

Company Name:J T BAKER INC

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:1-800-582-2537

CAGE:DO803

Company Name:MALLINCKRODT BAKER, INC.

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:800-582-2537

CAGE:70829

=====
Composition/Information on Ingredients
=====

Ingred Name:BENZENE; (BENZOL) (SARA III)

CAS:71-43-2

RTECS #:CY1400000

Fraction by Wt: 90-100%

Other REC

Limits:STEL: 25 PPM (MFR)
OSHA PEL:1 PPM;5 PPM STEL
ACGIH TLV:10 PPM
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50: (ORAL, RAT) 4894 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:ACUTE: INHALATION OF VAPORS MAY CAUSE
HEADACHE, NAUSEA, DIZZINESS, FATIGUE AND WEAKNESS IN ARMS/LEGS.
CHRONIC: CHRONIC
EFFECTS OF OVEREXPOSURE MAY INCLUDE KIDNEY &/OR
LIVER DAMAGE. IRREVERSIBLE INJURY TO BLOOD FORMING TISSUE MAY
RESULT FROM CHRONIC LOW LEVEL EXPOSURE. INHALATION OF BENZENE MAY
CAUSE APLASTIC ANEMIA.
Explanation of Carcinogenicity: BENZENE: GROUP 1 (IARC), GROUP 1 (NTP),
ACGIH GRP A2, OSHA REGULATED.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE IDENTIFIED.

=====
===== First Aid Measures =====

First Aid:CALL
MD. -- INGEST: DO NOT INDUCE VOMIT. IF CONSCIOUS, GIVE
WATER, MILK OR MILK OF MAGNESIA. INHAL: REMOVE TO FRESH AIR. IF NOT
BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT,
GIVE OXYGEN. EYES/SKIN: IMMEDIATELY FLUSH W/PLENTY OF WATER FOR AT
LEAST 15 MINUTES.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:12F,-11C
Lower Limits:1%
Upper Limits:7%
Extinguishing Media:USE ALCOHOL FOAM, DRY CHEMICAL OR CARBON
DIOXIDE.
(WATER MAY BE INEFFECTIVE).
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROT
EQUIP . MOVE CONTRS FROM FIRE AREA IF POSSIBLE WITHOUT RISK. USE
WATER TO KEEP FIRE-EXPOSED CONTRS COOL.
Unusual Fire/Explosion Hazard:VAPORS MAY FLOW ALONG SURFACES TO DISTANT
IGNITION SOURCES & FLASH BACK. CLOSED CONTRS EXPOSED TO HEAT MAY
EXPLODE. CONTACT W/STRONG OXIDIZERS MAY CAUSE FIRE.

=====
===== Accidental Release Measures =====

Spill Releas

e Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP.
SHUT OFF IGNIT SOURCES; NO FLARES/SMKG/FLAMES IN AREA. STOP LEAK IF
POSSIBLE W/O RISK. USE WATER SPRAY TO REDUCE VAPS. TAKE UP
W/SAND/OTHER NON-COMBUST A BSORB MATL (J. T. BAKER SOLUSORB (SUPP
DATA)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. STORE
IN A COOL, DRY, WELL-VENTILATE
D, FLAMMABLE LIQUID STORAGE AREA OR
CABINET.

Other Precautions:POISON! DANGER! EXTREMELY FLAMMABLE. HARMFUL IF
SWALLOWED/INHALED/ABSORBED THRU SKIN. CAUTION: CONTAINS BENZENE,
CANCER HAZARD. KEEP AWAY FROM HEAT, SPARKS, FLAME. AVOID CONTACT
W/EYES, SKIN CLTHG. AV OID BREATHING VAP. USE W/ADEQ VENT.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATORY PROTECTION
REQUIRED IF AIRBORNE CONCENTRATION EXCEEDS T
LV. AT CONCENTRATIONS
ABOVE 10 PPM, A NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING
APPARATUS IS ADVISED.

Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV
REQUIREMENTS.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEM WORK GOGG/FULL LENGTH FSHLD .

Other Protective Equipment:UNIFORM, PROTECTIVE SUIT ARE RECOMMENDED.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

SPILL PROC: SOLVENT ABSORBENT IS RECOMMENDED) AND PLACE INTO
CONTAINER

FOR LATER DISPOSAL. FLUSH AREA WITH WATER.

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:176F,80C

Melt/Freeze Pt:M.P/F.P Text:43.0F,6.1C

Vapor Pres:74.6

Vapor Density:2.8

Spec Gravity:0.88 (H*2O=1)

Solubility in Water:NEGLIGIBLE (