View NSN Online: https://aerobasegroup.de/nsn/2915-01-174-1823 SANLO PRODUCTS CO -- SODIUM NITRATE -- 6810-01-174-1823 ============= Product Identification ======================== Product ID:SODIUM NITRATE MSDS Date:05/01/1989 FSC:6810 NIIN:01-174-1823 MSDS Number: BNBVB === Responsible Party === Company Name: SANLO PRODUCTS CO Address:100 MANHATTAN AVENUE, SUITE 103 City:UNION CITY State:NJ ZIP:07087 Country:US Info Phone Num:201-348-1684 Emergency Phone Num:201-348-1684 CAGE:0K5U0 == = Contractor Identification === Company Name: SANLO PRODUCTS CO Address: 100, MANHATTAN AVE SUITE 103 City:UNION CITY State:NJ ZIP:07087 Country:US Phone:201-348-1684/800-424-9300(CHEMTREC) CAGE:0K5U0 ======= Composition/Information on Ingredients ======== Ingred Name: SODIUM NITRATE CAS:7631-99-4

RTECS #:WC5600000 Fraction by Wt: 99-100%

======== Hazards Identification ===========

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalatio

n:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:IRRITATION OF SKIN AND/OR MUCOUS MEMBRANES.INGESTION OF LARGE MAOUNTS CAUSES VOILENT GASTROENTERITIS, CHROMIC: ANEMIA, METHEMOGLOBINEMIA, NEPHRITIS. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:DIZZINESS, ABDOMINAL CRAMPS, VOMITING, HEADACHE, MENTAL IMPAIRMENT, CYANOSIS. Medical Cond Aggravated by Exposure:NONE IDENTIFIED.
======================================
First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. WASH WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING AS NEEDED. INGESTED:IMMEDIA TELY GIVE 2 LARGE GLASSES OF MILK OR WATER AND INDUCE VOMITING. (NOTHING BY MOUTH IF UNCONSCIOUS.) GET IMMEDIATE MEDICAL CARE. IF ANY IRRITATION PERSISTS OR IS SEVERE, SEE A DOCTOR.
======================================
ting Measures ====================================
Extinguishing Media:USE WATER SPRAY, CARBON DIOXIDE, FOAM, DRY CHEMICAL.
Fire Fighting Procedures:NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP W/ FULL FACEPIECE OPERATED IN POS PRESS MODE. MOVE CONTR FROM FIRE AREA IF CAN BE DONE W/OUT RISK. USE H2O TO (SUPDAT) Unusual Fire/Explosion Hazard:STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. CAN REACT VIOLENTLY WITH SHOCK, FRICTION OR HEAT. TOXIC GASES PRODUCED OXIDES OF NITROGEN.
= ========= Accidental Release Measures ====================================
Spill Release Procedures:IMPERVIOUS GLOVES,BOOTS, WEAR GOGGLES, COVERALLS. WEAAR NIOSHMSHA APPROVED DUST RESPIRATOR. SWEEP OR SHOVEL UP SPILLED MATERIAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
========== Handling and Storage ============
Handling and Storage Precautions:STORE AWAY FROM REDUCING AGENTS AND LIQUIDS OF LOW FLASH POINTS. STORAGE AREA SHOULD BE COOL, DRY, WELL VENT

ILATED AND FIRE PROOF. Other Precautions: WOOD AND EMPTY PAPER BAGS USED TO HOLD THIS PRODUCT SHOULD BE REMOVED FROM THE PREMISES. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, USE AN NIOSH/MSHA APPROVED RESPIRATOR OR DUST MASK. Ventilation: USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP FUME OR DUST LEVELS BELOW PEL/TLV OF NUISANCE DUST. Protective Gloves:BUTYL RUBBERS GLOVES. Eye Protection: CHEMICAL WORKERS GOGGLES Other Protective Equipment: COVERRALLS AND IMPERVIOUS BOOTS. Work Hygienic Practices: USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health FIRE FIGHT PROC: KEEP FIRE-EXPOSED CONTAINERS COOL. ========= Physical/Chemical Properties =========== HCC:D1 Melt/Freeze Pt:M.P/F.P Text:583F,306C Spec Gravity:POWDER Solubility in Water: COMPLETE Appearance and Odor:WHITE PRILLS (PELLETS). Percent Volatiles by Volume:0.0 ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES COMBUSTIBLE MATERIALS, ORGANIC MATERIALS, STRONG REDUCING AGENTS Stability Condition to Avoid:SHOCK, FRICTION, HEAT. Hazardous Decomposition Products: OXIDES OF NITROGEN.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE IN ACCORDAN

CE WITH ALL APPLICABLE

FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. SANITARY LANDFILL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to

verify and assume responsibility for the suitability of this information to their particular situation.