

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR-1436-G B-2, PART A -- 8030-00-008-7198
===== Product Identification =====

Product ID:PR-1436-G B-2, PART A

MSDS Date:08/28/1991

FSC:8030

NIIN:00-008-7198

Kit Part:Y

MSDS Number: BNBXV

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info

Phone Num:818-240-2060

Emergency Phone Num:800-424-9300 CHEMTREC/800-228-5635

Preparer's Name:JCS

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

===== Composit

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: IRRITATION, DAMAGE. SKIN:
IRRITATION, ALLERGIC SKIN RASH. TOXIC BY SKIN ABSORPTION. LAB TEST
HAVE SHOWN THAT DERMAL APPLIC OF DMAC TO PREGNANT RATS PRODUCED
FETAL
ABNORMALITIES. PROLONGED EXPOSURE TO HEXAVALENT CHROMIUM
COMPOUNDS OVER THE PEL MAY CAUSE PAINLESS PENETRATING ULCERS OF THE
SKIN.

Effects of Overexposure:INHALATION (MIST OR DUST OF DRIED MATERIAL):
IRRITATION, NAUSEA, HEADACHE, WEAKNESS, POSSIBLE LIVER DAMAGE.
PENETRATING ULCERS OF MUCOUS MEMBRANES OF NOSE AND PERFORATION OF
CARTILAGINOUS NASAL SEPTUM. INGESTION: IRRITATION OF STOMACH AND
INTESTINES. NAUSEA, VOMITING, AND DIARRHEA. POSSIBLE LIVER AND
KIDNEY DAMAGE.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LUKEWARM WATER FOR 15 MINUTES, CONSULT
PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST,
CONSULT PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS ARE
PRESENT, CONSULT PHYSICIAN. INGESTION: CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:NOT FLAMMABLE
Extinguishing Media:CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE COMPLETE
PERSONAL PROTECTION. USE WATER TO COOL HEAT EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:DIKE AND COVER THE SPILL WITH NON-OXIDIZABLE
ABSORBENT. SCOOP INTO CONTAINER. SPRINKLE SODIUM THIOSULFATE ON
RESIDUE. WORK INTO RESIDUE. SCOOP INTO DISPOSAL CONTAINER. CLEAN
AREA WITH WATER.

===== Handling and Storage =====

age =====

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID INGESTION. TOXIC BY SKIN ABSORPTION. AVOID ALL SKIN CONTACT.

Other Precautions:THIS PRODUCT CONTAINS A TOXIC CHEMICAL OR CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372.

===== Exposure Controls/Personal Protection =====

Ventilation:GENERAL VENTILATION TO MAINTAIN VAPOR BELOW PEL.

Protective Gloves:NITRILE, BUTYL OR NATURAL RUBBER GLOVES

Eye Protection:CHEMICAL GOGGLES OR FULL FACE SHIELD

Other Protective Equipment:GLOVES NOT PROTECT FOR IMMERSION. PROTECT SKIN (SPASH) W/NITRILE/BUTYL/NATURAL RUBBER/POLYETHYLENE APRON/COVERALLS.

Supplemental Safety and Health

ALTHOUGH THE CHROMIUM COMPOUNDS IN THIS PRODUCT ARE NOT DESIGNATED BY NTP OR IARC AS CANCER CAUSING CHEMICALS, THE LIST ENTITLED "CHEMICALS K

KNOWN TO THE STATE OF CALIFORNINA TO CAUSE CANCER" AS REQUIRED BY THE SAFE DRINKING WATER AND TOXICENFORMENT ACT (PROPOSITION 65) INCLUDES ALL HEXAVALENT CHROMIUM COMOUNDS.

===== Physical/Chemical Properties =====

HCC:F4

Spec Gravity:1.38

Solubility in Water:APPRECIABLE

Appearance and Odor:BLACK LIQUID

Percent Volatiles by Volume:76.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

FLAMMABLE LI

QUIDS.

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN, CHROMIUM COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:EPA WASTE NUMBER D-007. DISPOSE OF SPILLAGE IN COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, ex

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.