

RAYCHEM CORPORATION -- THERMOFIT S-1009 ADHESIVE PART B -- 8040-00-181-7201

=====
Product Identification
=====

Product ID:THERMOFIT S-1009 ADHESIVE PART B

MSDS Date:09/01/1988

FSC:8040

NIIN:00-181-7201

Kit Part:Y

MSDS Number: BNBZC

=== Responsible Party ===

Company Name:RAYCHEM CORPORATION

Address:300 CONSTITUTION DRIVE

City:MENLO PARK

State:CA

ZIP:94025

Country:US

Info Phone Num:415-361-5524

Eme

rgency Phone Num:415-361-5524

CAGE:09090

=== Contractor Identification ===

Company Name:RAYCHEM CORPORATION

Address:300 CONSTITUTION DRIVE

Box:City:MENLO PARK

State:CA

ZIP:94025

Country:US

Phone:415-361-5524

CAGE:09090

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYAMIDE RESIN

CAS:68410-23-1

Other REC Limits:NONE SPECIFIED

Ingred Name:AMINE CATALYST
CAS:140-31-8
Other REC Limits:NONE SPECIFIED

Ingred Name:ALIPHATIC POLYMERCAPTAN
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:MAY BE IRRITATING IF INGESTED, BUT IS
NOT KNOWN TO HAVE OTHER HARMFUL EFFECTS. SKIN,EYE,NOSE AND THROAT
IRRITATION.
Effects of Overexposure:SKIN,EYE, NOSE AN THROAT IRRITATION.

=====
===== First Aid Measures =====

First Aid:EYES-FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL
ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:495F,257C
Extinguishing Media:CARBON DIOXIDE, WATER, DRY CHEMICAL.
Fire Fighting Procedures:TOXIC FUMES MAY BE EVOLVED IN A FIRE. FIREMAN
SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS IN ENCLOSED AREAS.
Unusual Fire/Explosion Hazard:TOXIC FUMES MAY BE EVOLVED IN A FIR
E.

=====
===== Accidental Release Measures =====

Spill Release Procedures:DON APPROPRIATE PERSONAL PROTECTION BEFORE
RESPONDING.CONTAIN SPILL WITH INERT ABSORBENT.TAKE MEASURES TO STOP
SPILLAGE AT THE SOURCE.TRANSFER CONTAMINATED ABSORBENT INTO A
CONTAINER AND HANDLE AS HAZ ARDOUS WASTE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:CURING OF ADHESIVE SHOULD BE DONE IN A
WELL- VENTILATED AREA.THE CUR

ING PROCESS IS EXOTHERMIC.

Other Precautions:KN

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION IS INADEQUATE TO CONTROL VAPORS,
NIOSH/MSHA-APPROVED AIR-PURIFYING RESPIRATORS ARE RECOMMENDED.
Ventilation:IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE PRACTICE,ENSURE
ADEQUATE VENTILATION DURING APPLICATION.
Protective Gloves:IMPERVIOUS GLOVES.
Eye Protection:USE EYEWEAR
Supplemental Safety and Health
NK

=====
===== Physical/
Chemical Properties =====

HCC:N1
Solubility in Water:NEGLIGIBLE
Appearance and Odor:VISCOUS, TAN LIQUID WITH MERCAPTAN ODOR.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
MAY REACT STRONGLY EXOTHERMICALLY(RELEASE HEAT) WITH ACIDS,BASES, OR
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:MAY REACT STRONGLY EXOTHERMICALLY(RELEASE
HEAT) WITH ACIDS,BASES, OR STRONG OXIDIZING AGENTS.
Hazardous Decompositio
n Products:CARBON MONOXIDE,CARBON DIOXIDE,ACIDS,
ALDEHYDES,SULPHUR,NITROGEN COMPOUNDS.PRODUCTS ARE LIKELY TO BE
TOXIC DONT INHALE.
Conditions to Avoid Polymerization:MAY REACT STRONGLY
EXOTHERMICALLY(RELEASE HEAT)WITH ACIDS,BASES,OR STRONG OXIDIZING
AGENTS.

=====
===== Disposal Considerations =====

Waste Disposal Methods:MUST BE DISPOSED OF AS HAZARDOUS WASTE IN
ACCORDANCE WITH LOCAL,STATE AND FEDERAL LAWS.DUMPING INTO
SEWER,ONTO THE GROUND, OR

INTO ANY BODY OF WATER IS PROHIBITED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.