

=====
Product Identification
=====

Product ID:A1177B1

MSDS Date:09/25/1991

FSC:8040

NIIN:00-998-3339

Kit Part:Y

MSDS Number: BNCHD

=== Responsible Party ===

Company Name:BF GOODRICH, ADHESIVE SYSTEMS DIVISION

Address:123 WEST BARTGES STREET

City:AKRON

State:OH

ZIP:44311

Country:US

Info Phone Num:216-374-2824 / 216-374-5036

Emergency Phone Num:216-374-5143

Preparer's Name:C PEARSON

CAGE:KO011

=== Contractor Identification ===

Company Name:BF GOODRICH, ADHESIVE SYSTEMS DIVISION

Address:123 WEST BARTGES STREET

City:AKRON

State:OH

ZIP:44311

Country:US

Phone:216-374-2824 / 216-374-5036

CAGE:KO011

Company Name:PIEDMONT POLYMERS INC

Address:5025 S ROYAL ATLANTIC DR

Box:188

City:TUCKER

State:GA

ZIP:30084

Country:US

Phone:404-939-5660

CAGE:0GGS8

Company Name:SIA ADHESIVES INC

Address:123 W BARTGES ST

Box:City:AKRON

State:OH

ZIP:44311-1081

Country:US

Phone:330-374-2786 / 330-374-2900

CAGE:1H

=====
Composition/Information on Ingredients
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
Hazards Identification
=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SOME PEOPLE MAY DEVELOP ALLERGIC REACTION.

Explanation of Carcinogenicity:NONE KNOWN.
Effects of Overexposure:MINOR TRANSIENT IRRITATION OF EYES AND SKIN.
Medical Cond Aggravated by Exposure:SKIN RASHES.

=
=====
First Aid Measures
=====

First Aid:FLUSH EYE WITH WATER FOR 15 MINUTES HOLDING EYE LIDS OPEN.
SEE A PHYSICIAN. WASH SKIN WITH SOAP AND WATER. SEE A PHYSICIAN IF RASH DEVELOPS. REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. CONSULT A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:CC
Flash Point:480F,249C
Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL.
Fire Fighting Procedures:DO NOT ENTER CONFINED FIRE SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT, INCLUDING A NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:FIRES MAY GIVE OFF TOXIC FUMES.

=====
Accidental Release Measures
=====

Spill Release Procedures:AVOID EYE AND SKIN CONTACT. SCRAPE UP OR ABSORB AND PLACE IN CONTAINER FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and St

orage Precautions:STORE IN A COOL, DRY AREA, AWAY FROM SOURCES OF HEAT. KEEP AWAY FROM CHILDREN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NECESSARY. USE ORGANIC VAPOR FOR FUMES FROM HEATED MATERIAL.

Ventilation:LOCAL AT A POINT OF CORE OR HEATING.

Protective Gloves:NEOPRENE

Eye Protection:GOGGLES

Other Protective Equipment:EYE WASH AND SHOWER IN AREA.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>400F,>204C

Decomp Temp:Decomp Text:>400F,>204C

Spec Gravity:1.371 (WATER=1)

Viscosity:100,000 CPS

Solubility in Water:NIL

Appearance and Odor:THICK GREEN LIQUID, EPOXY ODOR.

Percent Volatiles by Volume:0.0

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACIDS, AMINES IN UNCONTROLLED CONDITIONS

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, PHENOL AND OTHER TOXIC FUMES.

=====
===== Disposal Considerations =====

Waste Disposal Methods:THIS MATERIAL IF DISCARDED MAY BE HAZARDOUS. DISCARD IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS. INCINERATION IS THE PREFERRED METHOD.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants

this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.