View NSN Online: https://aerobasegroup.com/nsn/8030-01-008-0836

TACC INTERNATIONAL CORP. -- XJD 0107 A LAGGING COMPOUND -- 8030-01-008-0836

Product ID:XJD 0107 A LAGGING COMPOUND MSDS Date:01/01/1991 FSC:8030 NIIN:01-008-0836 Kit Part:Y **MSDS Number: BNCHJ** === Responsible Party === Company Name: TACC INTERNATIONAL CORP. Address: AIR STATION INDUSTRIAL PARK Box:390 City:ROCKLAND State:MA ZIP:02370 Country:US Info Phone Num:617-8 78-7015 Emergency Phone Num:617-878-7015 CAGE:0HZU1 === Contractor Identification === Company Name: TACC INTERNATIONAL CORP Address: AIR STATION INDUSTRIAL PARK Box:City:ROCKLAND State:MA ZIP:02370 Country:US Phone:781-878-7015 CAGE:0HZU1

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

Health Hazards Acute and Chronic:INHALATION: AVOID BREATHING VA

POR, MIST OR SPRAY IN CONTAINER HEADSPACE. SKIN: MAY CAUSE SKIN SENSITIZATION (RASHES OR HIVES). EYES: MAY CAUSE EYE IRRITATION. INGESTION: DO NOT INDUCE VOMITING. PREEXI STING SKIN OR LUNG ALLERGIES MAY INCREASE THE CHANCE OF DEVELOPING INCREASED ALLERGY SYMPTOMS FROM EXPOSURE TO PRODUCT. Explanation of Carcinogenicity: SILICA IS LISTED AS A CLASS 2A CARCINOGEN. First Aid: INHALATION: REMOVE TO FRESH AI R. SKIN: WASH WITH SOAP AND WATER, APPLY A MILD SKIN CREAM. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES, CONSULT A PHYSICIAN. INGESTION: CALL POISON CENTER IMMEDIATELY . CONTAMINATED LEATHER ARTICLE CANNOT BE DECONTAMINATED AND SHOULD BE DESTROYED TO PREVENT REUSE. Flash Point Method:SCC Flash Point:>200F.>93C Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER SPRAY. Fire Fighting Procedures:DO N OT SPRAY A SOLID STREAM OF WATER OR FOAM DIRECTLY INTO A POOL OF HOT, BURNING LIQUID; THIS MAY CAUSE FROTHING. USE SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: EXPOSURE TO HIGH TEMPERATURES MAY CAUSE INSTABILITY, DECOMPOSITION AND COMBUSTION PRODUCTS MAY BE TOXIC. Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. SHOVEL INTO CLOSABLE CONTAINERS. FLUSH AREA WITH WATER. DISPOSE OF IN AC CORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. Handling and Storage Precautions: STORE IN COOL, DRY AREA IN CLOSED CONTAINER. Respiratory Protection: SELF-CONTAINED BREATHING APPARATUS IN HIGH VAPOR CONCENTRATIONS, NIOSH APPROVED MASK. Ventilation: LOCAL EXHAUST SUFFICIENT TO KEEP WORKROOM CONCENTRATION BELOW TLV. Protective Gloves: CHEMICAL RES

ISTANT GLOVES. Eye Protection:SAFETY GLASSES OR FACE SHIELD. Other Protective Equipment:BARRIER CREAM FOR SENSITIVE SKIN. Supplemental Safety and Health

Spec Gravity:1.5 (WATER=1) Solubility in Water:NIL Appearance and Odor:WHITE, TYPICAL ODOR. Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES
OXIDIZERS, AMINES, AMMONIA, ACIDS, HALOGE
NS, ANHYDRIDES, STRONG
OXIDIZING AGENTS.
Stability Condition to Avoid:ELEVATED TEMPERATUES. ALIPHATIC POLYAMINES
CAN PRODUCE EXOTHERMIC REACTIONS. AVOID BREATHING FUMES.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES.
Conditions to Avoid Polymerization:AMINES, ALKALIES, MINERAL ACIDS, METAL SALTS, STRONG ACIDS OR BASES IN BULK.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LO CAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of thi s information to their particular situation.