

SHELL CANADA PRODUCTS LIMITES -- SHELL JET A-1 47 -- 9130-01-180-5540

===== Product Identification =====

Product ID:SHELL JET A-1 47
MSDS Date:10/31/1991
FSC:9130
NIIN:01-180-5540
MSDS Number: BNCLF
=== Responsible Party ===
Company Name:SHELL CANADA PRODUCTS LIMITES
Address:STATION M
Box:100
City:CALGARY, ALBERTA
Country:CN
Info Phone Num:403-691-3111/2220 800-661-7378
Emergency Phone Num:613-996
-6666 (CANUTEC)
CAGE:0LUH3
=== Contractor Identification ===
Company Name:SHELL CANADA PRODUCTS LIMITES
Address:STATION M
Box:100
City:CALGARY, ALBERTA
Country:CN
Phone:613-996-6666 (CANUTEC)
CAGE:0LUH3

===== Composition/Information on Ingredients =====

Ingred Name:KEROSENE
CAS:64742-81-0
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS > 5000 MG/KG
Routes of Entry:

Inhalation: YES Skin: YES Ingestion: YES
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: THIS PRODUCT IS EXPECTED TO BE
IRRITATING TO THE SKIN BUT IS NOT PREDICTED TO BE A SKIN
SENSITIZER. PROLONGED OR REPEATED CONTACT CAN RESULT IN DERMATITIS.
VAPORS ARE MODERATELY IRRITATING TO EYES & RESPIRATORY PASSAGE.
PROLONGED IMMERSION IN LIQUID MAY LEAD TO CHEMICAL BURNS.
Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.
Effects of Overexposure: PROLONGED & REPEATED SKIN CONTACT CAN CAUSE
DEFATTING & DRYING OF THE SKIN. PROLONGED EXPOSURE TO HIGH VAPOR
CONCENTRATION CAN CAUSE HEADACHE, DIZZINESS, NAUSEA & CENTRAL
NERVOUS SYSTEM DEPRESSION. ASPIRATION INTO THE LUNGS CAN CAUSE
SEVERE INFLAMMATION OF THE LUNGS.
Medical Condition Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures
=====

First Aid: EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE HOLDING
EYELIDS OPEN. GET MEDICAL ATTENTION. INHALE: REMOVE VICTIM TO FRESH
AIR. INGESTION: DO NOT INDUCE VOMITING! OBTAIN MEDICAL ATTENTION
IMMEDIATELY. GUARD AGAINST ASPIRATION INTO LUNGS BY HAVING VICTIM
TURN ON THEIR LEFT SIDE. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS.
SKIN: START RINSING & REMOVE CONTAMINATED CLOTHING WHILE RINSING.
GET AID.

===== Fire Fighting
Measures =====

Flash Point Method: TCC
Flash Point: >100F, >38C
Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG.
Fire Fighting Procedures: CAUTION-COMBUSTIBLE. DO NOT ENTER CONFINED
FIRE SPACE WITHOUT ADEQUATE PROTECTIVE CLOTHING AND AN APPROVED
POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard: FLASHBACK MAY OCCUR ALONG VAPOUR TRAIL.
DO NOT USE WATER EXCEPT AS A FOG. USE WATER TO COOL FIRE EXPOSED
CONTAINERS.

=====

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITION SOURCES. ISOLATE AREA.
GROUND HANDLING EQUIPMENT. WORK UPWIND OF SPILL. DIKE & CONTAIN
LAND SPILL; CONTAIN WATER SPILLS BY BOOMING. USE WATER FOG TO KNOCK
DOWN VAPORS; CONTAIN RUNOF F. ABSORB RESIDUE WITH ABSORBENT
MATERIAL & REMOVE

===== Handling and Storage =====

Handling and Storage Precautions:AVOID EXCESSIVE HEAT, SPARKS, OPEN

FLAMES & ALL OTHER SOURCES OF IGNITION. USE EXPLOSION-PROOF
VENTILATION TO PREVENT ACCUMULATION.

Other Precautions:FIXED EQUIPMENT AS WELL AS TRANSFER CONTAINERS AND
EQUIPMENT SHOULD BE GROUND TO PREVENT ACCUMULATION OF STATIC
CHARGE. NEVER SIPHON BY MOUTH. LAUNDER CONTAMINATED CLOTHING PRIOR
TO REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE EXCEEDS OCCUPATIONAL EXPOSURE
LIMITS, WEAR A NIOSH/MSHA APPROVED RESPIR
ATOR.

Ventilation:USE EXPLOSION-PROOF VENTILATION AS REQUIRED TO CONTROL
VAPOUR CONCENTRATIONS.

Protective Gloves:IMPERVIOUS (VITON, NITRILE) RUBBER GLOVE

Eye Protection:CHEMICAL SAFETY GOGGLES/FACE SHIELD

Other Protective Equipment:IM CONFINED SPACES OR WHERE THE RISK OF SKIN
EXPOSURE IS MUCH HIGHER, IMPERVIOUS CLOTHING SHOULD BE WORN.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE
EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE
REUSE.

Supple
mental Safety and Health

NOTES TO PHYSICIAN: THE MAIN HAZARD FOLLOWING ACCIDENTAL INGESTION IS
ASPIRATION OF THE LIQUID INTO THE LUNGS PRODUCING CHEMICAL
PNEUMONITIS.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:401F,205C

Melt/Freeze Pt:M.P/F.P Text: