View NSN Online: https://aerobasegroup.de/nsn/8010-01-260-0911

PRATT AND LAMBERT INC -- COATING, POLYURETHANE COMP B ID 757001 -- 8010-01-260-0911

Product ID:COATING, POLYURETHANE COMP B ID 757001

MSDS Date:10/15/1991

FSC:8010

NIIN:01-260-0911

Kit Part:Y

MSDS Number: BNCLS === Responsible Party ===

Company Name: PRATT AND LAMBERT INC

Address:16116 E 13TH ST

Box:2153 City:WICHITA State:KS ZIP:67201

Country:US Info Phone Num:316-

733-1361 (M-F 8 AM- 5 PM CT)

Emergency Phone Num:716-873-6000 (7 DAYS, 24 HRS)

Preparer's Name: W.A. ELLISON

CAGE:61196

=== Contractor Identification ===

Company Name: PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

======= Composition/Information on Ingredients ========

Ingred Name: POLYMERIC HEXAMETHYLENE DIISOCYANATE (RESIN)

CAS:28182-81-2 Fraction by Wt: 90%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1 MG/CU.M

Ingred Na

me:SOLVENT NAPTHA LIGHT AROMATIC (SOLVENT) CAS:64742-95-6 Fraction by Wt: 5% Other REC Limits: NONE SPECIFIED Ingred Name: N-BUTYL ACETATE (SOLVENT) (SARA III) (VP 10 MM HG) LEL 1.7, **UFL 7.6** CAS:123-86-4 RTECS #:AF7350000 Other REC Limits: NONE SPECIFIED OSHA PEL:150 PPM/200 STEL ACGIH TLV:150 PPM/200STEL EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name: 1,6-HEXANE METHYLENE DIISOCYANATE (RESIN) CAS:822-06-0 RTECS #:MO1740000 Fraction by Wt: AIR Spec Gravity:1.1 pH:4-7 **Evaporation Rate & am** p; Reference: SLOWER THAN DIETHYL ETHER Solubility in Water:SLIGHT IN WATER Appearance and Odor:LIQUID,SOLVENT ODOR Percent Volatiles by Volume:13% ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONG ACIDS OR ALKALINE MATERIALS. OXIDIZING MATERIALS. Stability Condition to Avoid: AVOID EXCESSIVE HEAT (>115 F (46C) AND SOURCES OF IGNITION. Hazardous Decomposition Products:BURNING,INCLUD WHEN HEATED BY WELD, CUTTING, WILL PRODU CE SMOKE, CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN. ======= Disposal Considerations ============

Waste Disposal Methods: INCINERATE ONLY IN EPA PERMITTED FACILITY. DONT INCINERATE CLSD CONTRS.OBSERVE ALL PRECAUTIONS FOR DISPOSAL FLAMMABLE MATERIAL. DISPOSE OF ONLY IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Departme

nt

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.