

TEXACO INC. -- 00410 AVJET A -- 9130-01-305-4097

===== Product Identification =====

Product ID:00410 AVJET A  
MSDS Date:12/09/1988  
FSC:9130  
NIIN:01-305-4097  
MSDS Number: BNCMS  
=== Responsible Party ===  
Company Name:TEXACO INC.  
Box:509  
City:BEACON  
State:NY  
ZIP:12508-0509  
Country:US  
Info Phone Num:914-831-3400  
Emergency Phone Num:914-831-3400  
CAGE:38431

=== Contractor Identification ===

Company Name:  
DIGITAL CONTROL SYSTEMS INC  
Address:3160 GRAND MARAIS E  
Box:City:WINDSOR, N8W 4W5  
State:ON  
Country:CN  
Phone:NONE  
CAGE:38431  
Company Name:TEXACO INC  
Box:509  
City:BEACON  
State:NY  
ZIP:12508-0509  
Country:US  
Phone:914-831-3400  
CAGE:7B131

===== Composition/Information on Ingredients =====

Ingred Name:KEROSINE  
CAS:8008-20-6  
RTECS #:SE7548500  
Fraction by Wt: 100%  
Other REC Limits:HMIS:100 PPM/5 MG/M3  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

===== Haz

ards Identification =====

LD50 LC50 Mixture:ORAL RAT LD50 IS >25 GRAM/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS A MILD IRRITANT. MOST HAZARDOUS EXPOSURE;EXPOSURE IS TO AIRBORN MIST OR OTHER ASPIRATION OF LIQUID INTO LUNGS. PROLONGED/REPEATED OVEREXPOSURE HAS CAUSED KIDNEY DAMAGE IN MICE.

Explanation of Carcinogenicity:STUDIES INDICATE THAT REPEATED OVER

EXPOSURES WITHOUT CLEANSING CAUSE SKIN CANCER IN MICE. THEREFORE WASH OFTEN.

Effects of Overexposure:EYE:MILD IRRITATION. SKIN:DRYING,DEFATTING WITH PROLONGED/REPEATED CONTACT. INHALED:HEADACHE,NAUSEA,CONFUSION, DROWINESS. ASPIRATION OF LIQUID MAY CAUSE CHEMICAL PNEUMONITIS. INGESTED:G/ I IRRITATION, NAUSEA,POSSIBLE VOMITING.

Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY. INGESTED:DO NOT INDUCE VOMITING. GIVE 2 LARGE GLASSES OF MILK OR WATER AND GET IMMEDIATE MEDICAL CARE. DOCTOR TO ORDER VOMITING. NOTHING BY MOUTH IF UNCONSCIOUS. IF IRRITATION PERSISTS OR IS SEVERE,SEE A DOCTOR.

===== Fire Fighting Measures =====  
=====

Flash Point Method:TCC

Flash Point:120F/49C

Lower Limits:0.58

Upper Limits:4.45

Extinguishing Media:ACCORDING TO NFPA GUIDE 49, COMBUSTABLE LLIQUID FIRES MAY BE EXTINGUISHED BY WATER SPRAY, DRY CHEMICAL, FOAM OR CO\*2.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release

Measures =====

Spill Release Procedures:VENTILATE AREA. AVOID BREATHING VAPORS. USE SELF-CONTAINED BREATHING APPARATUS OR SUPPLIED-AIR MASK FOR LARGE SPILLS IN CONFINED AREA. CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL AREA AWAY FROM OXIDIZERS AND IGNITION SOURCES. DETACHED STORAGE PREFER RED. GROUND CONTAINERS DURING TRANSFER.

Other Precautions:WASTE CLASSIFICATION OF THIS PRODUCT IN ITS UNUSED FORM IS D001. \* "EMPTY" CONTAINERS MAY CONTAIN RESIDUE AND/OR FUMES WHICH ARE EXPLOSIVE. DO NOT CUT,WELD,ETC.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR OR SCBA FOR ENTRY INTO TANKS OR CONFINED SPACES OR HANDLING LARGE SPILLS.

SEE 29 CFR

1910.134 FOR REGULATION S PERTAINING TO RESPIRATOR USE.

Ventilation:NORMAL ROOM VENTILATION IS SUFFICIENT. SUPPLEMENT WITH LOCAL EXHAUST IF PEL/TLV IS EXCEEDED.

Protective Gloves:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

Eye Protection:SPLASH GOGGLES. OR FACE SHIELD

Other Protective Equipment:WASH EXPOSED SKIN SEVERAL TIMES DAILY AND LAUNDRY SOILED CLOTHING REGULARLY.

Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT.

Supplemental

Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:515F/269C

Vapor Pres: