View NSN Online: https://aerobasegroup.de/nsn/9130-01-305-4097 TEXACO INC. -- 00410 AVJET A -- 9130-01-305-4097 ============= Product Identification ======================== Product ID:00410 AVJET A MSDS Date:12/09/1988 FSC:9130 NIIN:01-305-4097 MSDS Number: BNCMS === Responsible Party === Company Name: TEXACO INC. Box:509 City:BEACON State:NY ZIP:12508-0509 Country:US Info Phone Num:914-831-3400 Emergency Phone Num:914-831-3400 CAGE:38431 === Contractor Identification === Company Name: DIGITAL CONTROL SYSTEMS INC Address:3160 GRAND MARAIS E Box:City:WINDSOR, N8W 4W5 State:ON Country:CN Phone: NONE CAGE:38431 Company Name: TEXACO INC Box:509 City:BEACON State:NY ZIP:12508-0509 Country:US Phone:914-831-3400 CAGE:7B131 ======= Composition/Information on Ingredients ========

Ingred Name: KEROSINE

CAS:8008-20-6

RTECS #:SE7548500 Fraction by Wt: 100%

Other REC Limits:HMIS:100 PPM/5 MG/M3

OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST)

====== Haz

	1 1 4161 41	
arde	Idontitication	

LD50 LC50 Mixture:ORAL RAT LD50 IS >25 GRAM/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS A MILD IRRITANT. MOST HAZARDOUS EXPOSURE;EXPOSURE IS TO AIRBORN MIST OR OTHER ASPIRATION OF LIQUID INTO LUNGS. PROLONGED/REPEATED OVEREXPOSURE HAS CAUSED KIDNEY DAMAGE IN MICE.

Explanation of Carcinogenicity: STUDIES INDICATE THAT REPEATED OVER

EXPOSURES WITHOUT CLEANSING CAUSE SKIN CANCER IN MICE. THEREFORE WASH OFTEN.

Effects of Overexposure:EYE:MILD IRRITATION. SKIN:DRYING, DEFATTING WITH PROLONGED/REPEATED CONTACT. INHALED:HEADACHE, NAUSEA, CONFUSION, DROWINESS. ASPIRATION OF LIQUID MAY CAUSE CHEMICAL PNEUMONITIS. INGESTED:G/ I IRRITATION, NAUSEA, POSSIBLE VOMITING.

Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

 Circt Aid Macaurac	
 I II SI AIU IVICASUICS	

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY. INGESTED:DO N OT INDUCE VOMITING. GIVE 2 LARGE GLASSES OF MILK OR WATER AND GET IMMEDIATE MEDICAL CARE. DOCTOR TO ORDER VOMITING. NOTHING BY MOUTH IF UNCONSCIOUS. IF IRRITATION PERSISTS OR IS SEVERE,SEE A DOCTOR.

 Fire Fighting	Measures	=======================================

Flash Point Method:TCC Flash Point:120F/49C Lower Limits:0.58 Upper Limits:4.45

Extinguishing Media: ACCORDING TO NFPA GUIDE 49, COMBUSTABLE LLIQUID FIRES MAY BE EXTINGUISHED BY WATER SPRAY, DRY CHEMICAL, FOAM OR CO*2.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:NONE

======= Accidental Release

MAGGIRAG	============
MEGOMES	

Spill Release Procedures: VENTILATE AREA. AVOID BREATHING VAPORS. USE SELF-CONTAINED BREATHING APPARATUS OR SUPPLIED-AIR MASK FOR LARGE SPILLS IN CONFINED AREA. CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP.

Neutralizing Agent:NONE

============ Handling and Storage ===============

Handling and Storage Precautions:STORE IN COOL AREA AWAY FROM OXIDIZERS AND IGNITION SOURCES. DETACHED STORAGE PREFER

RED. GROUND CONTAINERS

DURING TRANSFER.

Other Precautions:WASTE CLASSIFICATION OF THIS PRODUCT IN ITS UNUSED FORM IS D001. * "EMPTY" CONTAINERS MAY CONTAIN RESIDUE SND/OR FUMES WHICH ARE EXPLOSIVE. DO NOT CUT,WELD,ETC.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR OR SCBA FOR ENTRY INTO TANKS OR CONFINED SPACES OR HANDLING LARGE SPILLS.

SEE 29 CFR

1910.134 FOR REGULATION S PERTAINING TO RESPIRATOR USE.

Ventilation: NORMAL ROOM VENTILATION IS SUFFICIENT. SUPPLEMENT WITH LOCAL EXHAUST IF PEL/TLV IS EXCEEDED.

Protective Gloves: NO INFORMATION GIVEN ON MSDS BY SUPPLIER

Eye Protection: SPLASH GOGGLES. OR FACE SHIELD

Other Protective Equipment: WASH EXPOSED SKIN SEVERAL TIMES DAILY AND LAUNDER SOILED CLOTHING REGULARLY.

Work Hygienic Practices: USE GOOD INDUSTRIAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT.

Supplemental

Safety and Health

NONE

======== Physical/Chemical Properties ============

HCC:F4
Boiling Pt:B.P. Text:515F/269C
Vapor Pres: