

EASTMAN KODAK COMPANY -- SODIUM CARBONATE ANHYDROUS -- 6810-00-264-3936

=====
Product Identification
=====

Product ID:SODIUM CARBONATE ANHYDROUS

MSDS Date:10/17/1985

FSC:6810

NIIN:00-264-3936

MSDS Number: BNDSL

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-722-5151

Emergency Phone Num:716-722-5

151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM CARBONATE)

CAS:497-19-8

RTECS #:VZ4050000

Fraction by Wt: 100%

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingesti

on:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION- LOW HAZARD FOR USUAL
INDUSTRIAL HANDLING. SKIN AND EYES- CAUSES IRRITATION. INGESTION-
EXPECTED TO BE A LOW INGESTION HAZARD.
Effects of Overexposure:SKIN AND EYE IRRITATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures =====

First Aid:INHALATION- NONE SHOULD BE NEEDED. SKIN- IMMEDIATELY FLUSH
SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MIN. GET MEDICAL
ATTENTION IF SYMPTOMS ARE PRESENT AFTER WASHING. EYES- IMMEDIATELY
FLUSH WITH PL ENTY OF WATER FOR AT LEAST 15 MIN AND GET MEDICAL
ATTENTION. INGESTION- NONE SHOULD BE NEEDED.

=====
Fire Fighting Measures =====

Flash Point:NONCOMBUSTIBLE
Extinguishing Media:USE AGENT APPROPRIATE FOR SURROUNDING FIRE.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOT
HING.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER.
Neutralizing Agent:NONE

=====
Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED AND AWAY
FROM STRONG ACIDS.
Other Precautions:NONE

=====
Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY R

EQUIRED.

Ventilation:GOOD GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:PROTECTIVE GLOVES.

Eye Protection:SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH HANDS AFTER HANDLING THIS MATERIAL.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:1564F,851C

Spec Gravity:1.55

Solubility in Water:APPRECIABLE

Appearance and Odor:W

HITE SOLID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS.

Stability Condition to Avoid:EXTREME TEMPERATURES.

Hazardous Decomposition Products:CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE, OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):

This in

formation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.