

ESSEX SPECIALTY PRODUCTS INC -- NO DRIP PLASTIC COATING -- 8030-00-582-4595

===== Product Identification =====

Product ID:NO DRIP PLASTIC COATING

MSDS Date:06/09/1989

FSC:8030

NIIN:00-582-4595

MSDS Number: BNDST

=== Responsible Party ===

Company Name:ESSEX SPECIALTY PRODUCTS INC

Address:1135 BROAD ST

City:CLIFTON

State:NJ

ZIP:07015

Country:US

Info Phone Num:201-773-6300

Emergency Phone Num:201-77

3-6300;800-424-9300(CHEMTREC)

CAGE:85410

=== Contractor Identification ===

Company Name:ESSEX CHEMICAL CORP

Address:1250 HARMON RD

Box:City:AUBURN HILLS

State:MI

ZIP:48326

Country:US

Phone:248-391-6300

CAGE:22360

Company Name:ESSEX SPECIALTY PRODUCTS INC

Address:1 CROSSMAN RD

Box:City:SAYREVILLE

State:NJ

ZIP:08872-1402

Country:US

Phone:908-727-2100

CAGE:85410

===== Composition/Information on Ingredients =====

Ingred Name:ASPHALT; (NATURAL ASPHALT)

CAS:8052-42-4

RTECS #:CI9900

000

Fraction by Wt: 47%

ACGIH TLV:5 MG/M3, FUME

Ingred Name:SILICA, CRYSTALLINE - QUARTZ; (CRYSTALLINE SILICA)

CAS:14808-60-7

RTECS #:VV7330000

Fraction by Wt: .1%

OSHA PEL:SEE TABLE Z3

ACGIH TLV:0.1 MG/M3 RDUST;9293

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:EYE:SEVERE IRRI

TATION. SKIN:MILD

IRRITATION, POSSIBLE DERMATITIS. INHAL:HEADACHE, NAUSEA, DIZZINESS.

Explanation of Carcinogenicity:CRYSTALLINE SILICA:GROUP 2A (IARC),

GROUP 2 (NTP)

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====
=====

First Aid:EYES:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION. SKIN:WASH WITH SOAP AND WATER. INHAL:REMOVE TO FRESH AIR AND SEEK MEDICAL ATTENTION. INGEST:SEEK MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====
=====

Flash Point:140F,60C

Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:ABSORB WITH AN OIL ABSORBING COMPOUND SUCH AS OIL DRY, SAWDUST,

ETC., SHOVEL INTO WASTE RECEPTACLE AND WASH SPILL
AREA WITH HOT WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID FREEZING AND EXCESSIVE HEAT TO
ENHANCE STORAGE STABILITY.

Other Precautions:FOLLOW GOOD PERSONAL HYGIENE PRACTICES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED. USE NIOSH/MSHA APPROVED RESPIRATOR

APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:LOCAL EXHAUST RECOMMENDED. MECHANICAL (GENERAL) FAN.

Protective Gloves:NEOPRENE OR EQUIVALENT.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE NEEDED.

Work Hygienic Practices:FOLLOW GOOD PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:23.7

Vapor Density:0.62

Spec Grav

ity:0.84

Evaporation Rate & Reference:1.0 (WATER = 1)

Solubility in Water:MISCIBLE

Appearance and Odor:BROWNISH BLACK, MILD ASPHALTIC ODOR.

Percent Volatiles by Volume:37

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS AND MATERIALS WHICH REACT VIOLENTLY WITH WATER.

Stability Condition to Avoid:TEMPERATURE EXTREMES.

Hazardous Decomposition Products:CO, CO*2, SMOKE UPON IGNITION.

=====
===== Di

Waste Disposal Considerations =====

Waste Disposal Methods:HAZARDOUS WASTE ACCORDING TO U. S. EPA. DISPOSE OF IN ACCORDANCE WITH YOUR RESPONSIBILITIES UNDER EPA RESOURCE CONSERVATION AND RECOVERY ACT, LOCAL, STATE AND FEDERAL REGULATIONS. DISPOSE OF IN LICENS ED SANITARY LANDFILL OR CONTROLLED INCINERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.