

U.S. BATTERY MFG. CO. -- BATTERY, DRY (WITHOUT ELECTROLYTE) -- 6140-00-984-0143

=====
Product Identification
=====

Product ID: BATTERY, DRY (WITHOUT ELECTROLYTE)

MSDS Date: 05/01/1991

FSC: 6140

NIIN: 00-984-0143

MSDS Number: BNDTG

=== Responsible Party ===

Company Name: U.S. BATTERY MFG. CO.

Address: 1675 SAMPSON AVENUE

City: CORONA

State: CA

ZIP: 91719

Country: US

Info Phone Num: 714-371-8090

Emergency Phone

Num: 714-371-8090/800-695-0945(AFTER 5)

CAGE: 0P224

=== Contractor Identification ===

Company Name: CELL ENERGY INC

Address: 3190-B ORANGE GROVE AVE

Box: City: NORTH HIGHLANDS

State: CA

ZIP: 95660-5706

Country: US

Phone: 916-484-7974

CAGE: 1U269

Company Name: U.S. BATTERY MFG. CO.

Address: 1675 SAMPSON AVENUE

Box: City: CORONA

State: CA

ZIP: 91719

Country: US

Phone: 714-371-8090/800-695-0945(AFTER 5)

CAGE: 0P224

=====
Composition/Information on Ingredients
=====

Ingred Name: LEAD (SARA III)

CAS

:7439-92-1
RTECS #:OF7525000
Fraction by Wt: 38%
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.05 MG/M3;1910.1025
ACGIH TLV:0.15 MG/M3;DUST 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:LEAD TETROXIDE
CAS:1314-41-6
RTECS #:OG5425000
Fraction by Wt: 60%
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.05 MG/M3 (PB)
ACGIH TLV:0.15 MG/M3 (PB)

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES
IARC:YES OSHA:NO
Health Hazards Acute and Chronic:NO EXPOSURE EXPECTED. BATTERY HAS NO
ELECTROLYTE.
Explanation of Carcinogenicity:LEAD IS LISTED UNDER IARC AND NTP.
Effects of Overexposure:NO EXPOSURE EXPECTED. BATTERY HAS NO
ELECTROLYTE.
Medical Cond Aggravated by Exposure:NONE

=====
Fire Fighting Measures
=====

Extinguishing Media:NON-FLAMMABLE. USE CARBON DIOXIDE OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT A
ND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

=====
Accidental Release Measures
=====

Spill Release Procedures:IN CASE OF AN ACCIDENT, AND THE CONTAINER IS
BROKEN, PROTECTIVE GLOVES WILL BE REQUIRED TO HANDLE THE BATTERY
PARTS.

=====
Handling and Storage
=====

=====

Handling and Storage Precautions:NO SPECIAL REQUIREMENT.
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Ventilation:NO SPECIAL REQUIREMENT.
Protective Gloves:USE GLOVES ONLY IN CASE BATTERY BREAKS.
Eye Protection:NONE
Other Protective Equipment:NONE
Work Hygienic Practices:NO SPECIAL REQUIREMENT.
Supplemental Safety and Health
NONE.

===== Physical/Chemical Properties =====

HCC:N
1
Appearance and Odor:LEAD ACID BATTERY, DRY CHARGED, WITHOUT
ELECTROLYTE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS.
Hazardous Decomposition Products:TOXIC FUMES.

===== Disposal Considerations =====

Waste Disposal Methods:CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER.
DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.