View NSN Online: https://aerobasegroup.de/nsn/6550-00-926-9084

UNITED STATES TRADING CORPORATION -- WRIGHT-GIEMSA STAINING SOLUTION 6550-00-926-9084

Product ID:WRIGHT-GIEMSA STAINING SOLUTION MSDS Date:01/01/1987 FSC:6550 NIIN:00-926-9084 **MSDS Number: BNKRC** === Responsible Party === Company Name: UNITED STATES TRADING CORPORATION Address:10718 MC CUNNE AVENUE **City:LOS ANGELES** State:CA ZIP:90034-6292 Country:US Info Phone N um:310-558-4666 Emergency Phone Num:310-558-4666 Preparer's Name:DGSC-SSH CAGE:65701 === Contractor Identification === Company Name: UNITED STATES TRADING CORP Address:10718 MCCUNE AVE Box:City:LOS ANGELES State:CA ZIP:90034-6292 Country:US Phone:800-588-4666 CAGE:65701

Ingred Name:WRIGHT'S STAIN CAS:68988-92-1 Fraction by Wt: 0-1% Other REC Limits:NONE SPECIFIED

Ingred Name:GIEMSA STAIN CAS:51811-82-6 Fraction by Wt: 0-1% Ot her REC Limits:NONE SPECIFIED

Ingred Name: METHYL ALCOHOL (METHANOL) (SARA III) CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: 90-100% Other REC Limits:NONE SPECIFIED OSHA PEL:S,200PPM/250STEL ACGIH TLV:S,200PPM/250STEL; 93 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS LD50 LC50 Mixture:LD50(ORAL RAT) 5628 MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazar ds Acute and Chronic: VAPORS MAY BE IRRITATING TO SKIN, EYES, NOSE AND THROAT. LIQUID MAY CAUSE DERMATITIS. INHALE: MAY BE HARMFUL OR FATAL. INGEST: MAY CAUSE BLINDNESS. Explanation of Carcinogenicity: PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA. Effects of Overexposure: EYE IRRITATION, SKIN IRRITATION, MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. Medical Cond Aggravated by Exposure:NONE KNOWN.

================================ First Aid Measures

First Aid:INGESTION: IF CONSCIOUS, IMMEDIATELY INDUCE VOMITING. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT GIVE OXYGEN. GET MEDICAL ATTENTION.

Flash Point:11C 51F Lower Limits:7.3 % Upper Limits:36 % Extinguishing Media:USE ALCOHOL FOAM, DRY CHEMICAL OR CARBON DIOXIDE. WATER MAY BE INEFFECTIVE. Fire Fighting Procedures:WEA

| R PROPER PROT EQUIP AND SCBA W/FULL FACEPIECE OPERATED IN POS PRESS MODE.MOVE CONTR FROM FIRE AREA IF CAN BE DONE W/O RISK.USE WATER TO KEEP CONTR COOL Unusual Fire/Explosion Hazard:VAPORS MAY FLOW ALONG SURFACES TO DISTANT IGNIT SOURCES & FLASH BACK.CLOSED CONTR EXPOSED TO HEAT MAY EXPLODE.CONTACT WITH STRONG OXIDIZERS MAY CAUSE FIRE. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ====================================== |
| Spill Release Procedures:WEAR SCBA & FULL PROTECTIVE CLOTHING. SHUT OFF |
| IGNITION SOURCES; NO FLARES, SMOKING/FLAMES IN AREA. STOP LEAK IF CAN BE DONE W/O RISK. USE WATER SPRAY TO REDUCE VAPORS. FLUSH W/WATER. Neutralizing Agent:NONE KNOWN. |
| ====================================== |
| Handling and Storage Precautions:BOND AND GROUND CONTAINERS WHEN TRANSFERRING LIQUID. KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL, DRY, WELL-VENTED, FLAMMABLE LIQUID STORAGE AREA. Other Precautions:NONE KNOWN. |
| ======== Exposure Controls /Personal Protection ==================================== |

Respiratory Protection:REQUIRED IF AIRBORNE CONCENTRATION EXCEEDS TLV. AT CONCENTRATIONS ABOVE 100 PPM, A SCBA IS ADVISED. Ventilation:USE GENERAL OR LOCAL EXHAUST VENT TO MEET TLV REQUIREMENTS Protective Gloves:RUBBER GLOVES Eye Protection:SAFETY GOGGLES AND FACE SHIELD Other Protective Equipment:UNIFORM, PROTECTIVE SUIT Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING. Supplemental Safety and Health MSDS PREPARED BY DGSC-SSH AFTER REPEATED CONTACT WITH COMPANY NO MSDS

WAS SUPPLIED.

Boiling Pt:B.P. Text:65C 149F Melt/Freeze Pt:M.P/F.P Text:-144F,-98C Vapor Pres:96 Vapor Density:1.1 Spec Gravity:0.80 Evaporation Rate & amp; Reference:4.6 Solubility in Water:COMPLETE Appearance and Odor:LIGHT GREEN-GRAY SOLUTION Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES NONE KNOWN. Stability Condition to Avoid:HEAT, FLAME, OTHER SOURCES OF IGNITION. Hazardous Decomposition Products:NONE KNOWN.

Waste Disposal Methods:TAKE UP W/SAND OR OTHER NON-COMBUSTIBLE ABSORBENT MATERIAL AND PLACE INTO CONTAINER FOR DISPOSAL. DISPOSE IN ACCORD W/FED, STATE, AND LOCAL ENVIRON REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.