

UNITED OIL INC -- DURALENE TUF-TEX "D" 80W90

=====  
MSDS Safety Information  
=====

FSC: 9150  
NIIN: 01-313-2191  
MSDS Date: 07/02/1992  
MSDS Num: BNMQQ  
Product ID: DURALENE TUF-TEX "D" 80W90  
MFN: 01  
Responsible Party  
Cage: 7X748  
Name: UNITED OIL CO INC  
Address: 4405 E BALTIMORE STREET  
City: BALITMORE MD  
21224-1701  
Info Phone Number: 301-342-1200  
Emergency Phone Number: 301-342-1200  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 7X748  
Name: UNITED OIL CO INC  
Address: 4405 E BALTIMORE STREET  
City: BALTIMORE MD 21224-1701  
Phone: 301-342-1200

=====  
Item Description Information  
=====

=====  
Item Manager: S9G  
Item Name: LUBRICATING OIL,GEAR  
Specification Number: MIL-L-2105  
Type/Grade/Class: GRADE 80W-90  
Unit of Issue: GL  
UI Container Qty: 0  
Type of Container: 28 GA OR LESS

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Hazards Data  
=====

=====

LD50 LC50 Mixture: LD50 ORAL (RATS) 5000 MG/KG

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: MILD EYE IRRITATION, SKIN IRRITATION, ASPIRATION HAZARD, SWALLOWING MATERIAL MAY CAUSE IRRITATION OF THE GASTROINTESTINAL DISTURBANCES.

Explanation Of Carcinogenicity: PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA PER MANUFACTURER.

Signs And Symptoms

Of Overexposure: EYE IRRITATION, SKIN IRRITATION, LUNG/PULMONARY DAMAGE FROM ASPIRATION, GASTROINTESTINAL LINING IRRITATION, NAUSEA, VOMITING, DIARRHEA, ABDOMINAL PAIN.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: INHALATION: REMOVE TO FRESH AIR. RESUSCITATE IF NECESSARY. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. EYES: FLUSH WITH WATER FOR 15 MINUTES OR UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS, CONTACT PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

ON: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

=====

Handling and Disposal

=====

Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. VENTILATE AREA. STOP SPILL AT SOURCE. SMALL SPILL - REMOVE LIQUID BY OIL-ABSORBING MATERIALS. LARGE SPILL - EXCLUDE PERSONS NOT WEARING PROTECTIVE EQUIPMENT, DIKE AREA OF SPILL AND PUMP LIQUID INTO SALVAGE TANK.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: KEEP AWAY FROM FIRE, SPARKS AND FLAME. STORAGE PER NFPA CLASS III B.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====

Fire and Explosion Hazard Information

=====

=====

Flash Point Method: COC

Flash Point Text: 550F,288C (MIN)

Lower Limits: NOT GIVEN

Upper Limits: NOT GIVEN

Extinguishing Media: WATER FOG, CHEMICAL FOAM, DRY CHEMICAL, CARBON DIOXIDE

Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING GEAR WHEN FIRE FIGHTING  
IN CONFINED SPACES.

Unusual Fire/Explosion Hazard: WILL FLOAT ON WATER. DIRECT WATER SPRAY MAY  
SPREAD FIRE.

=====

Control Measures

=====

=====

Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES  
BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR  
1910.134, INSTRUCTIONS/WARNINGS AND NIOSH RESPIRATOR SELECTION.

Ventilation: VENTILATE AS NEEDED TO MAINTAIN WORKPLACE ENVIRONMENTAL LIMIT.

Protective Gloves: OIL IMPERVIOUS

Eye Protection: SAFETY GLASSES OR GOGGLES

Other Protective Equipment: OIL IMPERVIOUS CLOTHING, EMERGENCY EYEWASH AND  
SHOWER

Work Hygiene

Practices: WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND  
BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

=====

Physical/Chemical Properties

=====

HCC: V6

B.P. Text: WIDE RANGE

M.P/F.P Text: NOT GIVEN

Decomp Text: UNKNOWN

Vapor Pres: &lt; .0001

Vapor Density: 14+

Spec Gravity: .89

Solubility in Water: INSOLUBLE

Appearance and Odor: DARK  
COLORED LIQUID, STRONG ODOR

Corrosion Rate: UNKNOWN

=====

Reactivity Data

=====

Stability Indicator: YES

Stability Condition To Avoid: EXTREME TEMPERATURES, SPARKS, OPEN FLAMES

Materials To Avoid: STRONG OXIDIZING AGENTS

Hazardous Decomposition Products: MAY PRODUCE OXIDES OF CARBON PHOSPHORUS,  
SULFUR, HYDROGEN SULFIDE, NITROGEN AND CHLOROCARBONS

Hazardous Polymerization Indicator: NO

Condition

s To Avoid Polymerization: NONE. WILL NOT OCCUR.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Cage: 7X748  
Trans ID NO: 124459  
Product ID: DURALENE TUF-TEX "D" 80W90  
MSDS Prepared Date: 07/02/1992  
Review Date: 07/28/1992  
MFN: 1  
Net Unit Weight: 37.1 LBS  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: GL  
Container QTY: 0  
Type Of Container: 28 GA OR LESS  
Additional Data: FILM OR SHEEN UPON THE WATER SURFACE OR DISCOLORATION OF THE  
WATER OR ADJOINING SHORELINE IS REPORTABLE TO THE NATIONAL RESPONSE CENTER,  
1-800-424-8802.

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping

g Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====  
HAZCOM Label  
=====

Product ID: DURALENE TUF-TEX "D" 80W90

Cage: 7X748

Company Name: UNITED OIL CO INC

Street: 4405 E BALTIMORE STREET

City: BALTIMORE MD

Zipcode:

21224-1701

Health Emergency Phone: 301-342-1200

Label Required IND: Y

Date Of Label Review: 07/28/1992

Status Code: C

MFG Label NO: NONE

Label Date: 07/28/1992

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: KEEP AWAY FROM FIRE, SPARKS AND FLAME. STORAGE PER NFPA CLASS III B. FIRST AID: INHALATION: REMOVE TO FRESH AIR. RESUSCITATE IF NECE

SSARY. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING.  
EYES: FLUSH WITH WATER FOR 15 MINUTES OR UNTIL IRRITATION SUBSIDES. IF  
IRRITATION PERSISTS, CONTACT PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING.  
GET MEDICAL ATTENTION.

=====  
Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner w  
hatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
United States of America should seek competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless of similarity to a corresponding Department  
of Defense or other government situation.