

EASTMAN KODAK COMPANY -- KODAK RAPID FIXER,PART A;CAT NO 146 4106 -- 6750-00-965-4846
===== Product Identification =====

Product ID:KODAK RAPID FIXER,PART A;CAT NO 146 4106

MSDS Date:01/30/1990

FSC:6750

NIIN:00-965-4846

MSDS Number: BNMRS

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-722-5151

Em

ergency Phone Num:716-722-5151

Preparer's Name:HEALTH & ENVIRONMENTAL LB

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 40-50%

Other REC Limits:NONE RECOMMENDED

Ingred Name:AMMONIUM THI

OSULFATE
CAS:7783-18-8
RTECS #:XN6465000
Fraction by Wt: 40-45%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM ACETATE
CAS:126-96-5
RTECS #:AJ4375000
Fraction by Wt: 127-093%
Other REC Limits:NONE RECOMMENDED

Ingred Name:BORIC ACID
CAS:10043-35-3
RTECS #:ED4550000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ACETIC ACID (SARA III)
CAS:64-19-7
RTECS #:AF1225000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 PPM
ACGIH TLV:10 PPM/15 STEL; 9293
EPA
Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 O/RAT20ML/KG
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL:LOW HAZARD FOR RECOMMENDED
HANDLING.EYES:MAY CAUSE TRANSIENT IRRITATION.SKIN:LOW HAZARD FOR
RECOMMENDED HANDLING.INGEST:EXPECTED TO BE LOW INGESTION HAZARD.
Effects of Overexposure:EYES:IRRITATION.
Me
dical Cond Aggravated by Exposure:NOT REPORTED.

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH PLENTY OF WATER.INGEST:IF CONSCIOUS,DRINK 1-2
GLASSES OF WATER;GET PROMPT QUALIFIED MEDICAL ATTENTION.SKIN:NOT
REPORTED.INHAL:NOT REPORTED.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:USE APPROPRIATE AGENT FOR SURROUNDING FIRE.
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING A

PPARATUS.

Unusual Fire/Explosion Hazard:HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED DURING FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH MATERIEL TO SEWER WITH LARGE AMOUNT OF WATER.DISCHARGE MAY BE SUBJECT TO FEDERAL,STATE OR LOCAL LAWS.
Neutralizing Agent:NONE.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CAONTAINER TIGHTLY CLOSED AND AWAY FROM STRONG ALKAL

I.
Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL SERVICE.
Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.
Protective Gloves:IMPERVIOUS FOR REPEATED CONTACT.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:TO AVOID SKIN CONTACT ...AS NEEDED.
Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.
Supplemental Safety and Health
KEY 1;N1.

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text: