

COULTER DIAGNOSTICS -- LATRON CONTROL -- 6550-01-347-2342

=====
Product Identification
=====

Product ID:LATRON CONTROL

MSDS Date:03/12/1992

FSC:6550

NIIN:01-347-2342

MSDS Number: BNQFS

=== Responsible Party ===

Company Name:COULTER DIAGNOSTICS

Address:740 WEST 83RD STREET

City:HIALEAH

State:FL

ZIP:33014

Country:US

Info Phone Num:305-822-8250

Emergency Phone Num:305-822-8250

CAGE:11595

=== Contract

or Identification ===

Company Name:COULTER DIAGNOSTICS DIVISION

Address:740 WEST 83RD STREET

Box:City:HIALEAH

State:FL

ZIP:33014

Country:US

Phone:305-822-8250

CAGE:11595

Company Name:CURTIN MATHESON SCIENTIFIC INC

Address:1850 GREENLEAF AVE

Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-5595

Country:US

Phone:302-774-2421

CAGE:11876

=====
Composition/Information on Ingredients
=====

Ingred Name:MANUFACTURER DIN NOT LIST ANY INGREDIENTS. THE PRODUCT IS
THYS ASSUMED TO BE "NO

T HAZARDOUS" BY OSHA DEFINITION.

Other REC Limits:NONE SPECIFIED

Ingred Name:MFR: "NOTE: ALL COMPONENT CONCENTRATIONS REPRESENT
NON-HAZARDOUS LEVELS."

RTECS #:9999999ZZ

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SEE SIGNS AND SYMPTOMS OF EXPOSURE.

Explanation of Carcinogenicity:MFR SAID "NOT A

PPPLICIABLE" IN THIS
FIELD.

Effects of Overexposure:EFFECTS OF OVEREXPOSURE: NONE WITH NORMAL USE.

AVOID INGESTION AND CONTACT WITH EYES OR SKIN. MAY CAUSE SLIGHT EYE
IRRITATION.

Medical Cond Aggravated by Exposure:NONE INDICATED.

=====
===== First Aid Measures =====

First Aid:WASH EFFECTED AREAS WWITH COPIOUS AMOUNTS OF WATER. IF
INGESTED, INDUCE VOMITING SEEK MEDICAL ATTENTION IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point:"NOT APPLICABLE"

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:ANY, DOES NOT SUPPORT COMBUSTION.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:MOP-UP OR FLUSH WITH COPIOUS AMOUNTS OF WATER
T APPROVED OUTSIDE DRAINAGE SYSTEM.

Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

=====
===== Handling and Storage =====

=====

Handling and Storage Precautions:STORE AT 2-30C (30-86F). SPECIAL
PRECAUTIONS: WASH AFFECTED AREAS AFTER HANDLING. PRECAUTIONARY
LABEL STATEMENTS: DO NOT INGEST. FOR IN VITRO USE ONLY
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Ventilation:NONE OR "NOT APPLICABLE"
Protective Gloves:PROTECTIVE
Eye Protection:SAFETY GLASSES OR GOGGLES
Other Protective Equipment:STANDARD LABORATORY ATTIRE. (SAFE
TY
GLASSSES, LAB COAT, AND PROTECTIVE GLOVES) SHOULD BE WORN DURING
ROUTINE (SEE SUPP)
Work Hygienic Practices:SUPPLIER DID NOT ADDRESS THIS FIELD.
Supplemental Safety and Health
1*MSDS RECEIVED FROM NAVY (FOCAL POINT N). NAVY IDENTIFIED NSN. 2*(FM
OTHER PROT. EQPT.) USE OR SPILL CLEANUP AND DURING HANDLING OF THIS
PRODUCT.

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:212F,100C
Spec Gravity:APPTOX 1.0
Solubility in Water:PAR
TIAL
Appearance and Odor:CLEAR TO SLIGHTLY HAZY SOLLUTION

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CO, CO=2, PO=X, HCL - OXIDES OF SULFUR
AND HYDROCARBONS
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:FEDERAL, SSSSTATE AND LOOCAL DISCHARGE
REQUIREMEN

TS TAKE PRECEDENCE OVER SUGGESTED PROCEDURE. EPA
HAZARDOUS WASTE NUMBER: NONE

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume
responsibility for the suitability of this information to their
particular situation.