View NSN Online: https://aerobasegroup.de/nsn/6850-01-335-8882

Product ID:P-FQ-T203, TONER MSDS Date:05/20/1992 FSC:6850 NIIN:01-335-8882 **MSDS Number: BNRLS** === Responsible Party === Company Name:QMS INC Address:1 MAGNUM PASS Box:81250 City:MOBILE State:AL ZIP:36689-1250 Country:US Info Phone Num:205-633-4300 Emergency Phone Num:205-633-4300 CAGE:GO280 === Contractor Identifica tion ===Company Name:HITACHI, LTD Address:1-1, HIGASHITAGA-CHO 1-CHOME Box:City:HITACHI-SHI,IBARAKI-KEN, 316 Country: JA Phone:205-633-4300 CAGE:1BS40 **Company Name: QMS INC** Address:1 MAGNUM PASS Box:81250 City:MOBILE State:AL ZIP:36689-1250 Country:US Phone:205-633-4300 CAGE:GO280

Ingred Name:MAGNETITE CAS:1309-38-2 RTECS #:OM4800000

Ingred Name:ETHYLENE (ETHENE) CAS:74-85-1 RTECS #:KU5340000 ACGIH TLV:ASPHYXIANT

Ingred Name

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:HEALTH HAZARD IS MINIMAL; BEING NEITHER IRRITATING, CORROSIVE, VOLATILE, NOR TOXIC. MUTAGENICITY IS NEGATIVE. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:CONTACT WITH EYES MAY RESULT IN MECHANICAL IRRITATION. INHALATION OF DUST MAY IRRITATE MUCOUS MEMBRANES. INGESTION MAY RESULT IN GASTRIC DISTURBANCES.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:SKIN: WASH THOROUGHLY WITH SOAP AND COLD WATER, REMOVE AND LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. EYE: IMMEDIATELY WASH EYES WITH RUNNING WATER FOR AT LEAST 15 MINUTES. INGESTION: IF SWALLOWED DI LUTE WIT

H WATER AND IMMEDIATELY INDUCE VOMITING. INHALATION: REMOVE TO FRESH AIR AREA. IF IRRITATION DEVELOPS SEEK MEDICAL ATTENTION.

Extinguishing Media:FOAM, WATER, DRY CHEMICAL OR CARBON DIOXIDE. Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . NOT FLAMMABLE OR COMBUSTIBLE BUT WILL BURN IF IGNITED. EXTINGUISH WITH ABOVE MENTIONED MEDIA. Unusual Fire/Explosion Hazard:NONE SPECIFIE D BY MANUFACTURER.

Spill Release Procedures:SWEEP OR PICK UP BY VACUUM CLEANER. REMOVE RESIDUE WITH SOAP AND COLD WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN COOL AND DRY PLACE. KEEP CONTAINERS COOL.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Pro

tection ===========

Respiratory Protection: NONE REQUIRED UNDER NORMAL USE CONDITIONS. WEAR NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN Ventilation:NONE REQUIRED UNDER NORMAL CONDITIONS. Protective Gloves: IMPERVIOUS GLOVES . Eye Protection: CHEMICAL WORKERS GOGGLES . Other Protective Equipment:NONE REQUIRED. Work Hygienic Practices: MINIMIZE BREATHING DUST. CLEANSE SKIN THOROUGHLY AFTER CONTACT, BEFORE BREAKS AND MEALS, AND AT END OF WORK PERIOD. Supplem ental Safety and Health NONE SPECIFIED BY MANUFACTURER. Melt/Freeze Pt:M.P/F.P Text:293F,145C Spec Gravity:1.8 (H*2O=1) Solubility in Water: INSOLUBLE Appearance and Odor:BLACK POWDER, NO ODOR. Stability Indicator/Materials to Avoid:YES NONE. Stability Condition to Avoid: ABNORMALLY HIGH TEMPERATURE. Hazardous Decomposition Products:NONE IN NORMAL HANDLING AN D USE.

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person ut

ilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.