

VINELAND WAX SPECIALTIES INC WAX PROCESSING -- LUBRICATING OIL,GEAR --
9150-01-035-5390

=====
Product Identification
=====

Product ID:LUBRICATING OIL,GEAR

MSDS Date:09/08/1992

FSC:9150

NIIN:01-035-5390

MSDS Number: BNRSG

=== Responsible Party ===

Company Name:VINELAND WAX SPECIALTIES INC WAX PROCESSING

Address:S RAILROAD BLVD

City:MINOTOLA

State:NJ

ZIP:08341

Country:US

Info Phone Num:804-279-4371

(DGSC-SSH)

Emergency Phone Num:609-697-3941 (OUT OF BUSINESS)

Preparer's Name:DGSC-SSH

CAGE:63400

=== Contractor Identification ===

Company Name:VINELAND WAX SPECIALTIES INC WAX PROCESSING

Address:S RAILROAD BLVD

Box:City:MINOTOLA

State:NJ

ZIP:08341

Country:US

Phone:609-697-3941 (OUT OF BUSINESS)

CAGE:63400

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM HYDROCARBONS

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OI

L MIST

Ingred Name:ADDIVE, MINOR,TYPE NOT KNOWN

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE- MAY CAUSE IRRITATION OF EYES,
SKIN, RESPIRATORY & G.I. TRACTS. CNS EFFECTS LIKE HEADACHE,
DIZZINESS, NAUSEA AND VOMITING POSSIBLE. REDNESS AND/OR BURNS OF
EYES/SKIN MAY OCCUR. CHRONIC: MA

Y CAUS E DRYING OF SKIN, DEFATTING
OR DERMATITIS.

Effects of Overexposure:MAY CAUSE IRRITATION OF EYES, SKIN, RESPIRATORY
& G.I. TRACTS. CNS EFFECTS LIKE HEADACHE, DIZZINESS, NAUSEA AND
VOMITING POSSIBLE. REDNESS AND/OR BURNS OF EYES/SKIN MAY OCCUR.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE
MORE SUSCEPTIBLE TO THIS MATERIAL.

=====
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN
:REMOVE

EXCESS. WASH SKIN WITH SOAP & WATER. EYE:FLUSH WITH WATER FOR 15
MINUTES, HOLDING EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR &
PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO NOT INDUCE VOMITING.GET
IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:>200F,>93C

Extinguishing Media:USE WATER FOG, CO2, FOAM, OR DRY CHEMICAL. DO NOT
USE A DIRECT STREAM OF WATER. PRODUCT MAY FLOAT & CAN BE REIGNITED.

Fire Fighting Procedure

s:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard:DENSE SMOKE, CARBON MONOXIDE, CARBON
DIOXIDE

=====
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. STOP LEAK.
DIKE THE SPILLS. SPILLS CAN BE TAKEN UP ON SAND, CLAY, EARTH &
SHOVELD INTO CONTAINERS. PREVENT RUN-OFF TO
ENTER WATERWAYS OR
SEWERS.

Neutralizing Agent:NOT APPLICABLE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORAGE- KEEP CONTAINER CLOSED UNTIL
READY FOR USE.

Other Precautions:AVOID BREATHING VAPORS OR MISTS. DO NOT GET IN EYES,
ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE
EATING OR DRINKING. REMOVE CONTAMINATED CLOTHING PROMPTLY. KEEP OUT
OF REACH OF C HILDREN.

=====
===== Exposure Controls/

Personal Protection =====

Respiratory Protection:NON REQUIRED UNDER NORMAL CONDITIONS. IF HIGH VAPOR OR MIST CONCENTRATIONS EXPECTED, USE NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPORS AND MISTS. WEAR SUPPLIED-AIR RESPIRATOR PROTECTION IN CONFINED OR ENCLOSED SPACES, IF NEEDED.

Ventilation:GOOD GENERAL VENTILATION IS SUFFICIENT.

Protective Gloves:RUBBER IS RECOMMENDED

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION, QUICK D

RENCH SHOWER AND
IMPERVIOUS CLOTHING

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

NO MSDS WAS AVAILABLE FROM MANUFACTURER. THIS MSDS WAS PREPARED BY THE PROFESSIONALS OF DGSC-SSH WITHOUT ANY WARRANTY. IT IS THE USER'S RESPONSIBILITY TO GATHER INFORMATION AND USE THE MATERIAL PROPER LY TO PROTECT EMPLOYEES AND ENVIRONMENT.

===== Physic
al/Chemical Properties =====

HCC:V6

Spec Gravity: