View NSN Online: https://aerobasegroup.de/nsn/4210-00-134-8958

Product ID:CARBON DIOXIDE

MSDS Date:01/25/1993

FSC:4210

NIIN:00-134-8958

MSDS Number: BNSXX === Responsible Party ===

Company Name: ANSUL FIRE PROTECTION, WORMALD U.S.INC.

Address: ONE STANTON STREET

City:MARINETTE

State:WI

ZIP:54143-2542 Country:US

Info Phone Num:715-735-7411...FAX 715-7

32-3477

Emergency Phone Num:715-735-7411...TOM LAWSON EXT 580

CAGE:03670

=== Contractor Identification === Company Name: ANSUL INC

Address: ONE STANTON STREET

Box:City:MARINETTE

State:WI

ZIP:54143-2542 Country:US

Phone:715-735-7411

CAGE:03670

======= Composition/Information on Ingredients ========

Ingred Name: CARBON DIOXIDE

CAS:124-38-9

RTECS #:FF6400000 Fraction by Wt: 100%

Other REC Limits: NONE SPECIFIED

OSHA PEL:5000 PPM

ACGIH TLV:5000PPM/30000STEL;94

====== Haza

rde	Identification	

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-CONTACT WITH COLD VAPOR/SOLID CARBON DIOXIDE CAN CAUSE EYE/SKIN FROSTBITE AND FREEZE BURNS.
ASPHYXIANT BY INHALATION & HEAVIER THAN AIR. CAN CAUSE SUFFOCATION BY REDUCING OXYGEN AVAILABLE. BREAT HING HIGH CONCENTRATIONS WILL

CAUSE LIGH

THEADEDNESS, SHORTNESS OF BREATH. INGESTION IS UNLIKELY. CHRONIC-UNKNOWN.

Explanation of Carcinogenicity:MFR GAVE THE ABOVE LISTINGS ON THE MSDS BUT NO OTHER COMMENTS WERE RECORDED.

Effects of Overexposure:DIZZINESS, IMPAIRED COORDINATION, REDUCED MENTAL ACUITY, HEADACHES, TINNITUS, DIFFICULTY BREATHING, AND/OR DROWSINESS DEPENDING ON LENGTH OF EXPOSURE & CONCENTRATIONS.

Medical Cond Aggravated by Exposure: RESPIRATORY PROBLEMS

	First Aid Measures	======
===========		

First Aid:IF ANY IRRITATION PERSISTS OR SEVERE, GET MEDICAL ATTENTION.
TREAT FOR FROSTBITE IF NECESSARY. EYE:FLUSH W/WATER FOR 15 MIN.
SKIN:WASH W/SOAP & WATER. INHALED:REMOVE FROM CONTAMINATED AREA. IF
SYMPTOM S OCCUR, CONSULT MEDICAL PERSONNEL. AIDOR RESTORE BREATHING
AS NEEDED. INGESTED:MFR GAVE NO INFORMATION ON MSDS.

=======================================	Fire Fighting Measures	=======================================
---	------------------------	---

Flash Point:NONE

Extinguishing Media:THIS IS AN EXTINGUISHING AGENT. HM IS:USE

EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures: NONE - THIS IS AN EXTINGUISHING AGENT.

Unusual Fire/Explosion Hazard:THOUGH GAS CYLINDERS ARE EQUIPPED WITH PRESSURE AND TEMPERATURE RELIEF DEVICES, THEY SHOULD BE REMOVED FROM HIGH TEMPERATURES OR FIRE TO AVOID RISK OF RUPTURE.

=======================================	Accidental	Release	Measures	============
---	------------	---------	----------	--------------

Spill Release Procedures: EVACUATE PERSONNEL. VENTILATE TO OUTSIDE ATMOSPHERE. COOL OR REMOVE HOT, M

ETAL SURFACES OR SOURCE OF NON- EXTINGUISHED FLAMES. Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.
======================================
Handling and Storage Precautions:STORE IN A CEAN, DRY, WELL-VENTILATED AREA AWWAY FROM HEAT ABOVE 120F. STORE AS A COMPRESSED GAS IN DOT APPROVED VESSELS.  Other Precautions:IF NOT ATTACHED TO A SYSTEM, CYLINDER/CARTRIDGE MUST BE SAFETY CAPPED TO PROTECT AGAINST VIOLENT VELLEL MOVEMENT OR FORCE OF EXCAPIN  G GAS IF VALVE IS ACTUATED OR SEAL IS PUNCTURED. NOTE INCOMPATIBILIT Y INFORMATION.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT NORMALLY NECESSARY IF CONTROLS ARE ADEQUATE. IF TLV IS EXCEEDED OR IF EXPOSURE IS PROLONGED, A SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED. Ventilation:MECHANICAL (GENERAL) VENTILATION IS RECOMMENDED W/LOCAL EXHAUST RECOMMENDED FOR CONFINED SPACES. Protective Gloves:FOR CONTACT W/DRY ICE Eye Prot ection:CHEMICAL GOGGLES + FACE SHIELD Other Protective Equipment:PROTECTIVE CLOTHING FOR CONTACT W/DRY ICE. Work Hygienic Practices:MFR:?. HMIS:USE GOOD CHEMICAL HYGIENE PRACTICES. AVOID CONTACT IF AT ALL POSSIBLE. WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:G3 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:SUBLIMES Vapor Pres:830 PSI Vapor Density:1.5 Spec Gravity:1.98 Evaporation Rate & Evaporation Rate

Reference:GAS AT ROOM TEMPERATURE Solubility in Water:88ML/100 ML Appearance and Odor:COLORLESS GAS W/NO ODOR Percent Volatiles by Volume:100

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES REACTS VIGOROUSLY W/(AL+NA2O2), CS2O, LI, K, MG(C2H5) 2, (MG+NA2O), KHC2, NA, NA2C2, NAK, TI

Hazardous Decomposition Products: NONE Conditions to Avoid Polymerization: WILL NOT OCCUR.

Waste Disposal Methods:DISPOSE OF I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.