

J W HARRIS CO INC -- STAY CLEAN PASTE FLUX -- 3439-00-220-3826

=====  
Product Identification  
=====

Product ID:STAY CLEAN PASTE FLUX

MSDS Date:03/11/1992

FSC:3439

NIIN:00-220-3826

MSDS Number: BNTBV

=== Responsible Party ===

Company Name:J W HARRIS CO INC

Address:10930 DEERFIELD RD

City:CINCINNATI

State:OH

ZIP:45242-4110

Country:US

Info Phone Num:513-891-2000;800-543-4536

Emergency Phone Num:513-891

-2000

CAGE:FO309

=== Contractor Identification ===

Company Name:J W HARRIS CO INC

Address:10930 DEERFIELD RD

City:CINCINNATI

State:OH

ZIP:45242

Country:US

Phone:513-891-2000

CAGE:FO309

Company Name:J. W. HARRIS CO., INC.

Address:10930 DEERFIELD ROAD

Box:City:CINCINNATI

State:OH

ZIP:45242-4110

Country:US

Phone:513-891-2000

CAGE:27911

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ZINC CHLORIDE (SARA III)

CAS:7646-85-7

RTECS #:ZH1400000

Fraction by Wt: 25%

OSHA

PEL:1 MG/M3/2 STEL  
ACGIH TLV:1 MG/M3/2STEL FUME93  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:DERMATITIS, HEADACHE, IRRITATION OF  
NOSE & THROAT, HOARSENESS. POTENTIALLY HAZARDOUS MATERIALS MAY BE  
EMPLOYED IN BASE METALS, FUMES, COA  
TINGS & FILLER METALS USED IN  
SOLDERING, BRAZING AND WELDING OR MAY BE RELEASED TO ATMOSPHERE  
DURING OPERATIONS.  
Explanation of Carcinogenicity:NOT RELEVANT.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:EYE:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. CALL MD.  
INHAL:MOVE TO WELL VENTILATED AREA. CALL MD. SKIN:FLUSH WITH  
COPIOUS AMOUNTS  
OF WATER. CALL MD . INGEST:CALL MD IMMEDIATELY .

=====  
Fire Fighting Measures  
=====

Flash Point Method:OC  
Flash Point:490F,254C  
Extinguishing Media:DRY POWDER OR CO\*2.  
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL  
PROTECTIVE EQUIPMENT . INORGANIC SALT COMPOSITION PRECLUDES  
COMBUSTION OF HYDROGEN.  
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====  
Accidental Release Measures  
=====

Spill Rele

ase Procedures:WASH AND SCRUB WITH HOT WATER AND SOAP.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 100F TO PREVENT  
SEPARATION.

Other Precautions:WELDING ARC OR TORCH FLAME MAY BE A SOURCE OF  
IGNITION OF COMBUSTIBLE PRODUCT. REFER TO USA STANDARD ANSI/ASC  
Z49.1, 1983 "SAFETY IN WELDING & CUTTING" FOR SPECIFIC PRECAUTIONS  
IN ALL PHASES OF WELDIN G, CUTTING AND B  
RAZING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED FUME RESPIRATOR OR AIR LINE  
RESPIRATOR FOR CONFINED SPACES OR WHERE EXPOSURES ARE ABOVE TLV.

Ventilation:LOC EXHST:REQ IN SEMI-OPEN OR POORLY VENT SPACES. SEE  
ANSI/ASC Z49/1-SECTION 5. MECH (GEN):REQ IN SEMI-OPEN OR (SUPDAT)

Protective Gloves:WELDERS PROTECTIVE GLOVES.

Eye Protection:CHEM WORK GOGG &/OR WELDING (SUPP DATA)

Other Protective Equipment:APPROPRIATE CLOTHIN

G FOR PROTECTION AGAINST  
SPARKS OR HOT METAL.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

VENT:OR POORLY VENTILATED SPACES. SEE ANSI/ASC Z49.1 SECTION 5. EYE  
PROT:HELMET WITH APPROPRIATE SHADED LENS (SEE ANSI/ASC Z49.1  
SECTION 4).

=====  
===== Physical/Chemical Properties =====

Spec Gravity:1.02 (H\*2O=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:PETROLEUM APPEARANCE AND ODOR

Percent Volatiles by Volume:8

=====

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

FLUX IS MILDLY CORROSIVE BY NATURE. AVOID CONTACT WITH OTHER MATERIALS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:SEND TO LANDFILL IN CLOSED CONTAINERS. SOLID  
RESIDUE WASTE DISPOSAL. DISPOSAL MUST BE IN ACCORDANC

E WITH LOCAL,  
STATE, AND FEDERAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.