View NSN Online: https://aerobasegroup.de/nsn/6750-01-144-4296

HORIZONS INC -- IMAGE INTENSIFIER -- 6750-01-144-4296

============ Product Identification =========================

Product ID: IMAGE INTENSIFIER

MSDS Date:05/14/1992

FSC:6750

NIIN:01-144-4296

MSDS Number: BNTQV === Responsible Party === Company Name: HORIZONS INC Address:18531 SOUTH MILES RD

City:CLEVELAND

State:OH ZIP:44128 Country:US

Info Phone Num:216-475-0555

Emergency Phone Num:216-475-0555

CAGE:HO025 === Contractor Ide

ntification ===

Company Name: HORIZONS INC Address:18531 SOUTH MILES ROAD

Box:City:CLEVELAND

State:OH ZIP:44128 Country:US

Phone:216-475-0555

CAGE:02811

Company Name: HORIZONS INC Address:18531 SOUTH MILES ROAD

Box:City:CLEVELAND

State:OH ZIP:44128 Country:US

Phone:216-475-0555

CAGE:HO025

======= Composition/Information on Ingredients ========

Ingred Name: GOLD CHLORIDE; (GOLD CHLORIDE IN WATER)

CAS:13453-07-1 RTECS #:MD5420000 Fraction by Wt: 2%

Ingred Name: THIOCYANIC ACID, AMMONIU

RTECS #:XK7875000
Fraction by Wt: 100%
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS
=========== Hazards Identification ============
LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE KNOWN.
Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZA
RDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid-CIVING FLUCLUAFFECTED ADEA WITH WATER FVF. IMMAEDIATELY FLUCLU
First Aid:SKIN: FLUSH AFFECTED AREA WITH WATER. EYE: IMMEDIATELY FLUSH WITH POTABLE WATER FOR A MINIMUM OF 15 MIN. SEEK ASSISTANCE FROM MD
. INHAL: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RE
SP). INGEST: GET MD IMMEDIATELY .
======================================
Flash Point:NONE
Extinguishing Med
ia:NORMAL. USE MEDIA SUITABLE FOR SURROUNDING FIRE.
Fire Fighting Procedures: CHLORIDE FUMES MAY BE EVOLVED DURING FIRE.
WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE.
======== Accidental Release Measures ==========
r tostas mai r terease measures
Spill Release Procedures:WASH WITH WATER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Haradiin waxad Otanana Buayayii ang CTODE IN Di
Handling and Storage Precautions:STORE IN PL

M SALT; (AMMONIUM THIOCYANATE) (SARA III) CAS:1762-95-4

ASTICS OR GLASS. Other Precautions: AVOID HIGH TEMPERATURE (300F) STORAGE.
===== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN. Ventilation:NOT REQUIRED. Protective Gloves:RUBBER GLOVES. Eye Protection:CHEMICAL WORKERS GOGGLES. Other Protective Equipment:NONE. Work Hygienic Practices:GOOD PERSONAL HYGIENE. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.
======================================
Solubility in Water:VERY SOLUBLE Appearance and Odor:RED SOLUTION AND WHITE POWDER.
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES ACIDS. Stability Condition to Avoid:DECOMPOSITION MAY OCCUR ABOVE 338 F. Hazardous Decomposition Products:ACIDS MAY PRODUCE CYANATES AND CYANIDES.
======= Disposal Considerations ==========
Waste Disposal Methods:FLUS H TO DRAIN IF LOCAL REGULATIONS ALLOW. DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies):

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent pr

ofessional advice to verify and assume responsibility for the suitability of this information to their particular situation.