View NSN Online: https://aerobasegroup.de/nsn/2090-01-224-4914

BURKE INDUSTRIES -- AD79 (5109,1155) -- 2090-01-224-4914

============= Product Identification ==============

Product ID:AD79 (5109,1155)

MSDS Date:05/10/1991

FSC:2090

NIIN:01-224-4914

MSDS Number: BNTRM === Responsible Party ===

Company Name: BURKE INDUSTRIES Address: 2250 SOUTH 10TH STREET

City:SAN JOSE

State:CA ZIP:95112 Country:US

Info Phone Num:408-297-3500

Emergency Phone Num:408-297-3500

CAGE:96780 === Contrac

tor Identification ===

Company Name: BURKE INDUSTRIES

Address:2250 S 10TH

Box:190

City:SAN JOSE

State:CA ZIP:95103 Country:US

Phone:408-297-3500

CAGE:96780

======= Composition/Information on Ingredients ========

Ingred Name:ZINC OXIDE

CAS:1314-13-2

RTECS #:ZH4810000 Fraction by Wt: 2%

Other REC Limits:PEL: 15 MG/M3 (MFR) OSHA PEL:15MG/M3 TDUST/5 FUME ACGIH TLV:10MG/M3 TDUST; 9293

Ingred Name: LEAD TETROXIDE; (LEAD OXIDE)

CAS:1314-41-6

RTECS #:OG5425000 Fraction by Wt: 3.9%

**OSHA PEL** 

========= Hazards Identification =============== LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO **Explanation of Carcinogenicity: NOT RELEVANT** Medical Cond Aggravated by Exposure:ITCHY SKIN. First Aid:INHAL: REMOVE TO FRESH AIR. SUPPORT BRTHG (GIVE O\*2/ART RESP). INGEST: CALL MD IMMED. EYES: IMMED FLUSH WITH POTABLE WATER FOR A MINIMUM OF 15 MIN, SEEK ASSISTANCE FROM MD . SKIN: FLUSH WITH COPIOUS AMOUNTS OF WATER. CALL MD. ============ Fire Fighting Measures ========================= Extinguishing Media:WATER, FOG, FOAM, CO\*2, DRY CHEMICAL. Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE. ====== Measures ===== Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============= Handling and Storage ========================== Handling and Storage Precautions: STORE IN COOL DRY AREA. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE FOR CONCERN. Ventilation:LOCAL EXHAUST. Protective Gloves: IMPERVIOUS GLOVES. Eye Protection: CHEMICAL WORKERS GOGGLES. Other Protective Equipment:NON

:0.05 MG/M3 (PB)

ACGIH TLV:0.15 MG/M3 (PB)

E SPECIFIED BY MANUFACTURER. Work Hygienic Practices: WASH HANDS AND FACE PRIOR TO EATING, DRINKING, OR SMOKING. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER. ======== Physical/Chemical Properties =========== Spec Gravity: 1.05&1.43 Solubility in Water: NEGLIGIBLE Appearance and Odor:RUBBERY PRODUCT WITH CHARACTERISTIC ODOR. ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MAN UFACTURER. Stability Condition to Avoid: EXTREME TEMPERATURES. Hazardous Decomposition Products: NORMAL HYDROCARBON COMBUSTION PRODUCTS. ======= Disposal Considerations =========== Waste Disposal Methods: PER LOCAL, STATE, AND FEDERAL REGULATIONS. Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or

implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.