View NSN Online: https://aerobasegroup.de/nsn/6810-00-281-2039

Product ID:SODIUM CYANIDE MSDS Date:08/28/1991 FSC:6810 NIIN:00-281-2039 MSDS Number: BNWJR === Responsible Party === Company Name: TECHNIC INC Address:1 SPECTACLE ST City:CRANSTON State:RI ZIP:02910-1032 Country:US Info Phone Num:401-781-6100 Emergency Phone Num:401-781-6100 CAGE:20816 === Contractor Identificatio n === Company Name: TECHNIC INC Address:1 SPECTABLE STREET Box:City:CRANSTON State:RI ZIP:02910 Country:US Phone:401-781-6100 CAGE:20816 Ingred Name:SODIUM CYANIDE (SARA III) CAS:143-33-9 RTECS #:VZ7525000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 (CN) ACGIH TLV:S; 5 MG/M3 (CN);9192 EPA Rpt Qty:10 LBS

LD50 L

DOT Rpt Qty:10 LBS

C50 Mixture:LD50 (ORAL RAT) IS 6.440 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: INHALATION OF DUST WILL CAUSE RESPIRATORY TRACT IRRITATION & MAY BE FATAL. DUSTS WILL IRRITATE, BURN & DAMAGE THE EYES. DUST WILL CAUSE SKIN IRRITATION & RASH. FATAL AMOUNTS CAN BE ABSORBED THR OUGH THE SKIN. SWALLOWING CAN CAUSE DEATH. CHRONIC: LOSS OF APPETITE, HEADACHE, WEAKNESS, NAUSEA, **DIZZINESS & IRRITATION** Explanation of Carcinogenicity: THIS PRODUCT IS NOT LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure: EYE, SKIN & RESPIRATORY TRACT IRRITATION. PROLONGED OR REPEATED SKIN CONTACT MAY RESULT IN ITCHING RASH CHARACTERIZED BY MACULAR, POPULAR, AND VESICULAR ERUPTIONS USUALLY FOLLOWED BY SECONDARY INFECTI ON. CAN CAUSE DEATH THROUGH CHEMICAL ASPHYXIA. MAY CAUSE HEADACHE, WEAKNESS, NAUSEA, DIZZINESS AND LOSS OF APPETITE. Medical Co nd Aggravated by Exposure: INDIVIDUALS WITH PRE-EXISTING DISEASES OF THE CENTRAL NERVOUS SYSTEM MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES. First Aid:PLAN & PRACTICE ACTIONS TO BE TAKEN IN CASE OF CYANIDE EXPOSURE BEFORE BEGINNING WORK WITH CYANIDES. IMMEDIATELY GIVE VICTIM OXYGEN AND AMYL NITRITE WHILE WAITING FOR INTRAVENOUS INJECTIONS FROM MEDIC AL PERSONNEL. INHALATION: REM OVE TO FRESH AIR/CPR. EYE: FLUSH WITH PLENTY OF WATER. SKIN: REMOVE CONTAMINATED CLOTHING & WASH SKIN. INGESTION: GIVE 1% SODIUM THIOSULFATE SOLUTION & INDUCE VOMITING. Extinguishing Media: USE WATER FOG, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A

FULL FACED SELF CONTAINED BREATHING APPARATUS. DO NOT! ALLOW RUNOFF INTO SEWERS OR WATERWAYS.

Unusual Fire/Expl

## osion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT & SCBA. SMALL SPILL: SWEEP UP AND DISPOSE OF IN DOT-APPROVED WASTE CONTAINERS. LARGE SPILL: SHOVEL INTO DOT-APPROVED WASTE CONTAINERS. KEEP OUT OF SEWERS, STORM DRAINS, SURFA CE WATERS, AND SOIL. KEEP SPILLAGE DRY. Neutralizing Agent: FLUSH RESIDUE WITH DILUTE SOLUTI ON OF SODIUM HYPOCHLORITE OR HYDROGEN PEROXIDE. Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. DO NOT STORE NEAR ACIDS, OXIDIZERS, FLAMMABLES OR FOODS. Other Precautions: DO NOT TAKE INTERNALLY. DO NOT BREATHE DUST. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. FOR INDUSTR IAL USE ONLY. Respiratory Protection: IF USE CONDITIONS GENERATE DUSTS, WEAR A NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EMISSION LEVELS. RESPIRATORS MAY BE A FULL FACEPIECE AIR-PURIFYING CARTRIDGE RESPIRATOR WITH PARTICULATE FILTERS, A S CBA, OR SUPPLIED-AIR RESPIRATOR. Ventilation: LOCAL MECHANICAL EXHAUST VENTILATION CAPABLE OF MINIMIZING DUST EMISSIONS AT THE POINT OF USE. Protective Gloves: RUBBER GLOVES Eve Protection: SAFETY CHEM GOGGLES OR FULL-FACE SCBA Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. FIRST AID AND MEDICAL TREATMENT SUPPLIES INCLUDING OXYGEN RESUSCITATORS. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health DO NOT WEAR CONATCT LENSES WHEN USING THIS MATERIAL. CONTAINERS, EVEN THOSE THAT HAVE BEEN EMPTIED, WILL RETAIN PRODUCT RESIDUE A

ND

VAPORS. ALWAYS OBEY HAZARD WARNINGS AND HANDLE EMPTY CONTAINERS AS I F THEY WERE FULL.

HCC:T2 Boiling Pt:B.P. Text:2725F,1496C Melt/Freeze Pt:M.P/F.P Text:1047F,564C Spec Gravity:1.6 Solubility in Water:APPRECIABLE Appearance and Odor:WHITE CRYSTALLINE POWDER OR LUMPS, SLIGHT AMMONIA OR CYANIDE (ALMOND) ODOR (WET

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG MINERAL ACIDS Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION Hazardous Decomposition Products:POISONOUS HYDROGEN CYANIDE AND AMMONIA GASES.

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS. NOTE: EMPTY CONTAINERS CAN HAVE RESIDUES AND ARE SUBJECT TO PROPE R WASTE

DISPOSAL REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this info rmation to their

particular situation.