

CIBA-GEIGY CORP, REN PLASTICS DIV. -- RP 6401 RESIN -- 9330-01-225-0175

===== Product Identification =====

Product ID:RP 6401 RESIN

MSDS Date:12/07/1989

FSC:9330

NIIN:01-225-0175

Kit Part:Y

MSDS Number: BNWVT

=== Responsible Party ===

Company Name:CIBA-GEIGY CORP, REN PLASTICS DIV.

Address:4917 DAWN AVE

City:EAST LANSING

State:MI

ZIP:48823-5605

Country:US

Info Phone Num:517-351-5900

Emergency Phon

e Num:800-888-8372

Preparer's Name:PRODUCT SAFETY DIRECTOR

CAGE:04482

=== Contractor Identification ===

Company Name:CIBA SPECIALTY CHEMICALS CORPORATION

Address:4917 DAWN AVE

Box:City:EAST LANSING

State:MI

ZIP:48823-5691

Country:US

Phone:517-351-5900

CAGE:02684

Company Name:CIBA-GEIGY CORP, CIBA PHARMACEUTICALS DIV.

Address:556 MORRIS AVENUE

Box:City:SUMMIT

State:NJ

ZIP:07901-1303

Country:US

Phone:201-277-5405

CAGE:04482

===== Composition/Information on Ingredients =====

Ing

red Name:HYDROGENATED TERPHENYLS
CAS:61788-32-7
RTECS #:WZ6535000
OSHA PEL:0.5 PPM
ACGIH TLV:0.5 PPM; 9192

Ingred Name:METHYLENE BISPHENYL ISOCYANATE (MDI) (SARA III)
CAS:101-68-8
RTECS #:NQ9350000
OSHA PEL:C, 0.02 PPM
ACGIH TLV:0.005 PPM; 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:HIGHER OLIGOMERS OF MDI (POLYMETHYLENE POLYPHENYLENE
POLYISOCYANATE)
CAS:9016-87-9
RTECS #:TR0350000
Other REC Limits:NONE RECOMMENDED

Ingred Name:1,1'-METHYLENE BIS(ISOCYANATOBENZENE)
CAS:25686-28-6
Ot
her REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: RESPIRATORY & DERMAL IRRITANT;
POSSIBLE CNS' EFFECTS; SENSITIZATION CAUSING ALLERGIC SKIN &
RESPIRATORY REACTIONS. CHRONIC: NON-CITED.
Effects of Overexposure:CONTACT W/ LIQUID CAUSES EYE & SKIN IRRITATION.
IF INHALED CAUSES BREATHLESS
NESS, CHEST DISCOMFORT & REDUCED
PULMONARY FUNCTION. MAY CAUSE ALLERGIC SKIN & RESPIRATORY REACTIONS
IN SOME INDIVIDUALS, LE ADING TO ASTHMA TYPE SPASMS OF THE
BRONCHIAL TUBES & DIFFICULTY IN BREATHING.
Medical Cond Aggravated by Exposure:PERSONS W/ ASTHMATIC-TYPE
CONDITIONS, CHRONIC BRONCHITIS, OTHER CHRONIC RESPIRATORY DISEASES,
EYE CONDITIONS OR RECURRENT SKIN ECZEMA OR SENSITIZATION SHOULD BE
EXCLUDED FROM WORKING W/ ISOCYANATES.

===== First Aid Me

asures =====

First Aid:EYES: IMMEDIATELY FLUSH W/WATER FOR AT LEAST 15 MIN.GET MED ATTN; SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE; INGEST:IF CONSCIOUS,GIVE PLENTY OF WATER TO DRINK. DO NOT INDUCE VOMITING. GET MED ATTN; INHAL:REMOVE TO FRESH AIR. GIVE OXYGEN AND/OR ARTIFICIAL RESPIRATION, IF NEEDED. GET MED ATTN. REFERRAL TO PHYSICIAN IS RECOMMENDED IF THERE IS QUESTION ABOUT INJURY

===== Fire Fig
hting Measures =====

Flash Point Method:OC
Flash Point:>345F,>174C
Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER-FOG OR CHEMICAL FOAM.
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS
Unusual Fire/Explosion Hazard:DECOMPOSITION AND COMBUSTION PRODUCTS MAY BE TOXIC. AVOID WATRE CONTAMINATION IN CLOSED CONTAINERS OR CONFINED SPACES. CARBON DIOXIDE EVOLVED.

===== Accidental Release Measures =====

Spill Release Proc
edures:ABSORB W/ABSORBENT MATERIAL & PLACE IN OPEN TOP CONTAINER. UNDER GOOD VENTILATION,DECONTAMINATE ABSORBANT & SPILL AREA W/ A MIXTURE OF 90% WATER, 8% AMMONIA, & 2% DETERGENT(EXOTHERMIC REACTION). LEAVE VENTILATED 24 HRS BEFORE DISPOSAL. AVOID CONTACT.
Neutralizing Agent:FOR ABSORBANT & SPILL AREA: 90% WATER, 8% AMMONIA & 2% DETERGENT(EXOTHERMIC RXN)

===== Handling and Storage =====

Handling and Storage Precautions:WARNING! HARMFUL I F INHALED.CAUSES SKIN & EYE IRRITATION. CAUSES ALLERGIC SKIN & RESPIRATORY REACTION. AVOID CONTACT W/ EYES, SKIN & CLOTHING.
Other Precautions:AVOID BREATHING VAPOR OR MIST. AVOID RPOLONGED OR REPEATED CONTACT W/SKIN. KEEP CONTAINER CLOSED.USE W/ ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. NUISANCE DUST MAY BE GENERATED WHEN SANDIN G/SAWING CURED MATERIAL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC VAPOR RESP

IRATOR IF TLV IS NOT EXCEEDED.

FOR EXPOSURES IN EXCESS OF THE TLV, AN AIR SUPPLIED RESPIRATOR
WOULD BE REQUIRED.

Ventilation:GENERAL MECHANICAL & LOCAL EXHAUST I/A/W ACGIH
RECOMMENDATIONS.

Protective Gloves:IMPERVIOUS SYNTHETIC

Eye Protection:SPLASH-PROOF CHEMICAL GOGGLES.

Other Protective Equipment:SUPPLIER DID NOT ADDRESS THIS FIELD.

Work Hygienic Practices:SUPPLIER DID NOT ADDRESS THIS FIELD. SEE
HANDLING/STORAGE PRECAUTIONS.

Supplemental Safety and Health

MSDS RECEIVED FROM

NAVY (FOCAL POINT N). NAVY IDENTIFIED NSN.

===== Physical/Chemical Properties =====

HCC:T4

Vapor Pres:0.11 MM

Vapor Density:>1.0

Spec Gravity:1.17-1.21

Solubility in Water:REACTS

Appearance and Odor:CLEAR AMBER LIQUID.

Percent Volatiles by Volume:NEGLIG

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

WATER/ALCOHOLS/STRONG OXIDIZING AGENTS/STRONG BASES/ METAL-ORGANIC
COMPOUNDS.

Stability Condition t

o Avoid:AVOID PROLONGED HEATING OVER 160F/71.1C OR
STORING BELOW 75F/23.9C. AVOID WATER CONTAMINATION.

Hazardous Decomposition Products:COMBUSTION MAY FORM TOXICS. CARBON
MONOXIDE,CARBON DIOXIDE,BENZENE, TOLUENE,OXIDES OF
NITROGEN,HYDROGEN CYANIDE.

Conditions to Avoid Polymerization:CONTAMINATION W/ MOISTURE & OTHER
PRODUCTS THAT REACT W/ ISOCYANATES.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT QUALIFIED LOCAL OR CORPORATE

PERSONNEL

FOR METHOD THAT WILL COMPLY WITH LOCAL, STATE AND FEDERAL HEALTH ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.