

OLIN HUNT SPEICIALTY PRODUCTS INC -- 810929,FLASH-O-GRAPH FIXER,PART B --  
6750-00-965-4952

===== Product Identification =====

Product ID:810929,FLASH-O-GRAPH FIXER,PART B

MSDS Date:07/12/1989

FSC:6750

NIIN:00-965-4952

Kit Part:Y

MSDS Number: BPCBD

=== Responsible Party ===

Company Name:OLIN HUNT SPEICIALTY PRODUCTS INC

Address:5 GARRET MOUNTAIN PLAZA

City:WEST PATTERSON

State:NJ

ZIP:07424

Country:

US

Info Phone Num:800-344-1847

Emergency Phone Num:800-OLIN-911

Preparer's Name:ENVIRONMENTAL HYGIENE

CAGE:MO397

=== Contractor Identification ===

Company Name:OLIN HUNT SPECIALTY PRODUCTS INC

Address:5 GARRET MOUNTAIN PLAZA

Box:City:WEST PATERSON

State:NJ

ZIP:07424

Country:US

CAGE:0AK29

Company Name:OLIN HUNT SPEICIALTY PRODUCTS INC

Address:5 GARRET MOUNTAIN PLAZA

Box:City:WEST PATTERSON

State:NJ

ZIP:07424

Country:US

Phone:800-344-1847

CAGE:MO397

===== Composition/Information on Ingre

dients =====

Ingred Name:ALUMINUM SULFATE (SARA III)

CAS:10043-01-3

RTECS #:BD1700000

Fraction by Wt: 20-25%

Other REC Limits:NONE SPECIFIED BY M.

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:LD50, ORAL, MOUSE = 6.2 G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chroni

c:CORROSIVE TO EYES AND SKIN. CAUSES

IRRITATION OF REPIRATORY TRACT. CHRONIC-NOE KNOWN.

Effects of Overexposure:IRRITATION OF EYES, SKIN AND RESPIRATORY TRACT.

Medical Cond Aggravated by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING; WASH WITH SOAP AND WATER.

EYES:FLUSH EYES WITH WATER FOR AT LEAST 15 MIN.- GET MEDICAL

ATTENTION. INGESTION: DRINK 2-3 GLASSES OF WATER AND CALL

PHYSICIAN. INHA

LATI ON:REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures:USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL

Unusual Fire/Explosion Hazard:TOXIC SVAPORS OF SULFUR OXIDE MAY BE

PRODUCED.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. CONTAIN SPILL,

NEUTRALIZE AND ABSORB IN INERT MATE

RIAL, TRANSFER TO CONTAINERS FOR  
DISPOSAL.

Neutralizing Agent:SODA BICARB

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL LOCATION; KEEP  
CONTAINERS SECURELY CLOSED AND WELL MARKED

Other Precautions:AVOID CONTACT WITH EYES; WASH THOROUGHLY AFTER  
HANDLING

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NORMALLY NOT NEEDED

Ventilation:LOCAL EXHAUST

Protective Gloves:PVC

Eye

Protection:GOGGLES

Other Protective Equipment:APDRON

Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE WHILE WORKING WITH  
THIS PRODUCT.

Supplemental Safety and Health

CAT NR.810929, PART B OF 2-PART KIT. SAME NSN. KEY1: C1.

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:=100.C, 212.F

Vapor Pres:15 MMHG

Spec Gravity:1.3

pH: