

SAGER GLOVE CORP -- MITTENS, CLOTH, NATURAL, ASBESTOS -- 8415-00-266-8843

===== Product Identification =====

Product ID:MITTENS, CLOTH, NATURAL, ASBESTOS

MSDS Date:10/27/1992

FSC:8415

NIIN:00-266-8843

MSDS Number: BPDZQ

=== Responsible Party ===

Company Name:SAGER GLOVE CORP

Address:700 N 4TH STREET

City:MURRAY

State:KY

ZIP:42071-2154

Country:US

Preparer's Name:DGSC-SSH

CAGE:6B614

=== Contractor I

dentification ===

Company Name:SAGER GLOVE CORP

Address:700 N 4TH STREET

Box:City:MURRAY

State:KY

ZIP:42071-2154

Country:US

CAGE:6B614

===== Composition/Information on Ingredients =====

Ingred Name:ASBESTOS, CHRYSOTILE

CAS:12001-29-5

RTECS #:CI6478500

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:2 FIBERS/CC; A1;9293

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Car

cinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:PROLONGED OR REPEATED EXPOSURE TO AIRBORNE ASBESTOS FIBERS FROM USE OF THIS MITTEN MAY LEAD TO ASBESTOSIS AND MESOTHELIOMA. SMOKING COMBINED WITH FIBER INHALATION GREATLY INCREASES LUNG CANCER RISK.

Explanation of Carcinogenicity:OVEREXPOSURE TO AIRBORNE CONCENTRATIONS OF ASBESTOS MAY LEAD TO ASBESTOSIS AND MESOTHELIOMA.

Effects of Overexposure:INHALATION OF AIRBORNE DUST CONTAINING ASBESTOS FIBERS O

N REPEATED EXPOSURE MAY CAUSE OR CAN LEAD TO ASBESTOSIS / MESOTHELIOMA; DUST MAY CAUSE EYE IRRITATION.

Medical Cond Aggravated by Exposure:PERSONS WITH RESPIRATORY DISEASE OR PERSONS WHO SMOKE MAY BE AT INCREASED RISK FROM EXPOSURE TO DUST CONTAINING ASBESTOS FIBERS.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. EYE: PROMPTLY FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE LIFTING EYELID.

GET MEDICAL ATTENTION. SKIN: PROMPTLY FLUSH WITH SOAP AND WATER. REM OVE CONTAMINATED CLOTHING. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: GET MEDICAL ATTENTION AS REQUIRED.

===== Fire Fighting Measures =====

Flash Point:NONE

Autoignition Temp:Autoignition Temp Text:NONE

Extinguishing Media:MATERIAL IS NOT FLAMMABLE ; USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:COMBUSTION PRODUCTS OF THIS MATERIAL MAY BE

TOXIC. USE A SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES INVOLVING THIS ITEM.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:IF DUST IS GENERATED FROM THIS ITEM, USE PROPER PERSONAL PROTECTION, VACUUM OR WET CLEAN. ANY VACUUM SYSTEM SHOULD BE EQUIPPED WITH AN OUTLET "HEPA" FILTER TO PREVENT REINTRODUCING ASBESTOS FIBERS TO THE ATMOSPHERE.

===== Handling and Storage ==

=====

Handling and Storage Precautions:HANDLE IN A MANNER TO MINIMIZE  
FORMATION OF AIRBORNE DUST. USE PROPER PERSONAL PROTECTION WHEN  
USED.

Other Precautions:AS MANUFACTURED, ASBESTOS PRESENTS A DANGEROUS HEALTH  
HAZARD. IF DUST IS GENERATED BY ABRADING ACTIONS, ASBESTOS FIBERS  
MAY BECOME AIRBORNE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:EXPOSURE TO AIRBORNE ASBESTOS SHALL NOT EXCEED  
0.2 FIBERS PER CUBIC CENT  
IMETER OF AIR AS AN 8-HOUR TWA. USE NIOSH  
APPROVED FULL FACEPIECE AIR PURIFYING RESPIRATOR EQUIPPED WITH HEPA  
FILTER OR AIR SUPPLIED RESPIRATOR IN PRESSURE DEMAND MODE.

Ventilation:LOCAL EXHAUST IS RECOMMENDED IN OPERATIONS WHERE THIS  
MITTEN MIGHT BE USED.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment:WORK CLOTHES OR COVERALLS.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE  
EATING, DRINKING OR SMOKING. LAUNDRY CONTAMINATED  
CLOTHING BEFORE  
REUSE.

Supplemental Safety and Health

CONTAINS ASBESTOS FIBERS. AVOID CREATING DUST. CANCER AND LUNG DISEASE  
HAZARD. AVOID BREATHING AIRBORNE ASBESTOS FIBERS. USE OF THIS ITEM  
CAN CREATE A HEALTH HAZARD. NSN WAS CANCELLED WITHOUT REPLACEMENT.

===== Physical/Chemical Properties =====

HCC:T6

Decomp Temp:Decomp Text:>900F,>482C

Solubility in Water:NEGLIGIBLE

Appearance and Odor:UNIVERSAL SIZE DUCK CLOTH GAUNTLET STYLE MITTEN,  
AMBI

EXTRINSIC, NATURAL COLORED.

Percent Volatiles by Volume:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Hazardous Decomposition Products:AIRBORNE ASBESTOS DUST

===== Disposal Considerations =====

Waste Disposal Methods:DUST SHOULD BE HANDLED AS A HAZARDOUS AIR  
POLLUTANT I/A/W 40CFR61 SUBPART "M" PERTAINING TO ASBESTOS. USE  
LANDFILLS APPROVED FOR ASBESTOS DISPOSAL. INDICATE IF ITEM U

NDER

CONSIDERATION FOR DISPOSAL IS "FRIABLE OR NON-FRIABLE".

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility f

or the suitability of this information to their particular situation.