View NSN Online: https://aerobasegroup.de/nsn/6910-01-043-2090

Product ID:CX & G AGENT SIMULANT VIAL

MSDS Date:04/01/1986

FSC:6910

NIIN:01-043-2090

Kit Part:Y

MSDS Number: BPFHP === Responsible Party ===

Company Name: CHEMTRONICS INC Address: 180 OLD BEE TREE RD

City:SWANNANOA

State:NC

ZIP:28778-3409

Country:US

Info Phone Num:704-298-7941 Emergency Phone Num:704

-298-7941 CAGE:60737

=== Contractor Identification ===

Company Name: CHEMTRONICS INC Address: 180 OLD BEE TREE RD

Box:City:SWANNANOA

State:NC

ZIP:28778-3409 Country:US

Phone: NOT LISTED IN PHONE DIRECTORY

CAGE:60737

======= Composition/Information on Ingredients ========

Ingred Name:BENZENESULFONYL CHLORIDE (SARA III)

CAS:98-09-9

RTECS #:DB8750000


Other REC Limits: NOT KNOWN

OSHA PEL:NOT KNOWN ACGIH TLV:NOT KNOWN EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:BENZOYL CHLORIDE

RTECS #:DM6600000 Other REC Limits:NOT KNOWN OSHA PEL:NOT KNOWN ACGIH TLV:NOT KNOWN EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
========== Hazards Identification =============
LD50 LC50 Mixture:LD50 RAT ORAL 1140 MG/KG.LC50 32 PPM. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION OF VAPORS IS HARMFUL. Explanation of Carcinogenicity:NONE Effects of Ov erexposure:EYES:HIGHLY IRRITATING. SKIN:CORROSIVE. Medical Cond Aggravated by Exposure:NOT KNOWN
======================================
First Aid:EYES:FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. SKIN:FLUSH WITH WATER FOR 15 MINUTES. INGESTION:DO NOT INDUCE VOMITING. INHALATION:MOVE TO FRESH AIR. ADMINISTER ARTIFICIAL RESPIRATION OR OXYGEN AS NEEDED.
============ Fire Fighting Measures =============
Flash Point:>160F ,>71C Lower Limits:NOT KNOWN Upper Limits:NOT KNOWN Extinguishing Media:USE CARBON DIOXIDE OR DRY CHEMICAL.DO NOT USE WATER. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS (SCBA) AND PROTECTIVE CLOTHING AND GLOVES TO PREVENT EYE AND SKIN CONTACT Unusual Fire/Explosion Hazard:EMITS TOXIC FUMES OF HYDROGEN CHLORIDE AND PHOSGENE.
======== Accidental Release Measures =========
Spill Release Procedures:PROVIDE ADEQUATE VENTILATION.CLEAN-UP PER

(SARA III) CAS:98-88-4



erials to Avoid:YES
WATER, ALCOHOLS, OXIDIZERS, STRONG BASES.
Stability Condition to Avoid:MOISTURE
Hazardous Decomposition Products: HYDROGEN CHLORIDE AND PHOSGENE
Conditions to Avoid Polymerization: WILL NOT OCCUR.

======= Disposal Considerations ===========

Waste Disposal Methods:DISP MUST BE IAW FED,STATE,& LOC REGS.COORDINATE W/ SUPPORTING INSTALLATION/MACOM ENVIRON OFFICE PRIOR TO DISP .DO NOT DISCHARGE TO SEWER.BURY IN APPROVED LANDFILL OR INCINERATE IN E

QUIPMENT WIT H AFTER BURNER AND SCRUBBER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of th is information to their particular situation.