Product ID:ABLEBOND 163-4 & 163-4 LVFF PART C MSDS Date:12/05/1988 FSC:8040 NIIN:01-316-1900 Kit Part:Y MSDS Number: BPFMT === Responsible Party === Company Name: ABLESTIK LABS Address:20021 SUSANA RD City:RANCHO DOMINQUEZ State:CA ZIP:90021 Country:US Info Phone Num:213-764-4600 **Emergency Pho** ne Num:800-424-9300(CHEMTREC) CAGE:9V874 === Contractor Identification === Company Name: ABLESTIK LABS Address:833 WEST 182ND ST Box:9067 **City:GARDENA** State:CA ZIP:90248 Country:US Phone:213-532-9341 CAGE:9V874 Company Name: ABLESTIK LABS SUB OF NATIONAL STARCH AND CHEMICAL Address:20021 SUSANA RD Box:City:COMPTON State:CA ZIP:90221 Country:US Phone:310-764-4600 CAGE:21109

Ingred Name:COPPER CAS:7440-50-8 RTECS #:GL5325000 Frac tion by Wt: 100% OSHA PEL:0.1MG/M3 FUME;1 DUST ACGIH TLV:0.2MG/M3 FUME;1 DUST EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL: INHALATION OF HIGH
CONCENTRATIONS OF DUST, MAY CAUSE INTENSE SNEEZING, NAUSEA, WEAKNESS AND FEVER. SKI
N: NOT APPLICABLE. EYES: CAN CAUSE
IRRITATION. MAY CAUSE DAMAGE TO EYES. ABSORBED THRU SKIN :
INFORMATION NOT AVAILABLE. INGEST: NOT AVAILABLE. CHRONIC: CAN CAUSE HEMOLYSIS OF RED BLOOD CELLS, (EFTS OF OVEREXP)
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:HLTH HAZ: DEPOSITION OF HEMOFUSION IN LIVER AND POSSIBLE INJURY TO LUNG CELLS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

==========

First Aid:EYE: FLUSH WITH WATER FOR AT LEAST 15 MIN. SEEK MEDICAL ATTENTION. SKIN: WASH IMMED WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MED ATTN. INHAL: REMOVE TO FRESH AIR IMMEDIATELY. INGEST: SEEK MED ATTN IMMED AND SHOW INSERT CARD.

Extinguishing Media:GRAPHITE, DOLOMITE OR SODIUM CHLORIDE. Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . DO NOT US

E WATER.

Unusual Fire/Explosion Hazard:COPPER POWDER BELOW 50 MICRON SIZE RANGE IS CLASSIFIED AS WEAKLY EXPLO MATL. WHEN PRESENT AS DUST CLOUD WILL NOT EXPLODE READILY IN AIR. NOT EASILY (SUPP DATA)

Spill Release Procedures:COLLECT FOR DISPOSAL AVOIDING DUST CLOUDS. USE BROOM, OR VACUUM. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, AND FLAME. NO SMOKING. STORE IN COOL DRY AREA. Other Precautions:AVOID CONTACT WITH SKIN, EYES AND CLOTHING. AVOID INHALATION OF VAPORS.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection:USE NIOSH/MSHA APPROVED MASK FOR TOXIC DUST TO PROTECT AGAINST DUSTS. Ventilation:VENTILATION EQUIPMENT TO REMOVE DUST. Protective Gloves:RUBBER GLOVES. Eye Protection:CHEMICAL WORKERS GOGGLES . Other Pro tective Equipment:PROTECTIVE EQUIPMENT TO COVER EXPOSED AREAS. Work Hygienic Practices:AVOID CREATING DUST CLOUDS. GOOD HOUSEKEEPING IS REQUIRED. Supplemental Safety and Health EXPLO HAZ: IGNITED BY SPARKS.

Vapor Pres:1 Spec Gravity:3.6 Evaporation Rate & amp; Reference:0.001(BUTYL ACETATE=1) Solubility in Water:INSOLUBLE Appearance and Odor:REDDISH BROWN POWDER; ODORLESS. Percent Volatiles by Volume: