View NSN Online: https://aerobasegroup.de/nsn/8040-01-316-1900

ABLESTIK LABS -- ABLEBOND 163-4 & 163-4 LVFF PART C -- 8040-01-316-1900

========= Product Identification ============

Product ID:ABLEBOND 163-4 & 163-4 LVFF PART C

MSDS Date:12/05/1988

FSC:8040

NIIN:01-316-1900

Kit Part:Y

MSDS Number: BPFMT === Responsible Party ===

Company Name: ABLESTIK LABS Address: 20021 SUSANA RD

City:RANCHO DOMINQUEZ

State:CA ZIP:90021 Country:US

Info Phone Num:213-764-4600

Emergency Pho

ne Num:800-424-9300(CHEMTREC)

CAGE:9V874

=== Contractor Identification === Company Name: ABLESTIK LABS Address: 833 WEST 182ND ST

Box:9067

City: GARDENA

State:CA ZIP:90248 Country:US

Phone:213-532-9341

CAGE:9V874

Company Name: ABLESTIK LABS SUB OF NATIONAL STARCH AND CHEMICAL

Address:20021 SUSANA RD

Box:City:COMPTON

State:CA ZIP:90221 Country:US

Phone:310-764-4600

CAGE:21109

====== Composition/Information on Ingredients ========

Ingred Name: COPPER

CAS:7440-50-8

RTECS #:GL5325000

Frac

tion by Wt: 100% OSHA PEL:0.1MG/M3 FUME;1 DUST ACGIH TLV:0.2MG/M3 FUME;1 DUST EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHAL: INHALATION OF HIGH CONCENTRATIONS OF DUST, MAY CAUSE INTENSE SNEEZING, NAUSEA, WEAKNESS AND FEVER. SKI N: NOT APPLICABLE. EYES: CAN CAUSE IRRITATION. MAY CAUSE DAMAGE TO EYES. ABSORBED THRU SKIN: INFORMATION NOT AVAILABLE. INGEST: NOT AVAILABLE. CHRONIC: CAN CAUSE HEMOLYSIS OF RED BLOOD CELLS, (EFTS OF OVEREXP) **Explanation of Carcinogenicity: NOT RELEVANT** Effects of Overexposure: HLTH HAZ: DEPOSITION OF HEMOFUSION IN LIVER AND POSSIBLE INJURY TO LUNG CELLS. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. ======== First Aid Measures ========= First Aid:EYE: FLUSH WITH WATER FOR AT LEAST 15 MIN. SEEK MEDICAL ATTENTION. SKIN: WASH IMMED WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MED ATTN, INHAL: REMOVE TO FRESH AIR IMMEDIATELY. INGEST: SEEK MED ATTN IMMED AND SHOW INSERT CARD. ============ Fire Fighting Measures ========================= Extinguishing Media: GRAPHITE, DOLOMITE OR SODIUM CHLORIDE. Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT. DO NOT US E WATER. Unusual Fire/Explosion Hazard: COPPER POWDER BELOW 50 MICRON SIZE RANGE IS CLASSIFIED AS WEAKLY EXPLO MATL. WHEN PRESENT AS DUST CLOUD WILL NOT EXPLODE READILY IN AIR. NOT EASILY (SUPP DATA) ======== Accidental Release Measures ============ Spill Release Procedures: COLLECT FOR DISPOSAL AVOIDING DUST CLOUDS. USE BROOM, OR VACUUM. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============ Handling and Storage ===========================

Handling

and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, AND FLAME. NO SMOKING. STORE IN COOL DRY AREA.

Other Precautions:AVOID CONTACT WITH SKIN, EYES AND CLOTHING. AVOID INHALATION OF VAPORS.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: USE NIOSH/MSHA APPROVED MASK FOR TOXIC DUST TO PROTECT AGAINST DUSTS.

Ventilation: VENTILATION EQUIPMENT TO REMOVE DUST.

Protective Gloves: RUBBER GLOVES.

Eye Protection: CHEMICAL WORKERS GOGGLES .

Other Pro

tective Equipment:PROTECTIVE EQUIPMENT TO COVER EXPOSED AREAS.

Work Hygienic Practices: AVOID CREATING DUST CLOUDS. GOOD HOUSEKEEPING IS REQUIRED.

Supplemental Safety and Health

EXPLO HAZ: IGNITED BY SPARKS.

======== Physical/Chemical Properties ==========

Vapor Pres:1 Spec Gravity:3.6

Evaporation Rate & Evaporation R

Solubility in Water: INSOLUBLE

Appearance and Odor:REDDISH BROWN POWDER; ODORLESS.

Percent Volatiles by Volume: