

LHB INDUSTRIES -- SO SURE WHITE 17875 (144-170)

=====
MSDS Safety Information
=====

FSC: 8010
NIIN: 00-935-6609
MSDS Date: 04/20/1992
MSDS Num: BPGBV
Product ID: SO SURE WHITE 17875 (144-170)
MFN: 02
Responsible Party
Cage: 0FTT5
Name: LHB INDUSTRIES
Address: 8833 FLEISCHER PLACE
City: ST. LOUIS MO 63
134
Info Phone Number: 314-522-3141
Emergency Phone Number: 314-522-3141 800-424-9300(CHEMTREC)
Preparer's Name: RUOLF OPPENHEIM
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 0FTT5
Name: LHB INDUSTRIES
Address: 8833 FLEISCHER PLACE
City: ST. LOUIS MO 63134

=====
Contractor Summary
=====

Cage: 0FTT5
Name: LHB INDUSTRIES
Address: 8833 FLEISCHER PLACE
City: ST. LOUIS MO 63134
Phone: 314-522-3141

=====
Item Description Information
=====

Item Manager: GSA
Item Name: LACQUER
Specification Number: MIL-L-81352A
Unit of Issue: PT
UI Container Qty: 0

=====
Ingredients
=====

=====

Cas: 108-88-3
RTECS #: XS5250000
Name: TOLUENE (SARA 313)
% Wt: 6.85
Other REC Limits: NONE SPECIFIED
OSHA PEL: 200 PPM/150 STEL
ACGIH TLV: 50 PPM; 9293
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Cas: 67-64-1
RTECS #: AL3150000
Name: ACETONE (SARA 313)
% Wt: 35.62
Other REC Limits: NONE SPECIFIED
OSHA PEL: 1000PPM
ACGIH TLV: 750PPM/1000STEL;9293
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 74-98-6
RTECS #
: TX2275000
Name: PROPANE
% Wt: 18.72
Other REC Limits: NONE SPECIFIED
OSHA PEL: 1000 PPM
ACGIH TLV: 1000 PPM

Cas: 78-93-3
RTECS #: EL6475000
Name: METHYL ETHYL KETONE (SARA 313)
% Wt: 9.13
Other REC Limits: NONE SPECIFIED
OSHA PEL: 200 PPM
ACGIH TLV: 200 PPM
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 112-07-2
RTECS #: KJ8925000
Name: BUTYL CELLOSOLVE ACETATE
% Wt: 2.28
Other REC Limits: NONE SPECIFIED
OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

Cas: 71-36-3
RTECS #: EO1400000
Name: N-BUTYL ALCOHOL (SARA 313)
% Wt: 2.28
Other REC Limits: NONE SPECIFIED
OSHA PEL: 100 PPM
ACGIH TLV: S, C 50 PPM; 9293
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 85-68-7
RTECS #: TH9990000
Name: BUTYL BENZYL PHTHALATE (SARA 313)
% Wt: <2.28
Other REC Limits: NONE SPECIFIED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
EPA Rpt Qty: 100 LBS
DOT Rpt Qty: 100
LBS

Cas: 84540-57-8
Name: PM ACETATE
% Wt: 6.85
Other REC Limits: NONE SPECIFIED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

RTECS #: 9999999VO
Name: VOC: 663 G/L
Other REC Limits: NONE SPECIFIED

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC:

NO
OSHA: NO

Effects of Exposure: CONCENTRATING/INHALING CONTENTS-HARMFUL/FATAL. REPORTS ASSOCIATE REPEATED/PROLONGED OCCUPATIONAL OVEREXPOSURE W/PERMANENT BRAIN/NERVOUS SYSTEM DAMAGE. CONFINED AREAS/HIGH CONCENTRATIONS ARE ANESTHETIC . IRRITATION TO SKIN/RESPIRATORY TRACT.HARMFUL IF SWALLOWED. SEVERE EYE IRRITATION.

Signs And Symptions Of Overexposure: IRRITATION TO EYES, THROAT, AND RESPIRATORY TRACT. MAY CAUSE HEADACHES, NAUSEA, AND VOMITING. OVEREXPOSURE: LIGHT HEADEDNESS, STAGGER , GIDDINESS, AND POSSIBLE NAUSEA.

Medical Cond Aggravated By Exposure: RESPIRATORY AILMENTS.

First Aid: SKIN/CLOTHES: WASH W/SOAP/WATER; WASH CLOTHES BEFORE REUSE. EYES: FLUSH W/WATER 15 MINUTES/CONTACT PHYSICIAN/OPHTHALMOLOGIST IMMEDIATELY. INGEST: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL AID. INH ALE: MOVE TO FRESH AIR/ARTIFICIAL RESPIRATION IF NEEDED/MEDICAL AID. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====
Handlin
g and Disposal

=====
Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION AND VENTILATE AREA. MOP SPILLS WITH INERT ABSORBENT. AVOID BREATHING VAPORS.

Waste Disposal Methods: IN ACCORDANCE W/APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT PUNCTURE, INCINERATE, STORE ABOVE 120F. EXPOSURE TO HEAT OR PROLONGED EXPOSURE TO SUN: CONTAINER MAY BURST. DISCARD EMPTY CAN IN TRASH PICK-UP. DO NOT PUT IN HOME TRASH COMPACTOR

Handling An

d Storage Precautions: KEEP OUT OF REACH OF CHILDREN. CAUTION-CONTENTS UNDER PRESSURE. DO NOT STORE ABOVE 120F. AVOID BREATHING SPRAY, MIST OR VAPOR.

Other Precautions: AVOID CONTACT WITH EYES AND SKIN. USE WITH GOOD VENTILATION. READ ENTIRE LABEL BEFORE USING. FOLLOW ALL DIRECTIONS. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING OR SWALLOWING MAY BE H ARMFUL OR FATAL.

=====
Fire and Explosion Hazard Information

=====
Flash Point Text: NR
Autoignition Temp Text: 874F
Lower Limits: 1.8
Upper Limits: 9.5

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, SAND, WATER SPRAY.

Fire Fighting Procedures: WATER INEFFECTIVE/USED TO COOL EXPOSED CONTAINERS. WEAR SELF-CONTAINED BREATHING APPARATUS. USE SHIELDING TO PROTECT PERSONNEL FROM BURST/RUPTURE/VENT CONTAINER

Unusual Fire/Explosion Hazard: DO NOT SPRAY NEAR OPEN FLAME. AT ELEVATED TEMPERATURE (OVER 120F)

CONTAINERS MAY VENT/RUPTURE/BURST. AEROSOL CONTAINER;
DO NOT EXPOSE TO TEMPERATURES ABOVE 120F

=====
Control Measures
=====

Respiratory Protection: NONE BELOW TLV. USE NIOSH/MSHA APPROVED MASK ABOVE TLV.
Ventilation: LOCAL EXHAUST: PREFERRED. MECHANACAL: ACCEPTABLE AT POINT OF MIST
OR SPRAY RELEASE.

Protective Gloves: TO PROTECT SKIN

Eye Protection: CHEMICAL SPLASH GOGGLES

Other Protective Eq

ipment: IMPERVIOUS CLOTHES TO PROTECT SKIN. EYE WASH
STATION.

Work Hygienic Practices: USE GOOD PERSONAL HYGIENE. DO NOT EAT, DRINK OR SMOKE
WHILE USING PRODUCT.

=====
Physical/Chemical Properties
=====

HCC: V3

Vapor Pres: 65 @ 68 F

Vapor Density: 1.522

Spec Gravity: 0.904 (WATER=1)

Solubility in Water: NO

Appearance and Odor: WHITE/PAINT

Percent Volatiles by Volume: 84%

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: EXTREME HEAT

Hazardous Decomposition Products: CARBON MONOXIDE, AND POSSIBLE HYDROGEN
CHLORIDE

Hazardous Polymerization Indicator: NO

=====
Toxicological Information
=====

=====
Ecolo
gical Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 0FTT5
Trans ID NO: 93357
Product ID: SO SURE WHITE 17875 (144-170)
MSDS Prepared Date: 04/20/1992
Review Date: 09/02/1992
MFN: 2
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: PT
Container QTY: 0
=====

=====
Detail DOT Information
=====

DOT PSN Code: DTJ

Symbols: D
DOT Proper Shipping Name: CONSUMER COMMODITY
Hazard Class: ORM-D
Label: NONE
Non Bulk Pack: 156,306
Bulk Pack: NONE
Max Qty Pass: 30KGGROSS
Max Qty Cargo: 30KGGROSS
Vessel Stow Req: A
=====

=====
Detail IMO Information
=====

IMO PSN Code: AKH
IMO Proper Shipping Name: AEROSOLS/AEROSOL PRODUCT ?
IMDG Page Number: SEE 9022
UN Number: 1950
UN Hazard Class: 9?
IMO Packaging Group: -
Subsidiary
Risk Label: -
EMS Number: 2-13
=====

=====
Detail IATA Information
=====

IATA PSN Code: ALS
IATA UN ID Num: 1950
IATA Proper Shipping Name: AEROSOLS, FLAMMABLE
IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)
IATA UN Class: 2.1
IATA Label: FLAMMABLE GAS
Packing Note Passenger: 203
Max Quant Pass: 75KG
Max Quant Cargo: 150KG
Packaging Note Cargo: 203
=====

=====

Detail AFI Information

=====

AFI PSN Code: ALS
AFI Proper Shipping Name: AEROSOLS, NONFLAMMABLE, N.O.S.
AFI PSN Modifier: CONTAINING SUBSTANCES IN CLASS 8, PACKING GROUP I OR II
AFI Hazard Class: FORB
Back Pack Reference: FORBIDDEN

=====

HAZCOM Label

=====

Product ID: SO SURE WHITE 17875 (144-170)
Cage: 0FTT5
Company Name: LHB INDUSTRIES
S
Street: 8833 FLEISCHER PLACE
City: ST. LOUIS MO
Zipcode: 63134
Health Emergency Phone: 314-522-3141 800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 12/16/1998
Status Code: C
Label Date: 12/16/1998
Origination Code: G
Hazard And Precautions: CONCENTRATING/INHALING CONTENTS-HARMFUL/FATAL. REPORTS ASSOCIATE REPEATED/PROLONGED OCCUPATIONAL OVEREXPOSURE W/PERMANENT BRAIN/NERVOUS SYSTEM DAMAGE. CONFINED AREAS/HIGH CONCENTRATIONS ARE ANESTHETIC . IRRITATION TO SKIN/RESPIRATORY TRACT.HARMFUL IF SWALLOWED.
SEVERE EYE IRRITATION. IRRITATION TO EYES, THROAT, AND RESPIRATORY TRACT. MAY CAUSE HEADACHES, NAUSEA, AND VOMITING.
OVEREXPOSURE: LIGHT HEADEDNESS, STAGGER, GIDDINESS, AND POSSIBLE NAUSEA.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or impliedly warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume res

possibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.