

HYDROTEX INDUSTRIES INC -- HYTORQUE -- 9150-01-177-9438

===== Product Identification =====

Product ID:HYTORQUE

MSDS Date:03/18/1987

FSC:9150

NIIN:01-177-9438

MSDS Number: BPGGT

=== Responsible Party ===

Company Name:HYDROTEX INDUSTRIES INC

Address:1165 EMPIRE CENTRAL PL

Box:560707

City:DALLAS

State:TX

ZIP:75247-0707

Country:US

Info Phone Num:214-638-7400

Emergency Phone Num:214-638-7400

CAGE:5393

3

=== Contractor Identification ===

Company Name:HYDROTEX INDUSTRIES INC

Address:1165 EMPIRE CENTRAL PL

Box:560707

City:DALLAS

State:TX

ZIP:75247-0707

Country:US

Phone:214-638-7400/FAX: 214-630-4786

CAGE:53933

===== Composition/Information on Ingredients =====

Ingred Name:SEVERELY SOLVENT REFINED MINERAL OIL (EXPOSURE REGULATED AS
'OIL MIST')

CAS:8012-95-1

RTECS #:PY8030000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3/10 STEL;9293

=====

==== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYES-IRRITATION.

INGESTION-CATHARTIC EFFECTS. CHRONIC: SKIN-IRRITATION, DERMATITIS.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:SEE HEALTH HAZARD ABOVE.

=

==== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. INGESTION: IF CATHARTIC EFFECTS PERSISTS, SEEK MEDICAL ATTENTION. INHALATION: NONE. SKIN: WASH OFF WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

==== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:420F,216C

Extinguishing Media:DRY CHEMICAL,

CARBON DIOXIDE, FOAM AND WATER SPRAY.

Fire Fighting Procedures:COOL CONTAINERS EXPOSED TO HEAT WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:EXPANSION OF OVER HEATED CONTAINERS MAY CAUSE EXPLOSION HAZARD.

==== Accidental Release Measures =====

Spill Release Procedures:CONTAIN MATERIAL AND TRANSFER TO A WASTE CONTAINER. ABSORB RESIDUE WITH ABSORBENT MATERIAL, SCOOP UP AND DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

==== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM OPEN FLAMES AND STRONG OXIDANTS.

Other Precautions:NONE

==== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.

Ventilation:NONE REQUIRED.

Protective Gloves:PLASTIC GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE

Work Hygienic Practices:NONE

Supplemental Safety and Health

NONE

=====

=== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:600F,316C

Spec Gravity:0.88

Solubility in Water:NIL

Appearance and Odor:RED LIQUID, SLIGHT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS.

Stability Condition to Avoid:OPEN FLAMES.

Hazardous Decomposition Products:OXIDES OF SULFUR, PHOSPHORUS AND
CARBON.

===== Disposal Considerations =====

W

aste Disposal Methods:LANDFILL, INCINERATION OR ANY METHOD APPROVED BY
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional
advice to verify and
assume responsibility for the suitability of this information to their
particular situation.