

SPRAYON PRODUCTS -- SPRAY KIT -- 4940-00-803-6444

=====
Product Identification
=====

Product ID:SPRAY KIT

MSDS Date:06/01/1992

FSC:4940

NIIN:00-803-6444

Kit Part:Y

MSDS Number: BPHNJ

=== Responsible Party ===

Company Name:SPRAYON PRODUCTS

Address:26300 FARGO AVE

City:BEDFORD HEIGHTS

State:OH

ZIP:44146-1310

Country:US

Info Phone Num:800-777-2966

Emergency Phone Num:216-292-7400

CAGE:5E481

=== Cont

ractor Identification ===

Company Name:SPRAYON PRODUCTS

Address:26300 FARGO AVE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146-1310

Country:US

Phone:216-292-7400

CAGE:5E481

Company Name:THE W.H. SMITH HARDWARE CO

Address:1000 DUPONT ROAD

Box:599

City:PARKERSBURG

State:WV

ZIP:26102-0599

Country:US

Phone:304-422-6578

CAGE:8W529

=====
Composition/Information on Ingredients
=====

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

AC

GIH TLV:ASPHYXIAN; 9293

Ingred Name:ISOBUTANE

CAS:75-28-5

RTECS #:TZ4300000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM

Ingred Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #:MN9275000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:500 PPM

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450 STEL

;9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

Ingred Name:NAPHTHA, LIGHT ALIPHATIC (PETROLEUM) (THIS MATERIAL
CONTAINS UP TO 5 VOL.% BENZENE AND 20 VOL.% N-HEXANE)

CAS:64742-89-8

Other REC Limits:NONE RECOMMENDED

OSHA PEL:300 PPM

ACGIH TLV:300 PPM

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150 STEL;9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

I

ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

ingred Name:ACETONE (SARA III)
CAS:67-64-1
RTECS #:AL3150000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000PPM
ACGIH TLV:750PPM/1000STEL;9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

ingred Name:ZINC (SARA III)
CAS:7440-66-6
RTECS #:ZG8600000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG ZNO/M3
ACGIH TLV:10 MG ZNO/M3; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS UNKNOWN.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: VAPOR MAY CAUSE RESPIRATORY TRACT, CNS DEPRESS AND EYE IRRITATION. INGESTION MAY CAUSE GASTROINTESTINAL DISTURBANCES SUCH AS NAUSEA, VOMITING AND DIARRHEA. CHRONIC: PROLONGED/REPEATED CONTACT WITH THE SKIN MAY CAUSE IRRITATION, DERMATITIS OR SENSITIZATION. INHALATION MAY CAUSE SENSITIZATION AND ANESTHETIC EFFECT
Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.
Effects of Overexposure:MAY CAUSE EYE, SKIN & RESPIRATORY TRACT IRRITATION. INHALATION OF HIGH CONCENTRATIONS OF VAPORS MAY CAUSE CNS EFFECTS CHARACTERIZED BY HEADACHE,

WEAKNESS, DIZZINESS,
INCOORDINATION AND POSSIBLE COLLAP SE. INGESTION MAY CAUSE NAUSEA,
VOMITING, AND DIARRHEA. LIQUID OR VAPOR EYE CONTACT MAY CAUSE
IRRITATION.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING
DISEASE IN OR A HISTORY OF AILMENTS INVOLVING THE LIVER, KIDNEY,
SKIN, CNS, OR REPRODUCTIVE SYSTEM ARE AT A GREATER THAN NORMAL RISK
WHEN EXPOSED TO THIS MATERIAL.

=====
===== First Aid Measures =====

First Aid:IN

HALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE CPR.

IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN. EYE:
FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET
MEDICAL AT TENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH
SOAP AND WATER PROMPTLY. INGESTION: DO NOT INDUCE VOMITING. GIVE
WATER TO DRINK ONLY IF CONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point: