

FISHER SCIENTIFIC CO CHEMICAL DIV. -- POTASSIUM OXALATE, MONHYDRATE --  
6810-00-241-4752

=====  
===== Product Identification =====

Product ID:POTASSIUM OXALATE, MONHYDRATE  
MSDS Date:05/30/1994  
FSC:6810  
NIIN:00-241-4752  
MSDS Number: BPHYP  
=== Responsible Party ===  
Company Name:FISHER SCIENTIFIC CO CHEMICAL DIV.  
Address:1 REAGENT LANE  
City:FAIR LAWN  
State:NJ  
ZIP:07410  
Country:US  
Info Phone Num:201-796-7100  
Emergency Phone Num:201-796-7100 800-424-9300(CHEMTREC)  
CAGE:1B464  
=== Contractor Identification ===  
Company Name:FISHER SCIENTIFIC CO  
Address:2000 PARK LN  
Box:City:PITTSBURGH  
State:PA  
ZIP:15275  
Country:US  
Phone:412-490-8586  
CAGE:22527  
Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV  
Address:1 REAGENT LANE  
Box:City:FAIRLAWN  
State:NJ  
ZIP:07410-2802  
Country:US  
Phone:201-796-7100  
CAGE:1B464

=====  
===== Composition/Information on Ingredients =====

Ingred Name:POTASSIUM OXALATE, MON

OHYDRATE

CAS:6487-48-5

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:\*\*MODERATELY TOXIC\*\* EYES:MAY CAUSE SEVERE IRRITATION AND BURNS.SKIN:MAY CAUSE IRRITATION.MAY BE DERMALLY ABSORBED IN HARMFUL AMOUNTS.INGEST:OXALATES MIX WITH SERUM TO FORM INSOLUBLE CA OXALATE.IN

HAL: MAY CAUSE SEVERE RESPIRATORY IRRITATION.POSSIBLE ROUTE OF SYSTEMIC POISONING.CHRONIC:RENAL BLOCKAGE FROM CA OXALATE.

Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Effects of Overexposure:SYSTEMIC(INGEST):VIOLENT MUSCLE STIMULATION,LEADING TO CONVULSIONS AND COLLAPSE.EYES:CONJUNCTIVITIS.SKIN:DERMATITIS.OXALATE SOLNS MAY LOCALIZED PAIN,BLUIISH COLOR TO FINGERS AND NAILS,ULCERS AND GANGRE N

E.INHAL:COUGHING,SORE THRAOT,DIFFICULTBREATHING.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING KIDNEY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP OR MILD DETERGENT AND WATER.GET MEDICAL ATTENTION.EYES:FLUSH WITH NORMAL SALINE OR WATER FOR 15 MINUTES.GET MEDICAL ATTENTION.INHAL:REMOVE TO FRESH AIR .GIVE OXYGEN OR ARTIFICIAL RESPIRAT

ION IF NEEDED.INGEST:GET PROMPT QUALIFIED MEDICAL ATTENTION.MAINTAIN RESPIRATION.SEE SUPPLIMENTAL.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER FOG,DRY CHEMICAL,CARBON DIOXIDE,FOAM.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.FIGHT FIRE FROM UPWIND.

Unusual Fire/Explosion Hazard:THE FINELY DISPURSED DUST FROM THIS PRODUCT IS A FIRE OR EXPLOSION HAZARD IN THE PR

ESENCE OF SOURCES OF  
IGNITION.

===== Accidental Release Measures =====

Spill Release Procedures:DO NOT TOUCH SPILLED MATERIAL.SOAK UP WITH  
NON-COMBUSTIBLE INERT ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIAL  
IN AN APPROPRIATE CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE  
SLIPPERINESS.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENT  
ILATED

PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM  
INCOMPATIBLE MATERIALS.

Other Precautions:AVOID SKIN AND EYE CONTACT.DO NOT INHALE DUST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN  
ENCLOSED SPACES USE EITHER A SELF-CONTAINED BREATHING APPARATUS OR  
A NIOSH/MSHA APPROVED RESPIRATOR FOR DUST AND MISTS,DEPENDING ON  
THE AIRBORN CONCENTRA TION.

Ventilation:USE EXPLOSION  
-PROOF LOCAL EXHAUST.

Protective Gloves:CHEMICALLY RESISTANT GLOVES

Eye Protection:DUST-PROOF GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING,AS NEEDED.PROVIDE A  
LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:EXECISE GOOD LABORATORY PRACTICES.WASH HANDS  
AFTER USE AND BEFORE EATING.

Supplemental Safety and Health

FIRST AID(INGEST):PRECIPATE CA OXALATE BY GIVING CALCIUM IN ANY  
FORM(EG.MILK,LIME WATER,CHALK,CALCIUM GLUCONATE,CACL,CALCIUM  
LACTATE;DO NOT USE

GASTRIC LAVAGE OR EMESIS IF TISSUE CORROSION HAS  
OCCURED ;ADD 10G OF CA GLUCONATE TO EMESIS SOLUTION;GIVE 10%CA  
GLUCONATE,10ML IV.PH OF 5% SOLUTION IS 7.2-8.5.

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt:B.P. Text:212F,100C

Decomp Temp:Decomp Text:212F,100C

Spec Gravity:2.127

pH:SUPPL.

Appearance and Odor:ODORLESS,COLORLESS TO WHITE,HYGROSCOPIC MONOCLINIC  
CRYSTALS.

Percent Volatiles by Volume:NIL

===== Stability and Reactivit

y Data =====

Stability Indicator/Materials to Avoid: YES

ACIDS, ACID FUMES, ALKALI METALS, BASES, OXIDIZERS. CORRODES STEEL.

Stability Condition to Avoid: AVOID COMBUSTIBLE MATERIALS.

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This i

nformation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.