

FLEXITALLIC GASKET CO INC -- ASBESTOS FILLED SPIRAL WOUND GASKET -- 5330-00-567-4878

=====  
Product Identification  
=====

Product ID:ASBESTOS FILLED SPIRAL WOUND GASKET

MSDS Date:07/09/1986

FSC:5330

NIIN:00-567-4878

MSDS Number: BPJDC

=== Responsible Party ===

Company Name:FLEXITALLIC GASKET CO INC

Address:6915 LAPORTE RD

Box:760

City:DEER PARK

State:TX

ZIP:77536

Country:US

Info Phone Num:713-479-34

91

Emergency Phone Num:713-479-3491

CAGE:58156

=== Contractor Identification ===

Company Name:FLEXITALLIC GASKET CO INC.

Address:6915 LAPORTE RD

Box:760

City:DEER PARK

State:TX

ZIP:77536

Country:US

Phone:713-479-3491

CAGE:58156

Company Name:TURBODYNE, DIV OF MCGRAW EDISON CO/DRESSER INDUST.

Address:142 CLINTON RD

Box:City:FAIRFIELD

State:NJ

ZIP:07004-2969

Country:US

Phone:201-227-4565

CAGE:51219

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ASBESTOS, CHRYSOTI

LE  
CAS:12001-29-5  
RTECS #:CI6478500  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:0.2 FIBERS/CC  
ACGIH TLV:2 FIBERS/CC; A1;9293

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:PEL FOR ASBESTOS FIBERS 0.2 FIBER/CC  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:ACUTE AND CHRONIC- BREATHING OF  
ASBESTOS FIBERS IN SIGNIFICANT AMOUNTS MAY PRODUCE IRREVERSIBLE

LUNG DISEASE AND CANCER. FREE FIBERS CAN CAUSE EYE AND SKIN  
IRRITATION. INGESTION IS NOT LIKELY.

Explanation of Carcinogenicity:CONTAINS ASBESTOS.

Effects of Overexposure:BREATHING OF ASBESTOS FIBERS IN SIGNIFICANT  
AMOUNTS MAY PRODUCE IRREVERSIBLE LUNG DISEASE AND CANCER. FREE  
FIBERS CAN CAUSE EYE AND SKIN IRRITATION. INGESTION IS NOT LIKELY.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN  
DISORDERS OR EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE  
MO

RE SUSCEPTIBLE TO THE EFFECTS OF THE SUBSTANCE.

=====  
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF NEEDED. SKIN:WASH WITH SOAP & WATER.  
EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN.  
INHALED:REMOVE TO FRESH AIR. PROVIDE OXYGEN/CPR IF NEEDED.  
ORAL:CALL A PHYSICIA N.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL  
FOR SURROU  
NDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED  
CONTAINERS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:VACUUM FIBERS AND DUSTS, CAREFULLY, AVOIDING  
DUSTING. IF SWEEPING IS USED, CONTROL DUST BY WETTING AND USE  
APPROPRIATE DUST MASK.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORAGE- NOT RELEVANT FOR A FINISHED  
PRODUCT IN SPIRAL WOUND GASKET.

Other Precautions:SEE OTHE

R REGULATIONS FOR ASBESTOS HANDLING IN CFR  
29, PART 1910, SUB PART 2, PAR. 1910.1001. DO NOT BREATHE DUST OR  
FIBERS. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENTILATION  
CONDITIONS EXIST. IF EXCESSIVE DUSTS OR FIBERS PRESENT, A  
NIOSH-APPROVED DUST RESPIRATOR IS RECOMMENDED. IF CONCENTRATION  
EXCEEDS CAPACITY OF RESPIRATOR, USE SELF-CONTAINED BREATHING  
APPARATUS

Ventilation:MECHANICAL (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO  
MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:RUBBER RECOMMENDED

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND  
IMPERVIOUS CLOTHING

Work Hygienic Practices:KEEP WORK AREA CLEAN OF ASBESTOS DUST.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T6

Spec Gravity:2.5

Solubility in Water:NEGLIGIBLE

Appearance an

d Odor:LIGHT BLUE - NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN

Hazardous Decomposition Products:NONE KNOWN

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE  
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Dep

artment

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.