View NSN Online: https://aerobasegroup.de/nsn/9150-01-049-2911

VIRGINIA KMP CORPORATION -- SUNISO REFRIGERATION OIL 4GS, L319 -- 9150-01-049-2911

Product ID:SUNISO REFRIGERATION OIL 4GS, L319 MSDS Date:07/11/1991 FSC:9150 NIIN:01-049-2911 **MSDS Number: BPJHF** === Responsible Party === Company Name: VIRGINIA KMP CORPORATION Address:4100-PLATINUM WAY Box:24327 City:DALLAS State:TX ZIP:75237-1616 Country:US Info Phone Num:214-330-7731 Emergency Phone Num:214-330-7731 Preparer's Name: J KENNETH NOVAK CAGE:58727 === Contractor Identification === Company Name: VIRGINIA CHEMICALS INC CAGE CODE OBSOLETE Address:OBSOLETE Box:City:UNK Country:US Phone:0000000000 CAGE:58727

Ingred Name:PETROLEUM OIL, HYDROTREATED HEAVY NAPHTHENIC DISTILLATE (PETROLEUM), PETROLEUM DISTILLATES, MINERAL OIL CAS:64742-52-5 RTECS #:PY8035000 Fraction by Wt: 100%

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-INGESTION:HARMFUL OR FATAL. ASPIRATION INTO LUNGS CAN CAUSE CHEMICAL PNEUMONIA AND CAN BE FATAL. INHALATION OF MIST MAY CAUSE IRRITATION OF NOSE & THROAT. EYE:IRRITATION. SKIN: IRRITATION. CHRON IC - NONE STATED BY MANUFACTURER.

Explanation of Carcinogenicity:NONE

Effects of Over

exposure:INHHALTION: EXCESSIVE BREATHING OF VAPORS MAY CAUSE NASAL AND RESPIRATORY IRRITATION. EYES: CAUSES SEVERE IRRITATION AND BLURRED VISION; SKIN: CAUSES IRRITATION. MAY BE HARMFUL IF ABSORBED THROUGH SKI N. MAY CAUSE AN ALLERGIC SKIN REACTION ON PROLONGED AND REPEATED CONTACT; INGESTION: MAY BE HARMFUL.CAUSES GI IRRITATION

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH KIDNEY, EYE, OR SKIN DISORDER MAY BE AT INCREASED RISK FROM EXPOSURE OF THIS MATERIAL.

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR & RESTORE BREATHING IF NECESSARY. GET MEDICAL ATTENTION. EYE : IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION: GET IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING. NOTHING BY MOUTH IF UNCONSCIOU

S.

Flash Point Method:COC Flash Point:302F,150C Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG & SAND/EARTH. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE STATED BY THE MANUFACTURER.

Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. SMALL SPILL: PICK UP WITH ABSORBENT MATERIAL AND PLACE IN NON-LEAKING

CONTAINERS. SEAL PROPERLY FOR PROPER DISPOSAL. LARGE SPILLS: DIKE AND CONTAIN.REMOVE WITH VACUU M PUMP.USE ABSORBENT TO ABSORB REMANINGLIQ.

Handling and Storage Precautions: AVOID EXPOSURE TO HEAT & FLAME. Other Precautions: AVOID CONTACT W/EYES & SKIN.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NOT NORMALLY NEEDED. Ventilation:MANUFACTURER RECOMM ENDS LOCAL EXHAUST. Protective Gloves:OIL RESISTANT, RUBBER Eye Protection:CHEMICAL SPLASH GOGGLES Other Protective Equipment:RUBBER APRON Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

 STRONG OXIDIZING AGENTS SUCH AS CHROMIC ACID, HYDROGEN PEROXIDE, BROMIDE, & OXYGEN.
Stability Condition to Avoid:HEAT & FLAME.
Hazardous Decomposition Products:CO2 & CO.

Waste Disposal Methods: DISPOSE OF IN ACCOR

DANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitabilit y of this information to their particular situation.