

FISHER SCIENTIFIC -- H-323, HYDROGEN PEROXIDE 30% -- 6810-00-490-0423

===== Product Identification =====

Product ID:H-323, HYDROGEN PEROXIDE 30%

MSDS Date:12/21/1988

FSC:6810

NIIN:00-490-0423

MSDS Number: BPKNB

=== Responsible Party ===

Company Name:FISHER SCIENTIFIC

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ

ZIP:07410

Country:US

Info Phone Num:201-796-7100

Emergency Phone Num:201-796-7100;800

-424-9300(CHEMTREC)

CAGE:1B464

=== Contractor Identification ===

Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802

Country:US

Phone:201-796-7100

CAGE:1B464

===== Composition/Information on Ingredients =====

Ingred Name:HYDROGEN PEROXIDE, 30% (SARA III)

CAS:7722-84-1

RTECS #:MX0900000

Fraction by Wt: 30%

OSHA PEL:1 PPM

ACGIH TLV:1 PPM

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 70%

Ing

red Name:MAY CONTAIN INGREDIENTS 4 OR 5 AS AN INHIBITOR.
RTECS #:9999999ZZ

Ingred Name:DISODIUM STANNATE; (SODIUM STANNATE)
CAS:12058-66-1
RTECS #:JN6345000

Ingred Name:ACETANILIDE
CAS:103-84-4
RTECS #:AD7350000

Ingred Name:EXPLO HAZ: COMBUST MATTER. CONT W/EASILY OXIDIZABLE,
ORG/OTHER COMBUST MATLS MAY RSLT IN IGNIT, VIOLENT COMBUST/EXPLO.
RTECS #:9999999ZZ

Ingred Name:HAZ DECOMP PROD: WITH ROUGH SURFACES, ALKALIS, FINELY
DIVIDED METALS, AND MANY OTHER SUBSTANCES.
RTECS #:9999999ZZ

Ingred Name:EFTS OF OVEREXP: CAUSE BLEACHING OF HAIR, DERM, IN SOME
INDIV, ECZEMA. EYE: MAY CAUSE CONJUNCT & LACRIMATION. (ING 9)
RTECS #:9999999ZZ

Ingred Name:ING 8:INGEST: AS EVALUATED BY RTECS,ADMIN TO MICE BY INGEST
RSLTD IN STATISTICALLY SIGNIFICANT INCR IN INCIDENCE(ING 10)
RTECS #:9999999ZZ

Ingred Name:ING 6: OF GASTROINTESTINAL TUMORS.
RTECS #:9999999ZZ

Ingred Name:FIRST AID PROC: EVIDENCE OF CHEM REMAINS (AT LEAST 15-20
MIN). IN CASE OF CHEM BURNS, COVER AREA W/STERILE,
DRY (ING 12)
RTECS #:9999999ZZ

Ingred Name:ING 11:DRESSING. BANDAGE SECURELY, BUT NOT TOO TIGHTLY. GET
MED ATTN IMMED. EYE: WASH EYES IMMED W/LRG AMTS OF (ING 13)
RTECS #:9999999ZZ

Ingred Name:ING 12: H*2O,OCCAS LIFTING UPPER & LOWER LIDS, UNTIL NO
EVIDENCE OF CHEM REMAINS (AT LEAST 15-20 MIN). CONTINUE (ING 14)
RTECS #:9999999ZZ

Ingred Name:ING 13: IRRIGATING W/NORM SALINE UNTIL PH HAS RETURNED TO
NORM (30-60 MIN). COVER W/STERILE BANDAGES. GET MED (ING 15)
RTECS #:9999999ZZ

Ing

red Name:ING 14: ATTN IMMED. INGEST: IF VICTIM IS CONSCIOUS, IMMED
GIVE 2-4 GLASSES OF H*2O, & INDUCE VOMIT BY TOUCHING (ING 16)
RTECS #:9999999ZZ

Ingred Name:ING 15: FINGER TO BACK OF THROAT. GET MED ATTN IMMED.
ANTIDOTE: NO SPECIFIC ANTIDOTE. TREAT SYMP AND SUPPORTIVELY.
RTECS #:9999999ZZ

Ingred Name:SPILL PROC: MATL INTO CLEAN, DRY CNTNR & COVER. MOVE CNTNRS
FROM SPILL AREA. FOR SML LIQ SPILLS, FLUSH AREA W/ (ING 18)
RTECS #:9999999ZZ

Ingred Name:ING 17: FLOODING AMTS OF H*2O.
FOR LRGR SPILLS, DIKE FAR
AHEAD OF SPILL FOR LATER DISP. KEEP UNNEC PEOPLE AWAY. (ING 19)
RTECS #:9999999ZZ

Ingred Name:ING 18: ISOLATE HAZARD AREA AND DENY ENTRY.
RTECS #:9999999ZZ

Ingred Name:OTHER PREC: LOCATED. SEC 303 OF SARA REQS THESE FACILITIES
TO PARTICIPATE IN LOC EMER RESPONSE PLANNING (ING 21)
RTECS #:9999999ZZ

Ingred Name:ING 20:(40 CFR 355.30). MAY IGNIT OTHER COMBUST MATLS
(WOOD, PAPER, OIL, ETC.). RXN W/FUELS MAY BE VIOLENT. FLAM(ING 22)
RTECS #:9999999ZZ

Ingred Name:ING 21: POIS GASES MAY ACCUMULATE IN TANKS AND HOPPER CARS.
RUNOFF TO SEWER MAY CREATE FIRE OR EXPLOSION HAZARD.
RTECS #:9999999ZZ

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:(ACUTE)INHAL: MAY CAUSE IRRIT & INFLAM
OF RESP TRACT, SORE THROAT, COUGHING, DYSPNEA, LABORED

BRTHG, &
DELAYED PULM EDEMA. SKIN: MAY CAUSE IRRIT, PAIN, BLEACHING OF SKIN
& HAIR, & ON PRLNGD CONT W/LIQ, BURNS. EYE: VAPS MAY CAUSE IRRIT,
PAIN & BLURRED VISION. DIRECT CONT W/LIQ MAY CAUSE CORNEAL BURNS &
(EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:HLTH HAZ: POSS BLINDNESS. INGEST: MAY CAUSE
SORE THROAT, FOCAL & DIFFUSE BURNS OF ESOPHAGUS, ABDOMINAL PAIN,
CHEST PAIN, VOMIT, DIARR, & DISTENTION & DMG OF ESOPHAGUS,
STOMACH

/ABDOMEN DUE TO RELS OF O *2. (CHRONIC)INHAL: RPTD/PRLNGD
EXPOS MAY CAUSE SNEEZING, LACRIM, & BLEACHING OF HAIR. SKIN:
RPTD/PRLNGD EXPOS MAY(ING 8

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHAL:REMOVE FROM EXPOS AREA TO FRESH AIR IMMED. IF BRTHG HAS
STOPPED, PERFORM ARTF RESP. MAINTAIN AIRWAY & BLOOD PRESS & ADMIN
O*2 IF AVAIL. KEEP AFFECTED PERSON WARM & AT REST. TREAT SYM

P &
SUPPORTI VELY. ADMIN OF O*2 SHOULD BE PERFORMED BY QUALIFIED PERS.
GET MED ATTN IMMED. SKIN: REMOVE CONTAM CLTHG & SHOES IMMED. WASH
AFFECTED AREA W/SOAP/MILD DETERGENT & LRG AMTS OF H*2O UNTIL NO
(ING 11)

===== Fire Fighting Measures =====

Flash Point:NON-COMBUSTIBLE

Extinguishing Media:WATER ONLY, NO DRY CHEMICAL, CARBON DIOXIDE OR
HALON. FOR LARGER FIRES, FLOOD AREA WITH WATER FROM A DISTANCE.

Fire Fighting Procedures:WEAR NIOSH/MSHA

APPRVD SCBA/FULL PROT

EQUIP.MOVE CNTNRS FROM FIRE AREA IF POSS.COOL CNTNRS EXPOS TO
FLAMES W/H*2O FROM SIDE UNTIL WELL AFTER FIRE (SUPDAT)

Unusual Fire/Explosion Hazard:NEGLIG FIRE HAZ WHEN EXPOS TO HEAT/FLAME.

OXIDIZER: OXIDIZERS DECOMPOSE, ESPEC WHEN HEATED, TO YIELD
O*2/OTHER GASES WHICH WILL INCR BURNING RATE OF (ING 6)

===== Accidental Release Measures =====

Spill Release Procedures:OCCUP SPILL:KEEP COMBUST (WOOD, PAPER, OIL,
ETC.) AWAY FRO

M SPILLED MATL. DO NOT TOUCH SPILLED MATL. STOP LEAK
IF YOU CAN DO IT W/OUT RISK. USE H*2O SPRAY TO REDUCE VAPS. DO NOT
GET H*2O INSIDE CNTNR. FOR SML DRY SPILLS, W/CLEAN SHOVEL PLACE
(ING 17)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:OBSERVE ALL FEDERAL, STATE AND LOCAL
REGULATIONS WHEN STORING OF SUBSTANCE. FOR ASSISTANCE, CONTACT
DISTRICT DIRECTOR OF ENVIRONMENT
AL PROT AGENCY.

Other Precautions:STORE AWAY FROM INCOMPATIBLE SUBSTANCES. SARA SEC 302
REQS EACH FACILITY WHERE AN EXTREM HAZ SUBSTANCE IS PRESENT IN QTY
EQUAL TO/>TPQ ESTABLISHED FOR THAT SUBSTANCE NOTIFY STATE EMER
RESPONSE COMMISI ON FOR STATE IN WHICH IT IS (ING 20)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SPECIFIC RESPIRATOR SELECTED MUST BE BASED ON
CONTAMINATION LEVELS FOUND IN WORK PLACE AND BE JOINTLY APPROVED BY
N

IOSH/MSHA. 10 PPM: SUPPLIED AIR/SCBA. 75 PPM: SUPPLIED AIR OR SCBA
W/FULL FACEPIECE. ESCAPE: GAS MASK WITH CANISTER.

Ventilation:PROVIDE LOCAL EXHAUST VENTILATION AND/OR GENERAL DILUTION
VENTILATION TO MEET PUBLISHED EXPOSURE LIMITS.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:PROTECTIVE (IMPERVIOUS) CLOTHING AND
EQUIPMENT. EMERGENCY EYEWASH & DELUGE SHOWER .

Work Hygienic Practices:CONTACT LENSES SHOULD NOT BE WORN.

Sup

plemental Safety and Health

FIRE FIGHT PROC: IS OUT. STAY AWAY FROM STOR TANK ENDS. FOR MASS FIRE
IN STOR AREA, USE UNMANNED HOSE HOLDER/MONITOR NOZ; ELSE WITHDRAW
FROM AREA & LET FIRE BURN. USE H*2O IN FLOODING AMTS AS FOG. COO L
CNTNRS W/FLOODING QTYS OF H*2O, APPLYFROM AS FAR A DISTANCE AS
POSS. AVOID BREATHING TOXIC VAPORS, KEEP UPWIND.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:223F,106C

Melt/Freeze Pt:M.P/F.P Text:-13F,-25C

V

apor Pres:25 @ 30C

Vapor Density:1.2

Spec Gravity:1.1

Solubility in Water:SOLUBLE

Appearance and Odor:COLORLESS, CLEAR WATER-LIKE LIQUID WITH SLIGHTLY SHARP ODOR AND BITTER TASTE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO

CONTACT NEHC FOR INFORMATION REGARDING INCOMPATIBLE MATERIALS .

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:THERM DECOMP RELS FLAM O*2 & HEAT. RXN
BEC

OMES SELF-SUSTAINED AT 141C. DECOMP IS ACCELERATED BY AGITATION,
CONT (ING 7)

===== Disposal Considerations =====

Waste Disposal Methods:OBSERVE ALL FEDERAL, STATE AND LOCAL REGULATIONS
WHEN DISPOSING OF SUBSTANCE. FOR ASSISTANCE, CONTACT DISTRICT
DIRECTOR OF ENVIRONMENTAL PROTECTION AGENCY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The

United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.