

BECTON DICKINSON MICROBIOLOGY SYSTEMS -- 8750-05 RPR TEST KIT 110 -- 6550-00-159-5011  
===== Product Identification =====

Product ID:8750-05 RPR TEST KIT 110

MSDS Date:10/26/1988

FSC:6550

NIIN:00-159-5011

MSDS Number: BPKSR

=== Responsible Party ===

Company Name:BECTON DICKINSON MICROBIOLOGY SYSTEMS

Address:250 SCHILLING CIRCLE

Box:243

City:COCKEYSVILLE

State:MD

ZIP:21030

Country:US

Info Phone Nu

m:301-584-7169

Emergency Phone Num:301-666-0100

Preparer's Name:DALE M. DEAN(?)

CAGE:06531

=== Contractor Identification ===

Company Name:BECTON DICKINSON AND CO MICROBIOLOGY SYSTEMS DIV

Address:250 SCHILLING CIRCLE

Box:City:HUNT VALLEY

State:MD

ZIP:21030-1103

Country:US

Phone:410-771-0101

CAGE:05545

Company Name:BECTON DICKINSON AND CO, BECTON DICKINSON DIV.

Address:1 BECTON DR

City:FRANKLIN LAKES

State:NJ

ZIP:07417-1884

Country:US

Phone:201-847-4000, 800-333-4831

CAGE:06531

===== Com

position/Information on Ingredients =====

Ingred Name:"NOT HAZARDOUS"

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:THIS PRODUCT CONTAINS NO HAZARDOUS MATERIAL AS DEFINED BY THE OSHA HAZARD COMMUNICATION STANDARD. HOWEVER, IN EVENT OF A SPILL OR ACCIDENT INVOLVING THIS MATERIAL,

GOOD PERSONAL HYGIENE SHOULD BE PRACTICED.

Explanation of Carcinogenicity:SUPPLIER DID NOT ADDRESS THIS FIELD.

Effects of Overexposure:NOT KNOWN TO BE HAZARDOUS. NO INFORMATION GIVEN ON MSDS BY SUPPLIER.

Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

===== First Aid Measures =====

First Aid:NO INFORMATION GIVEN ON MSDS BY SUPPLIER. USE STANDARD FIRST AID PRACTICE. CONTACT THE MANUFACTURER OR A PHYSICIAN ABOUT THE

MICROBIOLOGICAL HAZARDS ASSOCIATED WITH CONTACT WITH INADVERTANT CONTACT WITH THIS PRODUCT SUCH AS A SPILL ETC.

===== Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY

Fire Fighting Procedures:PRODUCT WILL NOT BURN. IF PRODUCT BECOMES INVOLVED IN FIRE SITUATION, EXTINGUISHING MEDIA FOR SURROUNDING MATERIAL SHOULD BE APPROPRIATE

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:DISINFECT THE EXPOSED AREA ACCORDING TO ESTABLISHED PRECAUTIONS AGAINST MICROBIOLOGICAL HAZARDS.

Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

===== Handling and Storage =====

Handling and Storage Precautions:OBSERVE ESTABLISHED PRECAUTIONS AGAINST MICROBIOLOGICAL HAZARDS THROUGHOUT ALL PROCEDURES.

Other Precautions:PRIOR TO DISCARDING, STERILIZE SPECIMEN CONTAINERS AND OTHER CONTAMINATED

MATERIALS BY AUTOCLAVING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL PRODUCT USEAGE.

Ventilation:NOT REQUIRED UNDER NORMAL PRODUCT USEAGE.

Protective Gloves:LATEXM GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NOT REQUIRED UNDER NORMAL PRODUCT USEAGE.

Work Hygienic Practices:SUPPLIER DID NOT ADDRESS THIS FIELD. HMIS:

OBSERVE GOOD MICROBIOLOGICAL SAFETY PROCEDURES.

Supplemental Safety and Health

MSDS

RECEIVED FROM NAVY (FOCAL POINT N). NAVY IDENTIFIED NSN.

===== Physical/Chemical Properties =====

HCC:N1

pH:UNKNON

Appearance and Odor:ANTIGEN SUSPENSION IN DISTILLED WATER - CLEAR  
SOLUTION WITH GRAY-BLACK SEDIMENT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal M

ethods:UNCONTAMINATED AND UNUSED LIQUID MATERIAL: FLUSH  
DOWN ANY SANITARY SEWER SYSTEM WITH COPIOUS AMOUNTS OF WATER. ALL  
CONTAMINATED MATERIAL (TESTCARDS, SPECIMEN, ETC.) MUST BE  
STERILIZED BEFORE DISCARDI NG. I/A/W FEDERAL, STATE AND LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or imp

lied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.