

DOW CORNING CORP -- FLUID 510,500 CST -- 9150-00-823-8068

=====  
Product Identification  
=====

Product ID:FLUID 510,500 CST

MSDS Date:04/23/1997

FSC:9150

NIIN:00-823-8068

MSDS Number: BPKWX

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-6000

Emergency Phone Num:517-496-5900/800-424-9300

(CHEMTREC)

CAGE:5D028

=== Contractor Identification ===

Company Name:ACCUMETRIC INC

Address:350 RING RD

Box:843

City:ELIZABETHTOWN

State:KY

ZIP:42701

Country:US

Phone:502-769-3385

CAGE:58149

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

Company Name:SDB CONS

ULTANTS LTD  
Address:401 WHITNEY AVE SUITE 120  
Box:City:GRETNA  
State:LA  
ZIP:70056  
Country:US  
Phone:504-366-9105  
CAGE:0PGK2

=====  
Composition/Information on Ingredients  
=====

Ingred Name:2,6-CIS-DIPHENYLHEXAMETHYLCYCLOTETRASILOXANE  
CAS:33204-76-1  
RTECS #:GZ4390000  
Fraction by Wt: 101C  
Lower Limits:NOT GIVEN  
Upper Limits:NOT GIVEN  
Extinguishing Media:CARBON DIOXIDE. WATER. WATER FOG (OR SPRAY). DRY  
CHEMICAL. FOAM.  
Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS A  
ND  
PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING  
CHEMICALS.  
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:MOP UP, OR WIPE UP, OR SOAK UP WITH ABSORBENT  
AND CONTAIN FOR SALVAGE OR DISPOSAL. FOR LARGE SPILLS, PROVIDE  
DIKING OR OTHER APPROPRIATE CONTAINMENT TO KEEP MATERIAL FROM  
SPREADING. CLEAN ANY REMAINING SLIPPERY SURFACE BY APPROPRIATE  
TECHNIQUE  
S.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NO SPCEIAL PRECAUTIONS. USE REASONABLE  
CARE.  
Other Precautions:AVOID EYE CONTACT. USE REASONABLE CARE.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NO RESPIRATORY PROTECTION SHOULD BE NEEDED.  
Ventilation:GENERAL VENTILATION: RECOMMENDED.  
Protective Gloves:NO SPECIAL PROTECTION NEEDED.  
Eye P

rotection:SAFETY GLASSES AS A MINIMUM.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:WASHING AT MEALTIME AND END OF SHIFT IS ADEQUATE.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Decomp Temp:Decomp Text:NOT GIVEN

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity

:0.99

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:NONE

Appearance and Odor:LIQUID, COLORLESS, ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS CAN CAUSE A REACTION.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:SILICONE DIOXIDE, CARBON DIOXIDE, AND TRACES OF INCOMPLETELY BURNED CARBON PRODUCTS

Conditions to Avoid Polymerization:WILL

NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL OF COLLECTED PRODUCTS, RESIDUE AND CLEANUP MATERIAL MAY BE GOVERNMENTALLY REGULATED. OBSERVE ALL APPLICABLE LOCAL, STATE AND FEDERAL WASTE MANAGEMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expr

essly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.