

CRYOGENIC RARE GAS LABS -- HELIUM/OXYGEN/NITROGEN/KRYPTON-85 GAS MIXTU --
5920-00-827-5751

===== Product Identification =====

Product ID:HELIUM/OXYGEN/NITROGEN/KRYPTON-85 GAS MIXTU

MSDS Date:05/25/1988

FSC:5920

NIIN:00-827-5751

MSDS Number: BPPMH

=== Responsible Party ===

Company Name:CRYOGENIC RARE GAS LABS

Address:913 COMMERCE CIRCLE

City:HANAHAHAN

State:SC

ZIP:29406

Country:US

Info Phone Num:803-

747-0956

Emergency Phone Num:803-747-0956/800-424-9300(CHEMTREC)

CAGE:7U103

=== Contractor Identification ===

Company Name:CRYOGENIC RARE GAS

Address:913 COMMERCE CIRCLE

Box:City:HANAHAHAN

State:SC

ZIP:29406

Country:US

Phone:843-747-0956

CAGE:7U103

Company Name:EG & G INC,ELECTRON DEVICES GROUP

Address:35 CONGRESS

Box:City:SALEM

State:MA

ZIP:01970-5507

Country:US

Phone:516-643-2120

CAGE:25506

===== Composition/Information on Ingredients =====

Ingred Name:HELIUM-OXYGEN MIXTURE

C

AS:58933-55-4
RTECS #:MH6550000
Other REC Limits:NONE RECOMMENDED

Ingred Name:NITROGEN
CAS:7727-37-9
RTECS #:QW9700000
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:ASPHYXIAN; 9293

Ingred Name:KRYPTON-85 (30 MICROCURIES MAXIMUM)
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:TLV = 1250 MILLIREM/QUARTER (WHOLE BODY)
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Health Hazards Acute and Chronic:ACUTE - OXYGEN BELOW 21 PERCENT MAY CAUSE DIZZINESS, HEADACHE, NAUSEA, AND LOSS OF CONSCIOUSNESS. OXYGEN ABOVE 21 PERCENT MAY CAUSE CHEST PAIN. RADIATION MAY CAUSE NAUSEA, VOMITING, DIARRHEA, AND DEPRESSION. CHRONIC - NONE KNOWN.
Effects of Overexposure:OXYGEN BELOW 21 PERCENT MAY CAUSE DIZZINESS, HEADACHE, NAUSEA, AND LOSS OF CONSCIOUSNESS. OXYGEN ABOVE 21 PERCENT MAY CAUSE CHEST PAIN. RADIATION MAY CAUSE NAUSEA, VOMITING, DIARRHEA, AND DEPRESSION.
Medical Condition Aggravated by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:INHALATION: MOVE VICTIM TO FRESH AIR. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION AND, IF NEEDED, OXYGEN. GET MEDICAL AID. RADIATION SICKNESS: GET MEDICAL HELP IMMEDIATELY.

===== Fire Fighting Measures =====

Fire Fighting Procedures:OXYGEN IS NON-FLAMMABLE BUT SUPPORTS AND VIGOROUSLY ACCELERATES COMBUSTION OF FLAMMABLES.
Unusual Fire/Explosion Hazard:

SOME MATERIALS WHICH ARE NONFLAMMABLE IN
AIR WILL BURN IN AN OXYGEN ENRICHED ATMOSPHERE.

===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF THE FLOW OF GAS. VENTILATE THE AREA.
KRYPTON-85 WILL DISPERSE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AND USE CYLINDERS IN
WELL-VENTILATED AREA AWAY FROM EXCESSIVE HEAT.
Other Precautions:MAKE SURE ALL RESIDUAL VAPORS ARE REM
OVED PRIOR TO
BEGINNING REPAIR AND MAINTENANCE. MOVE CYLINDERS WITH A HAND TRUCK.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH-APPROVED SELF CONTAINED BREATHING
APPARATUS IF NEEDED.
Ventilation:MECHANICAL
Protective Gloves:LEATHER WORK GLOVES
Eye Protection:SAFETY GOGGLES
Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER,
SAFETY SHOES
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOM
MENDED PROCEDURES.
Supplemental Safety and Health
HELIUM, NITROGEN, AND KRYPTON-85 ARE NON-TOXIC, BUT EACH MAY ACT AS A
SIMPLE ASPHYXIANT. OXYGEN IS NONTOXIC. KRYPTON-85 IS A RADIOACTIVE
ISOTOPE (30 MICROCURIES MAXIMUM).

===== Physical/Chemical Properties =====

HCC:A2
Solubility in Water:SLIGHT
Appearance and Odor:COLORLESS, ODORLESS GAS WITH HALF LIFE OF 10.76
YEARS
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid: YES
OTHER RADIOACTIVE MATERIALS, FLAMMABLES
Stability Condition to Avoid: EXCESSIVE HEAT, FIRE
Hazardous Decomposition Products: BETA PARTICLES AND GAMMA RAYS

===== Disposal Considerations =====

Waste Disposal Methods: REPLACE THE CYLINDER VALVE OUTLET PLUG. REPLACE THE CYLINDER CAP. IF NO LEAKS ARE OBSERVED, RETURN THE CYLINDER TO YOUR SUPPLIER.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.