

SPRAYON PRODUCTS -- OO711 PENETRANT/LUBRICANT, RUST PREVENTATIV -- 8030-00-838-7789

=====
Product Identification
=====

Product ID:OO711 PENETRANT/LUBRICANT, RUST PREVENTATIV

MSDS Date:02/01/1992

FSC:8030

NIIN:00-838-7789

MSDS Number: BPQVC

=== Responsible Party ===

Company Name:SPRAYON PRODUCTS

Address:26300 FARGO AVE

City:BEDFORD HEIGHTS

State:OH

ZIP:44146-1310

Country:US

Info Phone Num:216-292-

7400/800-777-2966

Emergency Phone Num:216-292-7400

CAGE:5E481

=== Contractor Identification ===

Company Name:SPRAYON PRODUCTS

Address:26300 FARGO AVE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146-1310

Country:US

Phone:216-292-7400

CAGE:5E481

=====
Composition/Information on Ingredients
=====

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000

Fraction by Wt: 18% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:ASPHYXIAN; 9293

Ingred Name:NAPHTHA, MEDIUM ALIPHATIC

CAS:64742-88-7
Fraction by Wt: 58% %
Other REC Limits:NONE RECOMMENDED

Ingred Name:DISTILLATES, SOLVENT-REFINED LIGHT NAPHTHENIC
CAS:64741-97-5
RTECS #:PY8041000
Fraction by Wt: 2% %
Other REC Limits:NONE RECOMMENDED
OSHA PEL:300 PPM
ACGIH TLV:300 PPM

Ingred Name:REFINED HEAVY PARAFFINIC DISTILLATES
CAS:64741-88-4
Fraction by Wt: 14% %
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:2-BUTOXYETHANOL
CAS:111-76-2
RTECS #:KJ8575000
Fraction
by Wt: 4% %
Other REC Limits:NONE RECOMMENDED
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9293

Ingred Name:BARIUM DINONYLNAPHTALNE SULFONATE
CAS:25619-56-1
Fraction by Wt: 2% %
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.5 MG/M3 (AS BA)
ACGIH TLV:0.5 MG/M3 (AS BA)

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IRRITATION OF EYES, SKI

N AND

RESPIRATORY SYSTEM, MAY CAUSE NERVOUS SYSTEM DEPRESSION. EXTREME OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS AND POSSIBLE DEATH.

Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Effects of Overexposure:HEADACHE, DIZZINESS, NAUSEA AND LOSS OF COORDINATION ARE INDICATIONS OF EXCESSIVE EXPOSURE TO VAPORS AOR SPRAY MIST. REDNESS AND ITCHING OR BURNING SENSATION MAY INDICATE EYE OR EXCESSIVE SKIN EXP

OSUR E.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHALATION: IF AFFECTED, REMOVE FORM EXPOSURE. RESTORE BREATHING. KEEP WARM AND QUIET. SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. EYES: FLUSH EYES WITH LARG E AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. INGESTION: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

DO NOT INDUCE VOMITING. GIVE SEVERAL GALSSSES OF WATER. SEEK MEDICAL ATTN.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point: 75 %

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:EXTREME TEMPERATURES

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE

=====
===== Disposal Considerations

Waste Disposal Methods:WASTE FROM THIS PRODUCT MAY BE HAZARDOUS AS DEFINED UNDER THE RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) 40 CFR 261. WASTE MUST BE TESTED FOR IGNITABILITY TO DETERMINE THE APPLICABLE EPA HAZARDOUS WASTE NUMBERS. DO NOT INCINERATE. DEPRESSURIZE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in

no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.