

BAKER SEALANTS AND COATINGS CO -- ZINC CHROMATE PUTTY, X-934 -- 8030-00-145-0300

=====
Product Identification
=====

Product ID:ZINC CHROMATE PUTTY, X-934

MSDS Date:06/18/1991

FSC:8030

NIIN:00-145-0300

MSDS Number: BPRCM

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Info Phone Num:201-333-6986

/ FAX 201-333-6955

Emergency Phone Num:201-333-6986/800-424-9300(CHEMTREC)

Preparer's Name:CHARLES FRIEDMAN

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

Company Name:STEVENS INDUSTRIES

Address:39 AVE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002

Country:US

Phone:201-437-6500

CAGE:70372

=====
Composition/Information on Ingredients
=====

===

Ingred Name:POLYSULFIDE RUBBER
CAS:68611-48-3
Fraction by Wt: 61.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGNESIUM SILICATE
CAS:14807-96-6
RTECS #:MW2700000
Fraction by Wt: 36.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.2 FIBERS/CC
ACGIH TLV:0.2 FIBER/CC,A1;9596

Ingred Name:ZINC CHROMATE PIGMENTS
CAS:13530-65-9
RTECS #:GB3290000
Fraction by Wt: 2.4%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 MG(CRO3)/M3
ACGIH TLV:0.01MG(CR)/M3,A1; 96

Ingred Name:MBTS INCLUDES INGREDIENTS #5,
6.
CAS:120-78-5
RTECS #:DL4550000
Fraction by Wt: 1.6%
Other REC Limits:NONE RECOMMENDED

Ingred Name:1,3 DIPHENYL GUANIDINE, (DIPHENOL GUANIDINE) INCLUDES
INGREDIENT #4,6.
CAS:102-06-7
RTECS #:MF0875000
Fraction by Wt: SEE #4%
Other REC Limits:NONE RECOMMENDED

Ingred Name:THIRAM (SARA 313) (CERCLA) (METHYL TUADS) INCLUDES INGREDIENT
#4,5.
CAS:137-26-8
RTECS #:JO1400000
Fraction by Wt: SEE #4%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3
ACGIH TLV:1 MG/M3; 9596
EPA Rpt Qty:10 LBS
DOT Rpt

Qty:10 LBS

Ingred Name:VOC: 0

RTECS #:9999999VO

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:TLV:NA

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:MECHANICAL OBSTRUCTION. SKIN:MAY CAUSE DERMATITIS. INHAL:NOT LIKELY TO INHALE. INGEST:UNLIKELY.CALL PHYSICIAN.

Explanation of Carcinogenicity:PER MSDS:CARCINOGENIC ASS

ESSMENT:NTP/IARC/OSHA:NA.

Effects of Overexposure:EYE MECHANICAL OBSTRUCITON. DERMATITIS.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
===== First Aid Measures =====

First Aid:EYE:WASH WITH WATER.IF IRRIT CALL PHYSICIAN. SKIN:WASH W/SOAP/WATER. INHAL:REMOVE VICTIM TO FRESH AIR. INGEST:NOT LIKELY.CALL PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point:>200F,>93C

Autoignition Temp:Autoignition Temp Text:N

A

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:EXTINGUISH WITH CO2, DRY CHEMICAL OR FOAM.

Fire Fighting Procedures:EXTINGUISH WITH CO2, DRY CHEMICAL OR FOAM.

Unusual Fire/Explosion Hazard:NONE KNOWN.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SM/LG:MATL IS SOLID.CLEAN UP AS PER

FED/STATE/LOC LAWS. FED REG REPORTABLE QUANT:NOT REPORTABLE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage

=====

Handling and Storage Precautions:NORMAL GOOD WORK PRACTICE.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF DESIRED.
Ventilation:NORMAL VENTILATION.
Protective Gloves:RECOMMENDED.
Eye Protection:GOGGLES.
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:NORMAL GOOD WORK PRACTICE.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:NA
Melt/Freeze Pt:M.P/F.P Text:NA
Decomp Temp:Decomp Text:NA
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:1.66
pH:NA
Viscosity:NA
Evaporation Rate & Reference:NA
Solubility in Water:NA
Appearance and Odor:BLACK-YELLOW COLOR.
Percent Volatiles by Volume:0
Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDANTS.
Stability Condition to Avoid
:STRONG OXIDANTS.
Hazardous Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS PER FED/STATE/LOC REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability f

or its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.