View NSN Online: https://aerobasegroup.com/nsn/8010-00-823-8012

WOOLSEY MARINE, A DIVISION OF KOP-COAT, INC -- ALKYD, ODORLESS, INTERIOR FLAT -- 8010-00-823-8012

Product ID:ALKYD, ODORLESS, INTERIOR FLAT MSDS Date:01/01/1987 FSC:8010 NIIN:00-823-8012 MSDS Number: BPRKJ === Responsible Party === Company Name: WOOLSEY MARINE, A DIVISION OF KOP-COAT, INC Address:436 7TH AVENUE City:PITTSBURGH State:PA ZIP:15219 Country:US Info P hone Num:412-227-2000 Emergency Phone Num:800-553-5631/800-323-6591 CHEMTREC CAGE:LO794 === Contractor Identification === Company Name:KOP-COAT INC Address:436 7TH AVENUE City:PITTSBURGH State:PA ZIP:15219-1818 Country:US Phone:800-553-5631, CHEMTREC 800-424-9300 CAGE:00297 Company Name: WOOLSEY MARINE, A DIVISION OF KOP-COAT, INC Address:436 7TH AVENUE City:PITTSBURGH State:PA ZIP:15219 Country:US Phone:412-227-2000 CAGE:LO794

Ingred Name:ODORLESS MINERAL SPIRITS CAS:64741-65-7 Other REC Limits:NONE SPECIFIED OSHA PEL:100 PPM ACGIH TLV:100 PPM

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure:IRRITATION TO EYES, NOSE AND THROAT FROM VAPORS. HIGH CONCENTRATIONS CAUSE RESPIRATORY TRACT IRRITATION, HEADACHE, DROWSINESS, DIZZINESS, FATIGUE, NAUSEA, COLLAPSE. M

edical Cond Aggravated by Exposure:PRE-EXISTING DISEASE OR HISTORY OF AILMENT INVOLVING SKIN, EYE, RESPIRATORY TRACT, KIDNEY, LIVER, BONE MARROW, BLOOD CELLS, CENTRAL NERVOUS SYSTEM ARE AT GREATER THAN NORMAL RISK OF ADVERSE EFFECTS.

First Aid:EYE: IMMEDIATLEY FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MED AID. SKIN: WASH THOROUGHLY WITH SOAP & WATER. IF IRRITATION PERSISTS, SEEK MEDICAL AID. IN HAL: REMOVE FROM EXPOSURE.

IF BREAT HING STOPPED OR IS DIFFICULT, ADMINISTER ARTIFICIAL RESPIRATION AS INDICATED. SEEK MEDICAL AID. INGESTION: DO NOT INDUCE VOMITING. SEEK MEDICAL AID.

Flash Point Method:TCC Flash Point:125F,52C Lower Limits:1.0 Upper Limits:6.0 Extinguishing Media:WATER MAY BE INEFFECTIVE. USE DRY CHEMICAL, CARBON OXIDE, FOAM OR WATER SPRAY. Fire Fighting Procedures:WEAR COMPLETE FIRE SERVICE PROTECTIVE EQUIPMENT, INCLUDING FULL-FACE MSHA/NIOSH SCBA. USE WATER TO COOL FIRE EXPOSED CNTNR/STRUCTURE/PROTECT PERSONNEL. Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT, SPARKS, AND FLAME.

Spill Release Procedures:REMOVE IGNITION SOURCES (FLAME,ELEC,STATIC,FRICTIONAL SPARKS,HOT SURFACES). AVOID BREATHING VAPORS. VENTILATE AREA. CONTAIN & SCOOP UP SPILL W/NON-SPARKING TOOLS, RAGS, ETC. USE INERT ABSOR BENT MATERI AL ON SMALL SPILL OR ON RESIDUALS OF LARGE SPILL.

Handling and Storage Precautions:KEEP CNTNRS CLSD, UPRIGHT (PREVENT LEAK). AVOID FLAMES, WELDING, SMOKING, SPARKS, OPEN LIGHTS, ETC. AVOID BREATHING VAPOR/MIST. AVOID EYE/SKIN CONTACT
Other Precautions:MAINTAIN GOOD PERSONAL HYGIENE. DONT ENTER/USE IN CONFINED SPACE/TANK/PIT WITHOUT PROPER VENTILATION; WEAR SUPPLIED AIR RESPIRATORS. CONFINED ENTR Y PROCEDURES APPLY.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:USE MSHA/NIOSH APPROVED UNITS AS PER CURRENT 29 CFR1910.134. IF WITHIN OSHA PROTECTION FACTOR, AIR PURIFYING OV/FILTER UNITS OK. Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION.

Protective Gloves: INDUSTRIAL RESISTANT FLEXIBLE GLOVES

Eye Protection: INDUSTRIAL SAFETY GLASSES.

Other Protective Equipment:WEAR INDUSTRIAL TYPE WORK CLOTHING AND SAFETY FOOTWEAR.

Wo

rk Hygienic Practices:WASH HANDS BEFORE EATING OR USING WASHROOM. SMOKE IN SMOKING AREAS ONLY.

Supplemental Safety and Health

Vapor Density:HEAVIER Spec Gravity:11.9 +/- .2 Evaporation Rate & amp; Reference:SLOWER (BU AC=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:VARIOUS COLORED LIQUID WITH TYPICAL MILD ODOR.

Stability Indicator/Materials to

Avoid:YES AVOID OXIDIZING AGENTS, HYDROFLUORIC ACID, ALKALI, REDUCING AGENTS, STRONG ACIDS.

Hazardous Decomposition Products:CARBON MONOXIDE, CARABON DIOXIDE, OXIDES OF NITROGEN.

Waste Disposal Methods:PRODUCT IS US EPA IGNITABLE HAZARDOUS WASTE. DISPOSE OF AS AN IGNITABLE WASTE IN ACCORDANCE WITH LOCAL APPLICABLE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This inform

ation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.