View NSN Online: https://aerobasegroup.de/nsn/1315-01-288-2278

ICI AMERICAS FILMS DIV -- FLASH REDUCER FOR 105 MM XM 913

MSDS Safety Information

FSC: 1315 NIIN: 01-288-2278 MSDS Date: 08/21/1991 MSDS Num: BPRQW Product ID: FLASH REDUCER FOR 105 MM XM 913 MFN: 01 Responsible Party Cage: 70657 Name: ICI AMERICAS INC FILMS DIV Address: NEW MURPHY RD AND CONCORD PIK E City: WILMINGTON DE 19897 Info Phone Number: 302-886-3000 (TECHNICAL) Emergency Phone Number: 800-327-8633 (MEDICAL) Proprietary Ind: Y Review Ind: Y Published: Y
Contractor Summary
Cage: 70657 Name: ICI AMERICAS INC FILMS DIV Address: NEW MURPHY RD AND CONCORD PIKE City: WILMINGTON DE 19897 Phone: UNKNOWN
Item Description Info rmation
Item Manager: B14 Item Name: BAG LOADING ASSEMBLY Unit of Issue: EA UI Container Qty: Z
Ingredients
Name: *** PROPRIETARY ***
Health Hazards Data

LD50 LC50 Mixture: SEE INGREDIEN

T 1.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: NITROGLYCERIN CAN CAUSE ALLERGIC CONTACT

DERMATITIS.HYPERTENSION,BLINDNESS,LIVER AND KIDNEY INJURY CAN RESULT AFTER EXTREME NITROGLYCERIN EXPOSURE.

Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: HAZARDS ARE FOR NITROGLYCERIN. SKIN IRRITATION, HEADACHE, DECREASED BLOOD PRESSURE & amp; AT HIGH EXPOSURE METHEMOGLOBIN FORMATION. BL

OOD CONC OF 15-25% METHEMOGLOBIN CAUSES CYANOSIS,

EUPHORIA, HEADACHE, LIG HT-HEADEDNESS, ATAXIA, WEAKNESS, RAPID HEARTBEAT, LABORED BREATHING, NAUSEA, VOMITING, MENTAL CONFUSION.

Medical Cond Aggravated By Exposure: ANEMIA AND GLAUCOMA MAY BE AGGRAVATED BY EXTREME OVEREXPOSURE TO NITROGLYCERIN.

First Aid: EYES:IMMED FLUSH W/ LOTS OF WATER.REMOVE CONT LENSES,CONTINUE FLUSHING FOR AT LEAST 15 MIN.IF SYMP DEVELOP,GET MED ATTN. SKIN:WASH W/ LOTS OF SOAP & amp; WATER.REMOVE CONTAM CLTHG/SHOES

.GET MED ATTN. INGES T:DRINK 1-2

GLASSES WATER.GET MED ATTN.GIVE NOTHING BY MOUTH IF UNCON. INHAL:MOVE TO FRESH AIR.IF SYMP DEVELOP,GET MED ATTN.MD NOTE:USE SUPPORTIVE MEASURES-BED REST & amp; OXYGEN INHALATION.(SEE SUPP DATA)

Handling and Disposal

Spill Release Procedures: IF BAG OPEN:ELIM ALL IGNIT SOURCES.VENTILATE AREA.WEAR SKIN PROT DURING CLEANUP.CLEAN UP IMMED USING SOFT BRISTLED BRUSH

& CONDUCTIVE RUBBER OR PLASTIC SHOVEL.USE EXTREME CAUTION-MATERIAL IS SENSITIVE TO FRICTION, IMPACT & amp; ELECTROSTATIC DISCHARGE. Neutralizing Agent: NOT KNOWN

Waste Disposal Methods: DISP IAW FED,STATE,& LOCAL REGULATIONS.COORDINATE W/ SUPPORTING INSTALLATION/MACOM ENVIRON OFFICE BEFORE DISP (FP A).EMPTY CONTAINER MAY RETAIN RESIDUES-USE ONLY FOR ORIGINAL PRODUCT.OBSERVE ALL PREC. POTENTIALLY EXPLOSIVE:HANDLE AS HAZARDOUS WASTE.

Handling And Storage Precautions

: EXPLOSIVE, UNSTABLE, FLAMMABLE SOLID. FOLLOW

ARMY REGS FOR HANDLING & amp; STORAGE.OPEN CONTRS IN WELL-VENT AREA, ALLOW ACCUM VAPORS TO ESCAPE PRIOR TO HNDLG.

Other Precautions: PREVENT SKIN CONTACT WITH BAG CONTENTS.AVOID BREATHING DUSTS.

Fire and Explosion Hazard Information

Extinguishing Media: DELUGE WITH WATER.ALL MATERIAL MAY BE CONSUMED BEFORE FIRE EXTINGUISHED UNLESS LARG

E QTIES OF WATER USED VERY QUICKLY.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS (SCBA) AND FULL TURNOUT GEAR (FP A).EVACUATE THE AREA.

Unusual Fire/Explosion Hazard: EASILY IGNITED, HIGHLY COMBUSTIBLE EXPLOSIVE.

Control Measures

Respiratory Protection: MSHA-NIOSH APPROVED POSITIVE PRESSURE AIR-SUPPLIED RESPIRATOR PROVIDES THE BEST PROTECTION.

Ventilation: USE

LOCAL EXHAUST IF NEEDED TO KEEP EXPOSURES TO A MINIMUM.

Protective Gloves: IMPERVIOUS

Eye Protection: CHEMICAL SAFETY GOGGLES (FP A).

Other Protective Equipment: IMPERVIOUS COVERALLS & APRON.EYEWASH FACILITIES AS NEEDED.

Work Hygienic Practices: WASH CONTAM CLTHG & DECONTAMINATE SHOES BEFORE REUSE.SHOWER THOROUGHLY AT END OF WORK SHIFT.WASH WORK CLOTHES DAILY.

Supplemental Safety and Health: PART NO:12630698.SPEC GRAV:1.59 (PROPELLENT

M30).FIRST AID PROC:DO NOT ADMINISTER ALCOHOL IN ANY FO

RM.IF CYANOSIS IS

SEVERE, MAY BE HELPFUL TO ADMINISTER 1% METHYLENE BLUE, 1-2 MG/KG BODY WT OVER 5-MIN INTERVALS. REPEAT AFTER 1 HOUR IF NEC, DONOT EXCEED 7 MG/KG TOTAL DOSE.

Physical/Chemical Properties

M.P/F.P Text: NOT KNOWN Decomp Text: NOT KNOWN Vapor Pres: SEE ING 1 Vapor Density: NOT KNOWN Spec Gravity: SEE SUPP Evaporation Rate & amp; Reference: NOT KNOWN Solubility in Water: PARTIAL

Appearance and Odor: SEWN CLOTH BAGS CONTAINING 67% PROPELLENT AND 33% SALT. Percent Volatiles by Volume: NEGLIG

_____ **Reactivity Data** _____ Stability Indicator: YES Stability Condition To Avoid: STABLE UNDER NORMAL CONDITIONS. Materials To Avoid: ACIDS AND BASES. Hazardous Decomposition Products: COMBUSTION PRODUCTS:CARBON DIOXIDE,CARBON MONOXIDE, NITROGEN OXIDES. Hazardous Polymerizati on Indicator: NO Conditions To Avoid Polymerization: WILL NOT OCCUR. Toxicological Information _____ Ecological Information _____ ______ MSDS Transport Information _____ _____ _____ Regulatory Information _____ _____ Other Information ______ ______ HAZCOM Label _____ Product ID: FLASH REDUCER FOR 105 MM XM 913 Cage: 70657 Company Name: ICI AMERICAS INC FILMS DIV Street: NEW MURPHY RD AND CONCORD PIKE City: WILMINGTON DE Zipcode: 19897 Health Emergency Phone: 800-327-8633 (MEDICAL) Label Required IND: Y Date Of Label Review: 04/29/1992 Status Code: C MFG Label NO: NOT KNOWN Label Date: 04/29/1992 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: DANGER **Respiratory Protection IND: YES** Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Severe Reactivity Hazard: None Hazard And Precautions: EASILY IGNITED, HIGHLY COMBUSTIBLE EXPLOSIVE. MATERIAL I

S

SENSITIVE TO FRICTION, IMPACT AND ELECTROSTATIC DISCHARGE.KEEP AWAY FROM HEAT, SPARKS, AND FLAME. NO HEALTH HAZARDS EXPECTED WITH GOOD INDUSTRIAL H YGIENE HOWEVER OPEN BAG WITH EXPOSURE TO NITROGLYCERIN RESULTS IN THE FOLLOWING EFFECTS.SKIN:IRRITATION. SKIN

ABSORPTION/INGESTION/INHALATION:HEADACHE,METHEMOGLOBIN FORMATION WITH CYANOSIS,LIGHT-HEADE DNESS,RAPID HEARTBEAT,LABORED

BREATHING,NAUSEA,VOMITING,MENTAL CONFUSION. CHRONIC:EXTREME EXPOSURE TO NITROGLYCERIN CAN CAUSE ALLERGIC C

ONTACT

DERMATITIS, HYPERTENSION, BLINDNESS, LIVER AND KIDNEY INJURY .

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other g

overnment situation.