

FORD MOTOR COMPANY -- C 175,ASBESTOS -- 2530-01-290-4471

===== Product Identification =====

Product ID:C 175,ASBESTOS

MSDS Date:10/22/1988

FSC:2530

NIIN:01-290-4471

MSDS Number: BPRQX

=== Responsible Party ===

Company Name:FORD MOTOR COMPANY

Address:3000 SCHAEFER ROAD

Box:1902

City:DEARBORN

State:MI

ZIP:48121

Country:US

Info Phone Num:313-337-3182 OR 313-323-0045

Emergency Phone Num:313-337-3182

C

AGE:2J502

=== Contractor Identification ===

Company Name:FORD MOTOR CO, GOVERNMENT PART SALES

Address:3000 SCHAEFER ROAD

Box:1902

City:DEARBORN

State:MI

ZIP:48121

Country:US

Phone:313-323-0045

CAGE:23040

Company Name:FORD MOTOR COMPANY

Address:3000 SCHAEFER ROAD

Box:1902

City:DEARBORN

State:MI

ZIP:48121

Country:US

Phone:800-959-3673

CAGE:2J502

===== Composition/Information on Ingredients =====

Ingred Name:ASBESTOS (FRIABLE) (SARA III)

CAS:1332-21-4

RTECS #:CI6425000

Fraction

by Wt: > 60%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:SEE 1910.1001
ACGIH TLV:0.2 - 2 FIBERS/CC
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:ACUTE & CHRONIC-HARMFUL IF
INHALED/SWALLOWED.MAY CAUSE IRRITATION OF EYES,SKIN & RESPIRATORY
TRACT.PROLONGED/REPEATED BREATHING OF ASBESTOS PA
RTICLES CAN
PRODUCE CHRONIC LUNG DISEASE(ASBESTOSIS),PLEUR AL PLAQUE &
CANCER.SYMPTOMS MAY TAKE YEARS TO DEVELOP.SMOKERS ARE AT A GREATER
RISK OF DEVELOPING CANCER FROM ASBESTOS.
Explanation of Carcinogenicity:ASBESTOS IS REGULATED BY OSHA AS A
CARCINOGEN.
Effects of Overexposure:HARMFUL IF INHALED/SWALLOWED. MAY CAUSE
IRRITATION OF EYES, SKIN & RESPIRATORY TRACT. PROLONGED/REPEATED
BREATHING OF ASBESTOS PARTICLES CAN PRODUCE CHRONIC LUNG DISEASE
(ASBESTOSIS), PLEURAL
PLAQUE & CANCER. SYMPTOMS MAY TAKE YEARS TO
DEVELOP. SMOKERS ARE AT A GREATER RISK OF DEVELOPING CANCER FROM
ASBESTOS.
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING
RESPIRATORY SYSTEMS DISORDERS MAY BE AGGRAVATED BY THIS PRODUCT.

===== First Aid Measures =====

First Aid:SEEK MEDICAL ATTENTION IF SYMPTOMS DEVELOP. EYES:GENTLY RINSE
WITH WATER FOR 15 MINUTES WHILE KEEPING EYELIDS OPEN. SKIN:WASH
FREQUENTLY WITH SOAP AND
WATER. INHALATION:REMOVE TO FRESH AIR.
INGESTION: GET IMMEDIATE MEDICAL ATTENTION OR ADVICE.

===== Fire Fighting Measures =====

Flash Point:NON FLAMMABLE
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL
FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED
CONTAINERS.
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND
NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN THE
POSITIVE PRESSURE MODE T

O PREVENT INHALATION OF FIBERS.
Unusual Fire/Explosion Hazard:ASBESTOS FIBERS MAY BECOME AIRBORNE
DURING FIRE FIGHTING ACTIVITIES.

===== Accidental Release Measures =====

Spill Release Procedures:TREAT DUST AS FREE ASBESTOS. DO NOT DRY SWEEP
OR USE COMPRESSED AIR. WET METHOD SHOULD BE USED FOR EXTRACTION OF
DUST AND DEBRIS. HIGH EFFICIENCY PARTICULATE APPARATUS (HEPA)
VACUUMS SHOULD BE USED. D O NOT ALLOW THIS MATERIAL TO ENTER SEWERS
ETC...

Neut
ralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE- DO NOT STIR UP THE DUST. THIS
PRODUCT FOR USE BY QUALIFIED PERSONNEL ONLY.
Other Precautions:USE IN WELL VENTILATED AREA. AVOID BREATHING DUST OR
FIBERS. MINIMIZE CONTACT WITH SKIN. AVOID CONTACT WITH EYES. DO NOT
RAISE DUST. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR
DRINKING. KEEP AWAY FROM REACH OF CHILDREN.

===== Ex
posure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED HIGH EFFICIENCY FIBERS/FUMES
RESPIRATOR WHEN AIRBORNE FIBER CONCENTRATIONS EXCEED THE PEL.
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. CHECK LOCAL REGULATIONS
FOR EMISSION STANDARDS.
Protective Gloves:LEATHER, COTTON OR RUBBER AS NEEDED
Eye Protection:DUST-RESISTANT SAFETY GOGGLES
Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER, WORK
CLOTHING AND APRON AS REQUIRED. DO NOT WE
AR CONTACT LENSES
Work Hygienic Practices:DON'T TAKE PROTECTIVE GEAR/CLOTHING HOME IF
EXPOSED TO DUST. DON'T SHAKE. DON'T EAT IN AREA WHERE ASBESTOS/DUST
PRESENT.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T7
Spec Gravity:3.350
Appearance and Odor:WHITE SOLID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE KNOWN.
Stability Condition to Avoid:FIRE, EXTREME H

EAT

Hazardous Decomposition Products:NONE KNOWN

===== Disposal Considerations =====

Waste Disposal Methods:WASTE SHOULD BE CONTAINED IN IMPERMEABLE BAGS,
LABELED AND DISPOSED IN ACCORDANCE WITH ALL LOCAL, STATE AND
FEDERAL REGULATIONS. REPORTABLE QUANTITY FOR ASBESTOS IS 1 POUND.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of
America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.