

FORD MOTOR COMPANY -- C 175,ASBESTOS -- 2530-01-290-4471

=====  
Product Identification  
=====

Product ID:C 175,ASBESTOS  
MSDS Date:10/22/1988  
FSC:2530  
NIIN:01-290-4471  
MSDS Number: BPRQX  
=== Responsible Party ===  
Company Name:FORD MOTOR COMPANY  
Address:3000 SCHAEFER ROAD  
Box:1902  
City:DEARBORN  
State:MI  
ZIP:48121  
Country:US  
Info Phone Num:313-337-3182 OR 313-323-0045  
Emergency Phone Num:313-337-3182

C  
AGE:2J502  
=== Contractor Identification ===  
Company Name:FORD MOTOR CO, GOVERNMENT PART SALES  
Address:3000 SCHAEFER ROAD  
Box:1902  
City:DEARBORN  
State:MI  
ZIP:48121  
Country:US  
Phone:313-323-0045  
CAGE:23040  
Company Name:FORD MOTOR COMPANY  
Address:3000 SCHAEFER ROAD  
Box:1902  
City:DEARBORN  
State:MI  
ZIP:48121  
Country:US  
Phone:800-959-3673  
CAGE:2J502

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ASBESTOS (FRIABLE) (SARA III)  
CAS:1332-21-4  
RTECS #:CI6425000  
Fraction

by Wt: > 60%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:SEE 1910.1001  
ACGIH TLV:0.2 - 2 FIBERS/CC  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:ACUTE & CHRONIC-HARMFUL IF  
INHALED/SWALLOWED.MAY CAUSE IRRITATION OF EYES,SKIN & RESPIRATORY  
TRACT.PROLONGED/REPEATED BREATHING OF ASBESTOS PA  
RTICLES CAN  
PRODUCE CHRONIC LUNG DISEASE(ASBESTOSIS),PLEUR AL PLAQUE &  
CANCER.SYMPTOMS MAY TAKE YEARS TO DEVELOP.SMOKERS ARE AT A GREATER  
RISK OF DEVELOPING CANCER FROM ASBESTOS.  
Explanation of Carcinogenicity:ASBESTOS IS REGULATED BY OSHA AS A  
CARCINOGEN.  
Effects of Overexposure:HARMFUL IF INHALED/SWALLOWED. MAY CAUSE  
IRRITATION OF EYES, SKIN & RESPIRATORY TRACT. PROLONGED/REPEATED  
BREATHING OF ASBESTOS PARTICLES CAN PRODUCE CHRONIC LUNG DISEASE  
(ASBESTOSIS), PLEURAL  
PLAQUE & CANCER. SYMPTOMS MAY TAKE YEARS TO  
DEVELOP. SMOKERS ARE AT A GREATER RISK OF DEVELOPING CANCER FROM  
ASBESTOS.  
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING  
RESPIRATORY SYSTEMS DISORDERS MAY BE AGGRAVATED BY THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:SEEK MEDICAL ATTENTION IF SYMPTOMS DEVELOP. EYES:GENTLY RINSE  
WITH WATER FOR 15 MINUTES WHILE KEEPING EYELIDS OPEN. SKIN:WASH  
FREQUENTLY WITH SOAP AND  
WATER. INHALATION:REMOVE TO FRESH AIR.  
INGESTION: GET IMMEDIATE MEDICAL ATTENTION OR ADVICE.

=====  
===== Fire Fighting Measures =====

Flash Point:NON FLAMMABLE  
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL  
FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED  
CONTAINERS.  
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND  
NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN THE  
POSITIVE PRESSURE MODE T

O PREVENT INHALATION OF FIBERS.

Unusual Fire/Explosion Hazard:ASBESTOS FIBERS MAY BECOME AIRBORNE DURING FIRE FIGHTING ACTIVITIES.

===== Accidental Release Measures =====

Spill Release Procedures:TREAT DUST AS FREE ASBESTOS. DO NOT DRY SWEEP OR USE COMPRESSED AIR. WET METHOD SHOULD BE USED FOR EXTRACTION OF DUST AND DEBRIS. HIGH EFFICIENCY PARTICULATE APPARATUS (HEPA) VACUUMS SHOULD BE USED. DO NOT ALLOW THIS MATERIAL TO ENTER SEWERS ETC...

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE- DO NOT STIR UP THE DUST. THIS PRODUCT FOR USE BY QUALIFIED PERSONNEL ONLY.

Other Precautions:USE IN WELL VENTILATED AREA. AVOID BREATHING DUST OR FIBERS. MINIMIZE CONTACT WITH SKIN. AVOID CONTACT WITH EYES. DO NOT RAISE DUST. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. KEEP AWAY FROM REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED HIGH EFFICIENCY FIBERS/FUMES RESPIRATOR WHEN AIRBORNE FIBER CONCENTRATIONS EXCEED THE PEL.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. CHECK LOCAL REGULATIONS FOR EMISSION STANDARDS.

Protective Gloves:LEATHER, COTTON OR RUBBER AS NEEDED

Eye Protection:DUST-RESISTANT SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER, WORK CLOTHING AND APRON AS REQUIRED. DO NOT WEAR CONTACT LENSES

Work Hygienic Practices:DON'T TAKE PROTECTIVE GEAR/CLOTHING HOME IF EXPOSED TO DUST. DON'T SHAKE. DON'T EAT IN AREA WHERE ASBESTOS/DUST PRESENT.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T7

Spec Gravity:3.350

Appearance and Odor:WHITE SOLID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE KNOWN.

Stability Condition to Avoid:FIRE, EXTREME H

EAT

Hazardous Decomposition Products:NONE KNOWN

===== Disposal Considerations =====

Waste Disposal Methods:WASTE SHOULD BE CONTAINED IN IMPERMEABLE BAGS, LABELED AND DISPOSED IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. REPORTABLE QUANTITY FOR ASBESTOS IS 1 POUND.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.