

MINNESOTA MINING/ADH COATINGS/SEALERS -- SCOTCHPLY SP377CU1 LOW ENERGY CURE
COMPOSITE PREPREG -- 9340-01-323-0527

===== Product Identification =====

Product ID:SCOTCHPLY SP377CU1 LOW ENERGY CURE COMPOSITE PREPREG

MSDS Date:01/01/1990

FSC:9340

NIIN:01-323-0527

MSDS Number: BPSZG

=== Responsible Party ===

Company Name:MINNESOTA MINING/ADH COATINGS/SEALERS

Address:3M CTR

City:ST PAUL

State:MN

ZIP:551

44-1000

Country:US

Emergency Phone Num:612-733-1110

CAGE:76381

=== Contractor Identification ===

Company Name:3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

===== Composition/Inf

ormation on Ingredients =====

Ingred Name:GLASS FABRIC
Fraction by Wt: 55-70%

Ingred Name:2,2-BIS(4-(2,3-EPOXYPROPYLOXY)PHENYL)PROPANE, BISPHENOL A
DIGLYCIDYL ETHER, EPON 828, EPOXIDE A
CAS:1675-54-3
RTECS #:TX3800000
Fraction by Wt: 15-25%

Ingred Name:CURATIVES FOR EPOXY RESIN - TRADE SECRET
Fraction by Wt: 10-20%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC
:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: DUST FROM
CUTTING/GRINDING/SANDING OF CURED PRODUCT MAY CAUSE IRRITATION.
SKIN: ALLERGIES. INHALATION: IRRITATION OF RESPIRATORY SYSTEM.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:SKIN: DUST FROM CUTTING, GRINDING, OR SANDING
OF CURED PRODUCT MAY CAUSE IRRITATION.

===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH W/PLENTY OF WATER. SKIN: THOROUGHLY
WASH AFFECT
ED AREA W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR.
INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Extinguishing Media:CO2, FOAM, DRY CHEMICAL
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.

===== Accidental Release Measures =====

Spill Release Procedures:OBSERVE PRECAUTIONS. COLLECT SPILLED MATERIAL.
PLACE IN A CLOSED CONTAINERS.

===== Handling

and Storage =====

Handling and Storage Precautions:FOR INDUSTRIAL/PROFESSIONAL USE. AVOID CONTACT W/EYES, SKIN, INHALATION OF VAPORS. USE SUFFICIENT VENTILATION. KEEP FROM CHILDREN.

Other Precautions:USE WATER AS LUBRICANT ON MACHINING TOOLS TO ELIMINATE DUST/IMPROVE MACHINABILITY OF CURED PARTS. STORE AT 72F OR BELOW TO MAINTAIN SHELF LIFE. ALLOW TO THOROUGHLY WARM TO ROOM TEMP. DON'T OPEN PROTECTIVE CONTAINER BEFORE AMBIENT CONDITION.

===== Ex
posure Controls/Personal Protection =====

Respiratory Protection:WEAR DUST MASK TO AVOID DUST EXPOSURE.
Ventilation:SUFFICIENT TO REMOVE VAPORS/PREVENT VAPOR BUILDUP. VENT CURING EQUIPMENT TO OUTDOORS/SUITABLE EMISSION CONTROL DEVICE.
Eye Protection:SAFETY GLASSES OR GOGGLES
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity:1.5-2
Solubility
in Water:INSOLUBLE
Appearance and Odor:BLACK TAPE, NO ODOR.
Percent Volatiles by Volume:0.5-2%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:CO, CO2

===== Disposal Considerations =====

Waste Disposal Methods:UNCURED: INCINERATE AFTER MIXING W/FLAMMABLE MATERIAL IN INDUSTRIAL/COMMERCIAL FACILITY. CURED: DISPOSE OF IN SANITARY LANDFILL ACCORDING TO STATE, LOCAL, OR FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information.

mation to their
particular situation.