

BAKER SEALANTS AND COATINGS CO -- WHITE LEAD, BASIC CARBONATE, PASTE-IN-OIL --
8010-00-239-5737

===== Product Identification =====

Product ID:WHITE LEAD, BASIC CARBONATE, PASTE-IN-OIL

MSDS Date:12/03/1990

FSC:8010

NIIN:00-239-5737

MSDS Number: BPTXC

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304

Country:US

Inf

o Phone Num:201-333-6986

Emergency Phone Num:201-333-6986/800-424-9300 CHEMTREC

Preparer's Name:CHARLES FRIEDMAN

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

===== Composition/Information on Ingredients

=====

Ingred Name: BASIC CARBONATE - WHITE LEAD
CAS: 1319-46-6
RTECS #: OF9275000
Fraction by Wt: 89.1%
Other REC Limits: NONE SPECIFIED

Ingred Name: RAW LINSEED OIL
CAS: 8001-26-1
RTECS #: OI9690000
Fraction by Wt: 10.9%
Other REC Limits: NONE SPECIFIED

===== Hazards Identification =====

Health Hazards Acute and Chronic: SYMPTOMS INCLUDE PERSISTENT FATIGUE, SLEEP DISTURBANCES, HEADACHE, ACHING BONES AND MUSCLES, CONSTIPATION, ABDOMINAL PAINS AND LOSS OF APPETITE. PROLONGED INGESTION MAY BE INDICATED BY INTENSE CRAMPS, CONSTIPATION, NAUSEA AND VOMITING. WORST CASE COULD RESULT IN CONVULSIONS OR COMA, ENCEPHALOPATHY. *

Effects of Overexposure: * INGESTION: EXCESSIVE INGESTION MAY AFFECT BLOOD, NERVOUS SYSTEM, DIGESTION, KIDNEY OR REPRODUCTIVE SYSTEM. SYNTHESIS OF HEMOGLOBIN IS INHIBITED AND WILL RESULT IN ANEMIA. IF SYMPTOMS ARE LEFT UNTREATED, NEURO-MUSCULAR DYSFUNCTION, PARALYSIS, AND ENCEPHALOPATHY CAN RESULT. COLIC, ANEMIA, NEURITIS, APATHY, DEPRESSION.

Medical Cond Aggravated by Exposure: NONE.

===== First Aid Measures =====

First Aid: EYES: FLUSH WITH WATER, GET IMMEDIATE MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INHALATION: N/A. INGESTION: GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method: COC
Flash Point: 615F, 324C
Extinguishing Media: EXTINGUISH WITH WATER SPRAY, DRY

CHEMICAL, FOAM OR
CO2.

Fire Fighting Procedures:WEAR FULL BODY PROTECTIVE CLOTHING AND FULL
FACE PIECE. SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:FUME, VAPOR AND/OR DUST MAY OCCUR AND ARE
CONSIDERED TOXIC AND RESPIRATORY IRRITANTS. THE PRODUCT, OR DUST
REACT VIGOROUSLY WITH STRONG OXIDIZING AGENTS.

===== Accidental Release Measures =====

Spill Release Procedures:LARGE SPILL: SPILLS TO BE PICKED UP WITH
SCOOPS, AND ABSORBE
NT MATERIALS AND TRANSFERED TO CONTAINERS.
SAFELY DISPOSE OF SATURATED ABSORBENT BY IMMERSING IN WATER. WEAR
PROTECTIVE CLOTHING DURING CLEA N-UP. SMALL SPILL: SAME AS ABOVE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN AREA WHERE ACCIDENTAL CONTACT
WITH ACIDS OR BASES NOT POSSIBLE. AVOID SKIN CONTACT. INGESTION CAN
BE PREVENTED WITH GOOD HYGIENIC PRACTICES.

Other Precautions:STORE AWAY FROM HIGH TEMPERATURES AND
AWAY FROM OPEN

FLAMES. KEEP LEAD MATERIALS AWAY FROM FOOD OR FOOD PRODUCTS. DO NOT
REUSE CONTAINERS. KEEP AWAY FROM CHILDREN. THIS PRODUCT IS INTENDED
FOR INDIVID UAL USE ONLY.

===== Exposure Controls/Personal Protection =====

Protective Gloves:NEOPRENE RUBBER
Eye Protection:CHEMICAL SAFETY GOGGLES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T6
Decomp Temp:Decomp Text:550 TO 790F
Spec Gravity:4.03 (WATE
R=1)
Solubility in Water:SOLUBLE
Appearance and Odor:WHITE PASTE, VEG OIL ODOR

===== Stability and Reactivity Data =====

AVOID CONTACT WITH STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:STABLE TO 200F.
Hazardous Decomposition Products:HIGH TEMPERATURE OR FIRE MAY PROVIDE
FUMES, VAPOR OR DUST.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE AND HAZARDOUS MATERIAL SHOULD
BE HANDLED IN A MANNER

WHICH COMPLIES WITH LOCAL, STATE AND FEDERAL
EPA REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility
for the suitability of this information to their
particular situation.