

DEXTER CORP HYSOL DIV -- EPK 608 PART B -- 8040-00-539-7798

=====
Product Identification
=====

Product ID:EPK 608 PART B

MSDS Date:03/03/1989

FSC:8040

NIIN:00-539-7798

Kit Part:Y

MSDS Number: BPVBF

=== Responsible Party ===

Company Name:DEXTER CORP HYSOL DIV

Address:164 FOLLY MILL RD

City:SEABROOK

State:NH

ZIP:03874

Country:US

Info Phone Num:603-474-5541

Emergency Phone Num:603-474-5541/800-424-9

300(CHEMTREC)

Preparer's Name:SHELDON CLARK

CAGE:1JB33

=== Contractor Identification ===

Company Name:DEXTER CORP THE HYSOL DIV

Address:1 DEXTER DR

Box:City:SEABROOK

State:NH

ZIP:03874

Country:US

Phone:603-474-5541/FAX: 603-474-5545

CAGE:1JB33

=====
Composition/Information on Ingredients
=====

Ingred Name:SILICA, AMORPHOUS (FILLER PARTICLES ARE THOROUGHLY WETTED
BY VEHICLE SO AIRBORNE EXPOSURE DOES NOT OCCUR UNLESS CURED *

CAS:112945-52-5

RTECS #:VV7310000

Other REC Limit

s:NONE SPECIFIED
OSHA PEL:20 MPPCF

Ingred Name:ETHYLENE GLYCOL
CAS:107-21-1
RTECS #:KW2975000
Other REC Limits:NONE SPECIFIED
ACGIH TLV:50 PPM
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:2,4,6-TRIS(DIMETHYLAMINOMETHYL) PHENOL
CAS:90-72-2
RTECS #:SN3500000
Other REC Limits:NONE SPECIFIED

Ingred Name:*MATERIAL IS SUBSEQUENTLY GROUND, MACHINED OR SANDED.
RTECS #:9999999ZZ
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inh
Absorption: YES Skin: YES Ingestion: YES
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: MAY CAUSE SKIN IRRITATION AND POSSIBLE
ALLERGIC REACTIONS. PROLONGED/REPEATED CONTACT MAY CAUSE
SENSITIZATION WHICH WILL RESULT IN ALLERGIC REACTIONS.

=====
===== First Aid Measures =====

First Aid: FLUSH SKIN AND EYE CONTACT WITH PLENTY OF WATER. WASH SKIN
THOROUGHLY WITH SOAP AND WATER, RUBBING ALCOHOL OR HAND CLEANER. DO
NOT USE SOLVENTS. REMOVE SOILED CLOTHING AND WASH BEFORE RE-USE. IF
IRRITATION PERSISTS, SEE PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method: COC
Flash Point: 315F, 157C
Extinguishing Media: DRY CHEMICAL OR HALON FIRE EXTINGUISHER, OR WATER
SPRAY, FOAM OR FOG.
Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS WHEN
FIGHTING FIRES IN CONFINED AREAS.
Unusual Fire/Explosion Hazard: DENSE SMOKE AND TOXIC GASSES MAY BE
LIBERATED

TED.

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP AND TRANSFER TO METAL CONTAINER.
WIPE UP REMAINING RESIDUE WITH SOLVENTS, OBSERVING SOLVENT
FLAMMABILITY CAUTIONS, OR USE DETERGENT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP COOL IN ACCORDANCE WITH LABEL
INSTRUCTIONS.

Other Precautions:FOLLOW RECOMMENDED CURING SCHEDULE. FAILURE TO
OBSERVE CAUTIONS MAY R
ESULT IN EXCESSIVE HEAT BUILD-UP WITH THE
RELEASE OF TOXIC GASSES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED WITH GOOD INDUSTRIAL VENTILATION.

Ventilation:LOCAL EXHAUST RECOMMENDED, MECHANICAL ACCEPTABLE.

Protective Gloves:IMPERVIOUS PLASTIC OR RUBBER

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING.

Supplemental Safety and Health

===== Physical/Chemical Pr
operties =====

HCC:N1

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres:1

Evaporation Rate & Reference: